

APPENDIX A

IDEM CORRESPONDENCE – REQUEST FOR RWP



INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

We make Indiana a cleaner, healthier place to live.

Mitchell E. Daniels, Jr.
Governor

Thomas W. Easterly
Commissioner

IDEM Office of Land Quality - Fileroom Stamp	
VRP Project Name:	Michigan Plaza
VRP#: 10061202	File Code: 300
Description:	PSI comment letter
Confidential? <input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No
Deliberative? <input type="checkbox"/> Yes	May 4, 2007 <input checked="" type="checkbox"/> No

100 North Senate Avenue
Indianapolis, Indiana 46204
(317) 232-8603
(800) 451-6027
www.IN.gov/idem

Mr. John Mundell
Mundell & Associates, Inc.
429 East Vermont Street, Suite 200
Indianapolis, IN 46202

Re: Further Site Investigation Addendum I
Report Review
Michigan Plaza
3801-3823 West Michigan Street
Indianapolis, Indiana
VRP #6061202

Dear Mr. Mundell:


This office has completed review of the Further Site Investigation Addendum I Report submitted April 4, 2007 for the Michigan Plaza facility in Indianapolis, Indiana. The report was reviewed to determine compliance with appropriate IDEM guidance, and generally accepted industry standards. The IDEM has the following comments.

Comments:


1. The shallow contaminant plume appears to be sufficiently delineated for site characterization purposes. Remedial planning for the shallow zone can begin.
2. Additional vertical delineation needs to be completed in the on-site and off-site source areas of the deeper contamination. Based on the high levels of soil and groundwater contamination in the source areas, it is probable that NAPLs were released and may have sunk below the current monitoring network. Deep wells (~35-50 feet deep) should be placed near MMW-8S, MMW-P-07 and 08, and down-gradient of MMW-P-03D. Further investigation may be required based on data from these locations.

Please respond to the above comments within 60 days from receipt of this letter. If you have any questions, please contact me at (317) 233-2991, (800) 451-6027, or at ebrittai@idem.in.gov.

Sincerely,


Erin Brittain, Project Manager
Voluntary Remediation Program
Office of Land Quality

COPY

A handwritten signature in black ink, appearing to read "Rich Harris", is positioned above the printed name.

Richard Harris, Section Chief
Voluntary Remediation Program
Office of Land Quality

cc: Erin Brittain, VRP Project Manager (2)



INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

We Protect Hoosiers and Our Environment.

Michael R. Pence
Governor

Thomas W. Easterly
Commissioner

100 North Senate Avenue
Indianapolis, Indiana 46204
(317) 232-8603
Toll Free (800) 451-6027
www.idem.IN.gov

June 3, 2013

Mr. Peter Cappel
AIMCO
4582 S. Ulster Street Parkway
Suite 1100
Denver, CO 80237

Re: Review of the Response to Comments
on the Second Revised Work Plan for
the Third Round of CAP18 ME
Injections
Michigan Plaza
3801-3823 West Michigan Street
Indianapolis, IN
VRP # 6061202

Dear Mr. Cappel:

This office has completed review of the "Response to IDEM's Review of Second Revised Work Plan for the Third Round of CAP 18 Injections" submittal. The document was reviewed to determine consistency with the Indiana Department of Environmental Management (IDEM)'s Voluntary Remediation Program (VRP) guidelines. Based on the additional information contained in the response document, the site may proceed with implementation of a third round of CAP18 injections. Please note that the approval of this injection event is not an approval of CAP18 as a site-wide remedy. A full site-wide remedy will need to be included in the forthcoming Remediation Work Plan (RWP). The RWP should also include full contingency plans for protecting the drinking water well as well as long term remedies for the vapor contamination. If you have any questions, please contact me at (317) 234-2513, (800) 451-6027, or at canderson@idem.in.gov.

Sincerely,

Carmen Anderson, Senior Project Manager
Remediation Services Branch
Office of Land Quality

cc: John Mundell, Mundell & Associates, 110 S. Downey Ave., Indianapolis, IN 46219
Andrew Gremos, ENVIRON, One Indiana Square, Suite 2335, Indianapolis, IN 46204
Bob Lewis, Genuine Parts Company, 2999 Circle 75 Parkway, Atlanta, GA 30339
Shelly Lam, US Environmental Protection Agency, 2525 N. Shadeland Ave, Indianapolis, IN 46219
Corey Webb, VRP Section Chief (via email)
Sarah Finley Johanson, IDEM Geology Services Section (via email)

COPY

WHEN RECORDED RETURN TO:
LANDAMERICA COMMERCIAL SERVICES
140 EAST WASHINGTON ST.
INDIANAPOLIS, IN. 46204
CASE NO. 07-002321

26 FILED

OCT 20 2008

Bellefleur

2008-012/268

RECEIVED FOR RECORD

2008 OCT 20 PM 4:03

JULIE L. VOORHIES
MARION COUNTY RECORDER

Environmental Restrictive Covenant

THIS ENVIRONMENTAL RESTRICTIVE COVENANT ("Covenant") is made this 15th day of October, 2008, by AIMCO Michigan Apartments, LLC, a Delaware limited liability company (together with its successors and assigns, collectively "Owner").

WHEREAS: Owner owns certain real estate in the County of Marion, Indiana, which is more particularly described in the attached Exhibit "A" and made a part hereof ("Real Estate").

WHEREAS: Owner's predecessor in title, AIMCO Michigan Meadows Holdings, L.L.C, a Delaware limited liability company ("AIMCO"), has undertaken or is undertaking voluntary remediation affecting the Real Estate pursuant to a Remediation Work Plan in VRP #6061202, and Genuine Parts Company ("Genuine Parts") has undertaken or is undertaking voluntary remediation affecting the Real Estate pursuant to a Remediation Work Plan in VRP #6991004, in accordance with IC 13-25-5 and/or other applicable Indiana law, as a result of a release of regulated substances (collectively, "Contaminants of Concern") relating to former dry cleaning and manufacturing operations on properties adjoining the Real Estate. Genuine Parts' and AIMCO's VRP projects are referred to in this Covenant as the "VRP Projects."

WHEREAS: The Indiana Department of Environmental Management ("Department") guidelines provide that Contaminants of Concern may remain in groundwater and/or soil provided that certain land use restrictions are maintained to ensure the protection of public health, safety, or welfare, and the environment.

WHEREAS: Genuine Parts and AIMCO previously agreed that AIMCO, and its successors and assigns, would be prohibited from installing or operating any groundwater wells on the Real Estate and that this restriction would run with the Real Estate and bind AIMCO and all successors in interest.

WHEREAS, there are presently no groundwater wells which have been installed upon the Real Estate by AIMCO or by any other person or entity other than monitoring wells and other wells used to determine groundwater elevation or for other investigative purposes.

NOW THEREFORE, Owner hereby imposes the following restrictions on the Real Estate:

1. Restrictive Covenants.

- a) The Real Estate shall not be used in any manner that would interfere with the response activities, long-term monitoring, or measures necessary to assure the effectiveness and integrity of any response action, or component thereof, selected and/or undertaken at the Real Estate pursuant to the VRP Projects.
- b) No groundwater wells shall be installed or operated on the Real Estate other than monitoring wells and other wells used to determine groundwater elevation or for other investigative purposes. There shall be no consumptive, extractive or other use of the groundwater underlying the Real Estate, other than for site investigation and/or remediation purposes, without Department approval.

2. Restrictions to Run with the Land. The restrictions and other requirements described in this Covenant shall run with the land and be binding upon, and inure to the benefit of Owner and the Owner's successors and assigns, and, subject to termination pursuant to paragraph 3 below, shall continue as a servitude running in perpetuity with the Real Estate. No transfer, mortgage, lease, license, easement, or other conveyance of any interest in all or any part of the Real Estate by any person shall limit the restrictions set forth herein.


3. Term. The restrictions in this Covenant shall apply until the Department determines that the Contaminants of Concern are no longer present at or under the Real Estate above residential default closure levels, and no longer present an unacceptable risk to the public health, safety or welfare, or to the environment, and executes an instrument in recordable form certifying those determinations.

IN WITNESS WHEREOF, the said Owner of the Real Estate described above has caused this Environmental Restrictive Covenant to be executed on this 15th day of October, 2008.

OWNER:

AIMCO MICHIGAN APARTMENTS, LLC,
a Delaware limited liability company

By: AIMCO/BETHESDA HOLDINGS, INC.,
a Delaware corporation
its Member

By: 
Name: Brian J. Bornhorst
Title: Vice President

STATE OF Colorado)
) SS:
COUNTY OF Denver)

Before me, the undersigned, a Notary Public in and for said County and State, personally appeared Brian J. Bornhorst, Vice President of AIMCO/BETHESDA HOLDINGS, INC., and the Member of AIMCO MICHIGAN APARTMENTS, LLC, a Delaware limited liability company, who being duly sworn and upon his oath, acknowledged the execution of the foregoing instrument for and on behalf of the Owner.

Witness my hand and Notarial Seal this 13th day of October, 2008.



My Commission Expires: 2/24/2010

K. Balthaser, Notary Public
Residing in Jefferson County, Colorado

This instrument prepared by:

Greg A. Vallin
Brownstein Hyatt Farber Schreck, LLP
410 Seventeenth Street, Suite 2200
Denver, Colorado 80202

Return to:

Robert M. Hamlett
Frank & Kraft, P.C.
135 North Pennsylvania Street, Suite 1100
Indianapolis, Indiana 46204

I affirm under the penalties for perjury, that I have taken reasonable care to redact each Social Security number in this document, unless required by law.

Greg A. Vallin

EXHIBIT A

LEGAL DESCRIPTION FOR MICHIGAN MEADOWS APARTMENTS

Marion County, Indiana

A part of the South Half of the Northwest Quarter of Section 5, Township 15 North, Range 3 East of the Second Principal Meridian in Marion County, Indiana, more particularly described as follows, to-wit:

Beginning at the Northeast corner of said Half Quarter Section; thence South 01 degrees 53 minutes 21 seconds West (assumed bearing) on and along the East line of said Quarter Section 812.95 feet to the centerline of Michigan Street as established by previous deeds, said point being North 01 degrees 53 minutes 21 seconds East 735.11 feet from the Southeast corner of the Northwest Quarter of said Section; thence North 90 degrees 00 minutes 00 seconds West 416.71 feet to the Indianapolis Department of Transportation (I.D.O.T.) right-of-way as per project S.T. 23-001 "A" and recorded in Instrument Number 73-9410; thence North 02 degrees 07 minutes 40 seconds West with the right-of-way project S. T. 23-001 "A" 30.02 feet; thence North 84 degrees 21 minutes 42 seconds West 100.50 feet; thence South 89 degrees 55 minutes 40 seconds West 180.00 feet leaving the I.D.O.T. right-of-way per Instrument Number 73-9410 and continuing on I.D.O.T. right-of-way per Instrument Number 73-9408; thence North 50 degrees 23 minutes 09 seconds West 73.70 feet; thence North 02 degrees 07 minutes 40 seconds East 253.04 feet; thence North 03 degrees 16 minutes 25 seconds East 197.87 feet leaving I.D.O.T. right-of-way per Instrument Number 73-9408 and continuing on I.D.O.T. right-of-way per Instrument Number 73-9410; thence North 02 degrees 07 minutes 40 seconds East 40.00 feet; thence North 04 degrees 59 minutes 25 seconds East 120.15 feet; thence North 28 degrees 41 minutes 34 seconds East 44.72 feet; thence North 05 degrees 13 minutes 43 seconds West 78.61 feet to the North line of said Half Quarter Section; thence South 89 degrees 51 minutes 57 seconds East leaving I.D.O.T. right-of-way and on and along the North line of said Half Quarter Section 734.48 feet to the point of beginning.

EXCEPT that part conveyed to the Consolidated City of Indianapolis through its Department of Capital Asset Management by Warranty Deed recorded December 14, 1999, as Instrument No. 99-235232, described as follows:

Part of the South Half of the Northwest Quarter of Section 5, Township 15 North, Range 3 East in Wayne Township, Marion County, Indiana, described as follows:

Commencing at the Southeast corner of the Northwest Quarter of Section 5, Township 15 North, Range 3 East; thence North 00 degrees 24 minutes 46 seconds East (assumed) 232.306 meters

(762.16 feet) along the East line of said Quarter Section to the Point of Beginning; thence South 88 degrees 17 minutes 52 seconds West 10.496 meters (34.44 feet); thence North 60 degrees 18 minutes 32 seconds East 8.184 meters (26.85 feet); thence North 88 degrees 46 minutes 59 Seconds East 3.409 meters (11.19 feet) to the East line of said Quarter Section; thence South 00 degrees 24 minutes 46 seconds West 3.815 meters (12.52 feet) along the East line of said Quarter Section to the Point of Beginning.

LEGAL DESCRIPTION FOR MICHIGAN PLAZA

Marion County, Indiana

A part of Lot 8 in Zadok Tomlinson Estate Partition of the South Half of the Northwest Quarter of Section 5, Township 15 North, Range 3 East of the Second Principal Meridian in Marion County, Indiana, more particularly described as follows, to-wit:

Commencing at the Southeast corner of said Northwest Quarter; thence North 01 degrees 53 minutes 21 seconds East on and along the East line of said Quarter Section 735.11 feet to the centerline of Michigan Street as described by previous deed; thence North 90 degrees 00 minutes 00 seconds West 235.88 feet to the point of beginning of this description; thence South 2 degrees 01 minutes 47 seconds West 368.16 feet; thence South 89 degrees 51 minutes 30 seconds West 181.94 feet; thence North 1 degree 53 minutes 21 seconds East parallel to the East line of said Quarter Section 368.58 feet to the center line of Michigan Street as described by previous deed; thence South 90 degrees 00 minutes 00 seconds East 182.82 feet to the point of beginning.

[The remainder of this page intentionally left blank]

APPENDIX B

INDR WATER WELL LOGS

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
978	602 S LYON, FROM HOLT AVE GO W ON WASHINGTON ST, US 40, TO LYON AVE, GO S ON LYON AVE TO 602	2/4/1992

Owner-Contractor	Name	Address	Telephone
Owner	JEAN HENDERSON	602 S LYON INDPLS IN	Not available
Driller	HAMILTON BROS INC	4025 ROCKVILLE RD INDPLS IN	(000)241-2571
Operator	ROBERT D SCHELLENBERG	License: 36	

Construction Details			
Well	Use: Home	Drilling Method: Rotary	Pump Type: Submersible
	Depth: 59.0	Pump Setting Depth: 40.0	Water Quality: CLEAR
Casing	Length: 55.0	Material: PVC	Diameter: 4.0
Screen	Length: 4.0	Material: PVC	Diameter: 4.0
	Slot Size: .060		

Well Capacity Test	Type of Test: Bailing	Test Rate: 10.0 gpm for 1.0 hrs.	Bail Test Rate: Not available
	Drawdown: 15.0 ft.	Static Water Level: 25.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: ENVIRO PLUG	Depth: From 10.0 To 35.0	
	Installation Method: TREMIE	Number of Bags Used: 3.0	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available	Township: 15N Section: NW of the SW of the NE of Section 8 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available
-----------------------	--	--

Well Log

Top	Bottom	Formation
0.0	35.0	TOP SOIL & CLAY
35.0	59.0	GRAVEL

Comments
None

Record of Water Well
Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
7662	3125 S LOCKBURN INDPLS IN 46241	3/3/1992

Owner-Contractor	Name	Address	Telephone
Owner	ROBERT PHILLIPS	3125 S LOCKBURN INDPLS IN	(000)241-2026
Driller	WATER WELLS INC	4320 KESSLER BLVD NO DR INDPLS IN	(317)257-2393
Operator	DAN WILHITE	License: 844	

Construction Details			
Well	Use: Home	Drilling Method: Rotary	Pump Type: Submersible
	Depth: 89.0	Pump Setting Depth: 60.0	Water Quality: CLEAR
Casing	Length: 85.0	Material: PVC	Diameter: 4.0
Screen	Length: 4.0	Material: PVC	Diameter: 4.0
	Slot Size: .050		

Well Capacity Test	Type of Test: Air	Test Rate: 20.0 gpm	Bail Test Rate: Not available
	Drawdown: 20.0 ft.	Static Water Level: 30.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: ENVIRO PLUG	Depth: From 0.0 To 40.0
	Installation Method: PUMP	Number of Bags Used: 3.0

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Administrative	County: MARION	Township: 15N
	Range: 3E	Section: NE of the NW of Section 5
	Topo Map: INDIANAPOLIS WEST	Grant: Not available
	Field Located By: Not available	Field Located On: Not available
	Courthouse Location By: Not available	Courthouse Location On: Not available
	Location Accepted w/o Verification By: Not available	Location Accepted w/o Verification On: Not available
	Subdivision Name: Not available	Lot Number: Not available
	Ft W of EL: Not available	Ft N of SL: Not available
	Ft E of WL: Not available	Ft S of NL: Not available
	Ground Elevation: Not available	Depth of Bedrock: Not available
	Bedrock Elevation: Not available	Aquifer Elevation: Not available
	UTM Easting: Not available	UTM Northing: Not available

Well Log

Top	Bottom	Formation
0.0	26.0	GRAVEL
26.0	48.0	CLAY
48.0	50.0	GRAVEL
50.0	84.0	GRAVEL
84.0	89.0	GRAVEL

Comments

None

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
20056	21 S EDGEHILL	5/24/1993

Owner-Contractor	Name	Address	Telephone
Owner	GARY FITZGERALD	21 S EDGEHILL INDPLS IN	(000)247-1560
Driller	HAMILTON BROS INC	4025 ROCKVILLE RD INDPLS IN	(000)241-2571
Operator	ROBERT D SCHELLENBERG	License: 36	

Construction Details			
Well	Use: Home	Drilling Method: Rotary	Pump Type: Submersible
	Depth: 80.0	Pump Setting Depth: 50.0	Water Quality: CLEAR
Casing	Length: 76.0	Material: PVC	Diameter: 4.0
Screen	Length: 4.0	Material: PVC	Diameter: 4.0
	Slot Size: .060		

Well Capacity Test	Type of Test: Bailing	Test Rate: 10.0 gpm for 1.0 hrs.	Bail Test Rate: Not available
	Drawdown: 25.0 ft.	Static Water Level: 25.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: ENVIRO PLUG	Depth: From 15.0 To 40.0
	Installation Method: TREMIE	Number of Bags Used: 4.0

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available	Township: 15N Section: NE of Section 7 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available
-----------------------	--	--

Well Log

Top	Bottom	Formation
0.0	40.0	TOP SOIL & CLAY
40.0	46.0	GRAVEL
46.0	66.0	CLAY
66.0	67.0	GRAVEL
67.0	78.0	CLAY
78.0	79.0	GRAVEL

Comments
SKETCH MAP

79.0	80.0	CLAY
------	------	------

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
54023	N OF MICHIGAN ST ON CONCORD TO ARNOLDS E AND N TO 519 N ARNOLDS	7/30/1980

Owner-Contractor	Name	Address	Telephone
Owner	RONALD GRIPPEN	519 N ARNOLDS INDIANAPOLIS, INDIANA	Not available
Driller	MILLS PUMP & WELL DRILLING INC	2508 W MICHIGAN ST INDIANAPOLIS, INDIANA	Not available
Operator	RUSSELL MILLS	License Not available	

Construction Details	Well	Use: Home	Drilling Method: Rotary	Pump Type: Not available
		Depth: 79.0	Pump Setting Depth: Not available	Water Quality: Not available
	Casing	Length: 76.0	Material: Not available	Diameter: 4.0
	Screen	Length: 3.0	Material: Not available	Diameter: 4.0
		Slot Size: 30		

Well Capacity Test	Type of Test: Not available	Test Rate: Not available	Bail Test Rate: 5.0 gpm for 2.0 hrs.
	Drawdown: Not available	Static Water Level: 30.0 ft.	Bailer Drawdown: 45.0 ft.

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: MCBH Courthouse Location By: Not available Location Accepted w/o Verification By: BRUNS Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: 717.0 Bedrock Elevation: Not available UTM Easting: 567685	Township: 15N Section: NW of the SE of the NW of Section 4 Grant: Not available Field Located On: 1/1/1992 Courthouse Location On: Not available Location Accepted w/o Verification On: 10/16/1980 Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: 638.0 UTM Northing: 4402885
-----------------------	--	--

Well Log

Top	Bottom	Formation
0.0	1.0	BLANK
1.0	31.0	CLAY GRAY

Comments
MC 638

31.0	65.0	CLAY BLUE
65.0	79.0	SAND BLUE

Record of Water Well
Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
54024	525 N ARNOLDA	4/19/1979

Owner-Contractor	Name	Address	Telephone
Owner	Not available	Not available	Not available
Driller	HAMILTON BROS INC	PO BOX 24181,4025 ROCKVILLE ROAD,INDIANAPOLIS,IND	Not available
Operator	DESTER HARNESS	License Not available	

Construction Details			
Well	Use: Home	Drilling Method: Rotary	Pump Type: Not available
	Depth: 47.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: 45.0	Material: Not available	Diameter: 4.0
Screen	Length: 3.0	Material: Not available	Diameter: 4.0
	Slot Size: 60		

Well Capacity Test	Type of Test: Not available	Test Rate: 10.0 gpm for 1.0 hrs.	Bail Test Rate: Not available
	Drawdown: 5.0 ft.	Static Water Level: 35.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Administrative	County: MARION	Township: 15N
	Range: 3E	Section: NW of the SE of the NW of Section 4
	Topo Map: INDIANAPOLIS WEST	Grant: Not available
	Field Located By: MCBH	Field Located On: 1/1/1992
	Courthouse Location By: Not available	Courthouse Location On: Not available
	Location Accepted w/o Verification By: SLP SAW 6/14/79	Location Accepted w/o Verification On: Not available
	Subdivision Name: Not available	Lot Number: Not available
	Ft W of EL: Not available	Ft N of SL: Not available
	Ft E of WL: Not available	Ft S of NL: Not available
	Ground Elevation: 716.0	Depth of Bedrock: Not available
	Bedrock Elevation: Not available	Aquifer Elevation: 669.0
	UTM Easting: 567700	UTM Northing: 4402915

Well Log

Top	Bottom	Formation
0.0	47.0	S & G

Comments
None

Record of Water Well
Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
54025	SEE MAP	Not available

Owner-Contractor	Name	Address	Telephone
Owner	NIBLACK	530 N ARNOLDA INDPLS.	(000)635-5673
Driller	WATER WELLS BY WILHITE	7453 W DOBSON	(317)257-2393
Operator	CHARLIE SULLIVAN	License: 843	

Construction Details			
Well	Use: Home	Drilling Method: Rotary	Pump Type: Not available
	Depth: 44.0	Pump Setting Depth: Not available	Water Quality: CLEAR
Casing	Length: 44.0	Material: PVC	Diameter: 4.0
Screen	Length: 5.0	Material: PVC	Diameter: 4.0
	Slot Size: .050		

Well Capacity Test	Type of Test: Air	Test Rate: 30.0 gpm for 2.0 hrs.	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: 24.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Administrative	County: MARION	Township: 15N
	Range: 3E	Section: NW of the SE of the NW of Section 4
	Topo Map: INDIANAPOLIS WEST	Grant: Not available
	Field Located By: Not available	Field Located On: Not available
	Courthouse Location By: Not available	Courthouse Location On: Not available
	Location Accepted w/o Verification By: Not available	Location Accepted w/o Verification On: Not available
	Subdivision Name: Not available	Lot Number: Not available
	Ft W of EL: Not available	Ft N of SL: Not available
	Ft E of WL: Not available	Ft S of NL: Not available
	Ground Elevation: 718.0	Depth of Bedrock: Not available
	Bedrock Elevation: Not available	Aquifer Elevation: 674.0
	UTM Easting: 567635	UTM Northing: 4402910

Well Log

Top	Bottom	Formation
0.0	4.0	SAND
4.0	44.0	S&G

Comments
None

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
54026	APPROX 1 BLOCK EAST OF TIBBS & 10TH ST.	2/7/1990

Owner-Contractor	Name	Address	Telephone
Owner	WILLIAMS BAIT & TACKLE	3337 W. 10TH ST INDPLS	(317)632-5881
Driller	DEAN WELL DRILLING, INC	841 W. SUMNER AVE INDPLS	(317)787-4146
Operator	JOHN AUFDERHEIDE	License: 231	

Construction Details			
Well	Use: Other	Drilling Method: Rotary	Pump Type: Submersible
	Depth: 69.0	Pump Setting Depth: 40.0	Water Quality: CLEAR
Casing	Length: 66.0	Material: PVC	Diameter: 5.0
Screen	Length: 3.0	Material: SS	Diameter: 5.0
	Slot Size: .030		

Well Capacity Test	Type of Test: Air	Test Rate: 30.0 gpm for 2.0 hrs.	Bail Test Rate: Not available
	Drawdown: 16.0 ft.	Static Water Level: 24.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: BENTONITE	Depth: From 0.0 To 38.0	
	Installation Method: TREMMIE	Number of Bags Used: 4.0	

Well Abandonment	Sealing Material: BENTONITE	Depth: From 0 To 46	
	Installation Method: TREMMIE	Number of Bags Used: 1.0	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: MCBH Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: 718.0 Bedrock Elevation: Not available UTM Easting: 567160	Township: 15N Section: NW of the NW of the NW of Section 4 Grant: Not available Field Located On: 1/1/1992 Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: 640.0 UTM Northing: 4403460
-----------------------	--	---

Well Log

Top	Bottom	Formation
0.0	5.0	BROWN CLAY
5.0	35.0	FINE SAND
35.0	46.0	BROWN CLAY
46.0	47.0	SAND & GRAVEL
47.0	66.0	SANDY BROWN CLAY
66.0	78.0	SAND & GRAVEL

Comments

MC 640;
ABANDONED
EXISTING 4"
STEEL CASING
WELL 0-46
WHERE PUMP
IS LODGED.

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
54027	FROM INDIANAPOLIS, W ON MICHIGAN RD FROM HOLT RD TO GASOLINE ALLEY, S GO STRAIGHT TO VERMONT E TO 4120 DO NOT CROSS RIVER	9/1/1989

Owner-Contractor	Name	Address	Telephone
Owner	MR. & MRS. FRED MUELLER	4120 W VERMONT (40ON4100W) INDPLS, IN	(317)244-7590
Driller Operator	JOSEPH HUSER SERVICES INC. SHAWN R. COREY	5728 S EMERSON INDPLS, IN License: 436	(317)784-4264

Construction Details			
Well	Use: Home	Drilling Method: Rotary	Pump Type: Submersible
	Depth: 50.0	Pump Setting Depth: 45.0	Water Quality: OK
Casing	Length: 48.0	Material: PVC	Diameter: 5.0
Screen	Length: 3.0	Material: SS	Diameter: 4.0
	Slot Size: .035		

Well Capacity Test	Type of Test: Air	Test Rate: 20.0 gpm for 1.0 hrs.	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: 18.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: BENTONITE	Depth: From 4.0 To 40.0	
	Installation Method: PUMP	Number of Bags Used: 1.5	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: MCBN Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: 716.0 Bedrock Elevation: Not available UTM Easting: 565841.8	Township: 15N Section: NE of the NW of the SW of Section 5 Grant: Not available Field Located On: 1/1/1992 Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: 666.0 UTM Northing: 4402515.5
-----------------------	--	---

Well Log

Top	Bottom	Formation
0.0	7.0	BR CLAY
7.0	11.0	SANDY CLAY
11.0	39.0	S&G

Comments
MC666

39.0	45.0	GREY CLAY
45.0	50.0	S&G

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
54028	Not available	11/7/1970

Owner-Contractor	Name	Address	Telephone
Owner	ROBERT NORMAN	4024 COSSELL RD	Not available
Driller	HAMILTON BROS INC.	Not available	Not available
Operator	TERRY HAMILTON	License Not available	

Construction Details	Use: Home	Drilling Method: Rotary	Pump Type: Not available
Well	Depth: 59.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: 57.0	Material: Not available	Diameter: 4.0
Screen	Length: 2.0	Material: Not available	Diameter: 3.0
	Slot Size: #6		

Well Capacity Test	Type of Test: Pumping	Test Rate: 10.0 gpm for 2.0 hrs.	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: Not available	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: MCBN Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: 718.0 Bedrock Elevation: Not available UTM Easting: 565960	Township: 15N Section: SE of the SW of the NW of Section 5 Grant: Not available Field Located On: 1/1/1992 Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: 658.0 UTM Northing: 4402625
-----------------------	--	---

Well Log

Top	Bottom	Formation
0.0	30.0	CLAY
30.0	40.0	SAND
40.0	57.0	CLAY
57.0	60.0	SAND

Comments

None

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
54029	GO W ON MICHIGAN ST FROM HOLT RD TO GASOLINE ALLEY 500N 6100 GO S AND STRAIGHT DO NOT CROSS RIVER TO VERMONT THEN E TO 4110	10/1/1989

Owner-Contractor	Name	Address	Telephone
Owner	M/M KEN BOGER	4110 W VERMONT INDPLS, IN	(317)244-4727
Driller	JOSEPH HUSER SERVICES INC.	5728 S EMERSON INDPLS, IN	(317)789-4244
Operator	SHAWN R. COREY	License: 436	

Construction Details			
Well	Use: Home	Drilling Method: Rotary	Pump Type: Submersible
	Depth: 38.0	Pump Setting Depth: 34.0	Water Quality: OK
Casing	Length: 36.0	Material: PVC	Diameter: 5.0
Screen	Length: 3.0	Material: SS	Diameter: 4.0
	Slot Size: .035		

Well Capacity Test	Type of Test: Air	Test Rate: 20.0 gpm for 1.0 hrs.	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: 13.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: BENTONITE	Depth: From 4.0 To 30.0	
	Installation Method: PUMP	Number of Bags Used: 1.5	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: MCBN Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: 716.0 Bedrock Elevation: Not available UTM Easting: Not available	Township: 15N Section: NE of the NW of the SW of Section 5 Grant: Not available Field Located On: 1/1/1992 Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: 678.0 UTM Northing: Not available
-----------------------	---	---

Well Log

Top	Bottom	Formation
0.0	15.0	CLAY
15.0	38.0	S&G

Comments
None

Record of Water Well
Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
54030	Not available	11/28/1973

Owner-Contractor	Name	Address	Telephone
Owner	KEN BOGER	4110 W VERMONT	Not available
Driller	HAMILTON BROS INC.	4025 ROCKVILLE RD	Not available
Operator	WARREN HARNESS	License Not available	

Construction Details			
Well	Use: Home	Drilling Method: Rotary	Pump Type: Not available
	Depth: 60.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: Not available	Material: Not available	Diameter: 4.0
Screen	Length: 2.0	Material: Not available	Diameter: 4.0
	Slot Size: .060		

Well Capacity Test	Type of Test: Pumping	Test Rate: 15.0 gpm for 1.0 hrs.	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: Not available	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Administrative	County: MARION	Township: 15N
	Range: 3E	Section: SW of the NW of Section 5
	Topo Map: INDIANAPOLIS WEST	Grant: Not available
	Field Located By: Not available	Field Located On: Not available
	Courthouse Location By: Not available	Courthouse Location On: Not available
	Location Accepted w/o Verification By: SL	Location Accepted w/o Verification On: Not available
	Subdivision Name: Not available	Lot Number: Not available
	Ft W of EL: Not available	Ft N of SL: Not available
	Ft E of WL: Not available	Ft S of NL: Not available
	Ground Elevation: Not available	Depth of Bedrock: Not available
	Bedrock Elevation: Not available	Aquifer Elevation: Not available
	UTM Easting: Not available	UTM Northing: Not available

Well Log

Top	Bottom	Formation
0.0	7.0	CLAY
7.0	44.0	S&G
44.0	60.0	CLAY

Comments

None

Record of Water Well
Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
54032	AT MAUSOLEUM, FLORAL PARK CEMETARY, COSSEL DR.	8/1/1961

Owner-Contractor	Name	Address	Telephone
Owner	FLORAL PARK CEMETARY	COSSEL DR	Not available
Driller	HARLAN MILLER WELL & PUMP	1726 HAMBLIN W DR, INDPLS 31 IN	Not available
Operator	JOHN WINKLER	License Not available	

Construction Details			
Well	Use: Home	Drilling Method: Cable Tool	Pump Type: Not available
	Depth: 53.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: 50.0	Material: Not available	Diameter: 4.0
Screen	Length: 6.0	Material: Not available	Diameter: 3.0
	Slot Size: #6		

Well Capacity Test	Type of Test: Not available	Test Rate: Not available	Bail Test Rate: 20.0 gpm for 1.0 hrs.
	Drawdown: Not available	Static Water Level: 14.0 ft.	Bailer Drawdown: 21.0 ft.

Grouting Information	Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Administrative	County: MARION	Township: 15N
	Range: 3E	Section: SW of the NW of the SE of Section 5
	Topo Map: INDIANAPOLIS WEST	Grant: Not available
	Field Located By: MCBN	Field Located On: 1/1/1992
	Courthouse Location By: Not available	Courthouse Location On: Not available
	Location Accepted w/o Verification By: Not available	Location Accepted w/o Verification On: Not available
	Subdivision Name: Not available	Lot Number: Not available
	Ft W of EL: Not available	Ft N of SL: Not available
	Ft E of WL: Not available	Ft S of NL: Not available
	Ground Elevation: 711.0	Depth of Bedrock: Not available
	Bedrock Elevation: Not available	Aquifer Elevation: 658.0
	UTM Easting: 566490	UTM Northing: 4402215

Well Log

Top	Bottom	Formation
0.0	33.0	CLAY
33.0	53.0	GRAV & WATER

Comments
MC 658;

Record of Water Well
Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
54033	3659 W COSSELL RD 300N	7/23/1970

Owner-Contractor	Name	Address	Telephone
Owner	FLORAL PARK CEMETERY	3659 COSSELL RD	Not available
Driller	HAMILTON BROS INC	Not available	Not available
Operator	JOE STOVALL	License Not available	

Construction Details			
Well	Use: Other	Drilling Method: Cable Tool	Pump Type: Not available
	Depth: 46.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: 43.0	Material: Not available	Diameter: 4.0
Screen	Length: 5.0	Material: Not available	Diameter: 3.0
	Slot Size: 40		

Well Capacity Test	Type of Test: Not available	Test Rate: 10.0 gpm for 2.0 hrs.	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: Not available	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Administrative	County: MARION	Township: 15N
	Range: 3E	Section: SE of the NW of the SE of Section 5
	Topo Map: INDIANAPOLIS WEST	Grant: Not available
	Field Located By: MCBH	Field Located On: 1/1/1992
	Courthouse Location By: Not available	Courthouse Location On: Not available
	Location Accepted w/o Verification By: Not available	Location Accepted w/o Verification On: Not available
	Subdivision Name: Not available	Lot Number: Not available
	Ft W of EL: Not available	Ft N of SL: Not available
	Ft E of WL: Not available	Ft S of NL: Not available
	Ground Elevation: 710.0	Depth of Bedrock: Not available
	Bedrock Elevation: Not available	Aquifer Elevation: 664.0
	UTM Easting: 566615	UTM Northing: 4402385

Well Log

Top	Bottom	Formation
0.0	5.0	CLAY
5.0	15.0	SAND
15.0	30.0	CLAY
30.0	46.0	SAND

Comments

MC 664

Record of Water Well
Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
54034	4017 COSSELL RD	3/23/1977

Owner-Contractor	Name	Address	Telephone
Owner	ALBERT SOLEMAN	Not available	Not available
Driller	HAMILTON BROS INC	PO BOX 24181 INDPLS, IND 46224	Not available
Operator	WOODIE BURKHART	License Not available	

Construction Details			
Well	Use: Home	Drilling Method: Cable Tool	Pump Type: Not available
	Depth: 54.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: Not available	Material: Not available	Diameter: 4.0
Screen	Length: Not available	Material: Not available	Diameter: 3.0
	Slot Size: Not available		

Well Capacity Test	Type of Test: Not available	Test Rate: 10.0 gpm for 1.0 hrs.	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: Not available	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Administrative	County: MARION	Township: 15N
	Range: 3E	Section: NW of the NE of the SW of Section 5
	Topo Map: INDIANAPOLIS WEST	Grant: Not available
	Field Located By: MCBH	Field Located On: 1/1/1992
	Courthouse Location By: Not available	Courthouse Location On: Not available
	Location Accepted w/o Verification By: WH	Location Accepted w/o Verification On: 7/7/1977
	Subdivision Name: Not available	Lot Number: Not available
	Ft W of EL: Not available	Ft N of SL: Not available
	Ft E of WL: Not available	Ft S of NL: Not available
	Ground Elevation: 717.0	Depth of Bedrock: Not available
	Bedrock Elevation: Not available	Aquifer Elevation: 663.0
	UTM Easting: 566060	UTM Northing: 4402550

Well Log

Top	Bottom	Formation
0.0	35.0	TOPSOIL & CLAY
35.0	54.0	S & G

Comments
None

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
54035	S OF MICHIGAN ST ON ROENA TO VERMONT. E TO 4044 W VERMONT.	1/29/1981

Owner-Contractor	Name	Address	Telephone
Owner	ALBERT RAY	4044 W VERMONT, INDPLS IN	Not available
Driller	MILLS PUMP & WELL DRILLING INC	2508 W MICHIGAN ST, INDPLS IN	Not available
Operator	RUSSELL MILLS	License Not available	

Construction Details	Use: Home	Drilling Method: Rotary	Pump Type: Not available
Well	Depth: 75.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: 72.0	Material: Not available	Diameter: 4.0
Screen	Length: 3.0	Material: Not available	Diameter: 4.0
	Slot Size: 40		

Well Capacity Test	Type of Test: Not available	Test Rate: Not available	Bail Test Rate: 10.0 gpm for 1.0 hrs.
	Drawdown: Not available	Static Water Level: 20.0 ft.	Bailer Drawdown: 10.0 ft.

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: MCBN Courthouse Location By: Not available Location Accepted w/o Verification By: BRUNS Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: 717.0 Bedrock Elevation: Not available UTM Easting: 566010	Township: 15N Section: NW of the NE of the SW of Section 5 Grant: Not available Field Located On: 1/1/1992 Courthouse Location On: Not available Location Accepted w/o Verification On: 12/21/1982 Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: 642.0 UTM Northing: 4402525
-----------------------	--	--

Well Log

Top	Bottom	Formation
0.0	1.0	BLANK
1.0	21.0	CLAY GRAY
21.0	70.0	CLAY BLUE
70.0	75.0	SAND BLUE

Comments

None

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
54036	4012 COSSELL RD.	1/13/1977

Owner-Contractor	Name	Address	Telephone
Owner	LEON PEDIGO	Not available	Not available
Driller	HAMILTON BROS INC.	PO BOX 24181, INDPLS IN	Not available
Operator	ED RANDOLPH	License Not available	

Construction Details	Use: Home	Drilling Method: Cable Tool	Pump Type: Not available
Well	Depth: 62.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: 59.0	Material: Not available	Diameter: 4.0
Screen	Length: 3.0	Material: Not available	Diameter: 4.0
	Slot Size: .060		

Well Capacity Test	Type of Test: Pumping	Test Rate: 10.0 gpm for 1.0 hrs.	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: Not available	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: MCBN Courthouse Location By: Not available Location Accepted w/o Verification By: WH Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: 717.0 Bedrock Elevation: Not available UTM Easting: 566060	Township: 15N Section: SW of the SE of the NW of Section 5 Grant: Not available Field Located On: 1/1/1992 Courthouse Location On: Not available Location Accepted w/o Verification On: 7/7/1977 Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: 655.0 UTM Northing: 4402600
-----------------------	---	--

Well Log

Top	Bottom	Formation
0.0	1.0	TOPSOIL & CLAY
1.0	35.0	S&G
35.0	62.0	BR CLAY

Comments

None

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
54037	3908 W COSSELL RD. 300W.	11/10/1977

Owner-Contractor	Name	Address	Telephone
Owner	FRED STRAIT	Not available	Not available
Driller	HAMILTON BROS INC.	PO BOX 24181, INDPLS IN	Not available
Operator	HENRY ARTHUR	License Not available	

Construction Details	Use: Home	Drilling Method: Rotary	Pump Type: Not available
Well	Depth: 50.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: 47.0	Material: Not available	Diameter: 4.0
Screen	Length: 3.0	Material: Not available	Diameter: 4.0
	Slot Size: Not available		

Well Capacity Test	Type of Test: Pumping	Test Rate: 10.0 gpm for 1.0 hrs.	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: Not available	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: MCBN Courthouse Location By: Not available Location Accepted w/o Verification By: BRUNS Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: 715.0 Bedrock Elevation: Not available UTM Easting: 566215	Township: 15N Section: NE of the NE of the SW of Section 5 Grant: Not available Field Located On: 1/1/1992 Courthouse Location On: Not available Location Accepted w/o Verification On: 2/17/1978 Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: 665.0 UTM Northing: 4402560
-----------------------	--	---

Well Log

Top	Bottom	Formation
0.0	10.0	TOPSOIL & CLAY
10.0	38.0	GRAV
38.0	50.0	CLAY

Comments

MC 665;

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
54038	3445 W 10TH ST.	7/27/1969

Owner-Contractor	Name	Address	Telephone
Owner	WILLIAM H. WALKER	2738 HICHORYWOOD CT	Not available
Driller	EARL H. MERRITT WELL DRILLING	2998 WESTLANE RD	Not available
Operator	DON KENNEDY	License Not available	

Construction Details	Use: Industry	Drilling Method: Cable Tool	Pump Type: Not available
Well	Depth: 59.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: 56.0	Material: Not available	Diameter: 4.0
Screen	Length: 4.0	Material: Not available	Diameter: 3.0
	Slot Size: #8		

Well Capacity Test	Type of Test: Pumping	Test Rate: 30.0 gpm for 2.0 hrs.	Bail Test Rate: Not available
	Drawdown: 5.0 ft.	Static Water Level: 25.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: MCBN Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: 719.0 Bedrock Elevation: Not available UTM Easting: 566975	Township: 15N Section: NE of the NE of the NE of Section 5 Grant: Not available Field Located On: 1/1/1992 Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: 660.0 UTM Northing: 4403450
-----------------------	--	---

Well Log

Top	Bottom	Formation
0.0	6.0	TOPSOIL & CLAY
6.0	21.0	BR GRAV
21.0	40.0	YEL GRAV
40.0	43.0	GRAY GRAVELY CLAY

Comments
MC 660;

43.0	47.0	GRAY DIRTY GRAV LITTLE WATER
47.0	59.0	YEL S&G

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
54044	Not available	11/26/1968

Owner-Contractor	Name	Address	Telephone
Owner	INDPLS. PARK DEPT.	4625 W. VERMONT	Not available
Driller	HAMILTON BROS, INC.	4025 ROCKVILLE RD.	Not available
Operator	WOODY BURKHART	License Not available	

Construction Details			
Well	Use: Home	Drilling Method: Cable Tool	Pump Type: Not available
	Depth: 54.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: 51.0	Material: Not available	Diameter: 4.0
Screen	Length: 5.0	Material: Not available	Diameter: 3.0
	Slot Size: 40		

Well Capacity Test	Type of Test: Pumping	Test Rate: 10.0 gpm for 2.0 hrs.	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: Not available	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: MCBH Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: 1,400.0 Ft E of WL: Not available Ground Elevation: 714.0 Bedrock Elevation: Not available UTM Easting: 565115	Township: 15N Section: NE of the NW of the SE of Section 6 Grant: Not available Field Located On: 1/1/1992 Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: 2,500.0 Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: 660.0 UTM Northing: 4402475
-----------------------	--	---

Well Log

Top	Bottom	Formation
0.0	17.0	CLAY
17.0	30.0	SAND
30.0	42.0	CLAY
42.0	54.0	S & G

Comments

MC 660 ;

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
54046	EAST OF LYNTHURST; N 400 - 8800 W	5/13/1985

Owner-Contractor	Name	Address	Telephone
Owner	MOOSE LODGE 500	4917 W. VERMONT	Not available
Driller	MATLOCK WELL DRILLING	4701 W MORRIS	Not available
Operator	JERRY OAKLEY	License Not available	

Construction Details			
Well	Use: Not available	Drilling Method: Rotary	Pump Type: Submersible
	Depth: Not available	Pump Setting Depth: 65.0	Water Quality: Not available
Casing	Length: 84.0	Material: Not available	Diameter: 4.0
Screen	Length: 4.0	Material: Not available	Diameter: 4.0
	Slot Size: #6		

Well Capacity Test	Type of Test: Bailing	Test Rate: 10.0 gpm for 1.0 hrs.	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: 40.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: MCBH Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: 735.0 Bedrock Elevation: Not available UTM Easting: 564665	Township: 15N Section: NE of the NE of the SW of Section 6 Grant: Not available Field Located On: 1/1/1992 Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: 651.0 UTM Northing: 4402500
-----------------------	--	---

Well Log

Top	Bottom	Formation
0.0	3.0	TOPSOIL
3.0	65.0	CLAY
65.0	68.0	GRAVEL
68.0	74.0	CLAY
74.0	84.0	GRAVEL

Comments

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
54048	318 N AUBURN	3/3/1980

Owner-Contractor	Name	Address	Telephone
Owner	ARLIE PICKARD	Not available	Not available
Driller	HAMILTON BROS INC	PO BOX24181,4025 ROCKVILLE ROAD,INDIANAPOLIS, IND	Not available
Operator	DESTER HARNESS	License Not available	

Construction Details	Use: Home	Drilling Method: Rotary	Pump Type: Not available
Well	Depth: 86.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: 83.0	Material: Not available	Diameter: 4.0
Screen	Length: 3.0	Material: Not available	Diameter: 4.0
	Slot Size: 60		

Well Capacity Test	Type of Test: Not available	Test Rate: 10.0 gpm for 1.0 hrs.	Bail Test Rate: Not available
	Drawdown: 25.0 ft.	Static Water Level: 40.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: MCBH Courthouse Location By: Not available Location Accepted w/o Verification By: TMB 7/11/80 Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: 742.0 Bedrock Elevation: Not available UTM Easting: 564675	Township: 15N Section: SE of the NE of the SW of Section 6 Grant: Not available Field Located On: 1/1/1992 Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: 656.0 UTM Northing: 4402350
-----------------------	--	---

Well Log

Top	Bottom	Formation
0.0	70.0	TOPSOIL & CLAY
70.0	86.0	GRAV

Comments
PERMIT 0337

Record of Water Well
Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
54049	4504 W. OHIO	9/23/1982

Owner-Contractor	Name	Address	Telephone
Owner	Not available	Not available	Not available
Driller	HAMILTON BROS, INC.	4025 ROCKVILLE RD. INDPLS, IN.	Not available
Operator	DESTER HARNESS	License Not available	

Construction Details			
Well	Use: Home	Drilling Method: Rotary	Pump Type: Not available
	Depth: 65.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: 61.0	Material: Not available	Diameter: 4.0
Screen	Length: 4.0	Material: Not available	Diameter: 4.0
	Slot Size: 60		

Well Capacity Test	Type of Test: Pumping	Test Rate: 10.0 gpm for 1.0 hrs.	Bail Test Rate: Not available
	Drawdown: 15.0 ft.	Static Water Level: 35.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Administrative	County: MARION	Township: 15N
	Range: 3E	Section: NW of the SE of the SE of Section 6
	Topo Map: INDIANAPOLIS WEST	Grant: Not available
	Field Located By: MCBH	Field Located On: 1/1/1992
	Courthouse Location By: Not available	Courthouse Location On: Not available
	Location Accepted w/o Verification By: BRUNS 12-21-82	Location Accepted w/o Verification On: Not available
	Subdivision Name: Not available	Lot Number: Not available
	Ft W of EL: Not available	Ft N of SL: Not available
	Ft E of WL: Not available	Ft S of NL: Not available
	Ground Elevation: 720.0	Depth of Bedrock: Not available
	Bedrock Elevation: Not available	Aquifer Elevation: 655.0
	UTM Easting: 565250	UTM Northing: 4402125

Well Log

Top	Bottom	Formation
0.0	55.0	TOPSOIL & CLAY
55.0	65.0	GRAV

Comments
None

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
54050	OFF OF VERMONT; W 4500 400 N	8/27/1985

Owner-Contractor	Name	Address	Telephone
Owner	BARB PADGETT	340 N. VINE	Not available
Driller	MATLOCK	4701 W. MORRIS	Not available
Operator	JERRY OAKLEY	License Not available	

Construction Details			
Well	Use: Home	Drilling Method: Rotary	Pump Type: Submersible
	Depth: Not available	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: 89.0	Material: Not available	Diameter: 4.0
Screen	Length: 5.0	Material: Not available	Diameter: 4.0
	Slot Size: #6		

Well Capacity Test	Type of Test: Bailing	Test Rate: 10.0 gpm for 1.0 hrs.	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: 10.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: MCBN Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: 710.0 Bedrock Elevation: Not available UTM Easting: 565250	Township: 15N Section: NW of the NE of the SE of Section 6 Grant: Not available Field Located On: 1/1/1992 Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: 621.0 UTM Northing: 4402430
-----------------------	--	---

Well Log

Top	Bottom	Formation
0.0	3.0	TOP SOIL
3.0	18.0	CLAY
18.0	30.0	GRAVEL
30.0	89.0	CLAY

Comments

None

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
54051	Not available	7/21/1982

Owner-Contractor	Name	Address	Telephone
Owner	WILLARD VITTOE	4512 W OHIO	Not available
Driller	MATLOCK	4701 W MORRIS STREET	Not available
Operator	JERRY OAKLEY	License Not available	

Construction Details	Use: Home	Drilling Method: Rotary	Pump Type: Not available
Well	Depth: 99.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: Not available	Material: Not available	Diameter: 4.0
Screen	Length: 5.0	Material: Not available	Diameter: 4.0
	Slot Size: 6		

Well Capacity Test	Type of Test: Not available	Test Rate: 10.0 gpm	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: 60.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: MCBH Courthouse Location By: Not available Location Accepted w/o Verification By: BRUNS Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: 720.0 Bedrock Elevation: Not available UTM Easting: 565185	Township: 15N Section: NW of the SE of the SE of Section 6 Grant: Not available Field Located On: 1/1/1992 Courthouse Location On: Not available Location Accepted w/o Verification On: 12/29/1982 Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: 621.0 UTM Northing: 4402130
-----------------------	--	--

Well Log

Top	Bottom	Formation
0.0	46.0	CLAY
46.0	56.0	GRAV
56.0	93.0	CLAY
93.0	99.0	GRAV

Comments

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
54053	Not available	3/4/1981

Owner-Contractor	Name	Address	Telephone
Owner	WILLIAM CARROLL	336 N. FLEMING	Not available
Driller	ALLEN MATLOCK WELL DRILLING	4701 W. MORRIS ST.	Not available
Operator	ALLEN MATLOCK	License Not available	

Construction Details	Use: Home	Drilling Method: Rotary	Pump Type: Not available
Well	Depth: 65.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: 65.0	Material: Not available	Diameter: 4.0
Screen	Length: 5.0	Material: Not available	Diameter: 4.0
	Slot Size: 6		

Well Capacity Test	Type of Test: Not available	Test Rate: Not available	Bail Test Rate: 15.0 gpm for 1.0 hrs.
	Drawdown: Not available	Static Water Level: 20.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: FFM Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: 711.0 Bedrock Elevation: Not available UTM Easting: 565350	Township: 15N Section: NW of the NE of the SE of Section 6 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: 5/11/1981 Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: 646.0 UTM Northing: 4402410
-----------------------	---	--

Well Log

Top	Bottom	Formation
0.0	3.0	TOP SOIL
3.0	50.0	CLAY
50.0	54.0	GRAV
54.0	65.0	CLAY

Comments

None

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
54062	4201 W JACKSON 150S	12/16/1982

Owner-Contractor	Name	Address	Telephone
Owner	JOHN PHILLIPS	Not available	Not available
Driller	HAMILTON BROS INC	PO BOX24181,4025 ROCKVILLE ROAD,INDIANAPOLIS, IND	Not available
Operator	DESTER HARNESS	License Not available	

Construction Details	Use: Home	Drilling Method: Rotary	Pump Type: Not available
Well	Depth: 47.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: 43.0	Material: Not available	Diameter: 4.0
Screen	Length: 4.0	Material: Not available	Diameter: 4.0
	Slot Size: 60		

Well Capacity Test	Type of Test: Not available	Test Rate: 10.0 gpm for 1.0 hrs.	Bail Test Rate: Not available
	Drawdown: 5.0 ft.	Static Water Level: 30.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: MCBH Courthouse Location By: Not available Location Accepted w/o Verification By: BRUNS 3/23/83 Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: 715.0 Bedrock Elevation: Not available UTM Easting: 565547.9	Township: 15N Section: SE of the NE of the NE of Section 7 Grant: Not available Field Located On: 1/1/1992 Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: 668.0 UTM Northing: 4401455.5
-----------------------	--	---

Well Log

Top	Bottom	Formation
0.0	20.0	SAND
20.0	38.0	CLAY
38.0	47.0	SAND

Comments

Record of Water Well
Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
54063	Not available	7/7/1972

Owner-Contractor	Name	Address	Telephone
Owner	DAN FILIMON	4324 W BERTHA	Not available
Driller	Not available	Not available	Not available
Operator	RASH	License Not available	

Construction Details			
Well	Use: Home	Drilling Method: Cable Tool	Pump Type: Not available
	Depth: 51.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: 48.0	Material: Not available	Diameter: 4.0
Screen	Length: 5.0	Material: Not available	Diameter: 3.0
	Slot Size: Not available		

Well Capacity Test	Type of Test: Not available	Test Rate: Not available	Bail Test Rate: 5.0 gpm for 0.5 hrs.
	Drawdown: Not available	Static Water Level: Not available	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Administrative	County: MARION	Township: 15N
	Range: 3E	Section: SE of the NE of the NE of Section 7
	Topo Map: INDIANAPOLIS WEST	Grant: Not available
	Field Located By: MCBN	Field Located On: 1/1/1992
	Courthouse Location By: Not available	Courthouse Location On: Not available
	Location Accepted w/o Verification By: Not available	Location Accepted w/o Verification On: Not available
	Subdivision Name: Not available	Lot Number: Not available
	Ft W of EL: Not available	Ft N of SL: Not available
	Ft E of WL: Not available	Ft S of NL: Not available
	Ground Elevation: 718.0	Depth of Bedrock: Not available
	Bedrock Elevation: Not available	Aquifer Elevation: 667.0
	UTM Easting: 565415	UTM Northing: 4401350

Well Log

Top	Bottom	Formation
0.0	36.0	TOPSOIL & CLAY
36.0	51.0	SAND

Comments
None

Record of Water Well
Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
54065	4442 W BERTHA	10/9/1975

Owner-Contractor	Name	Address	Telephone
Owner	VELMER CORNETT	Not available	Not available
Driller	HAMILTON BROS INC.	PO BOX 24181, INDPLS IN	Not available
Operator	DALE HADLEY	License Not available	

Construction Details			
Well	Use: Home	Drilling Method: Rotary	Pump Type: Not available
	Depth: 51.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: 49.0	Material: Not available	Diameter: 4.0
Screen	Length: 2.0	Material: Not available	Diameter: 4.0
	Slot Size: .060		

Well Capacity Test	Type of Test: Pumping	Test Rate: 10.0 gpm for 1.0 hrs.	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: Not available	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Administrative	County: MARION	Township: 15N
	Range: 3E	Section: SW of the NE of the NE of Section 7
	Topo Map: INDIANAPOLIS WEST	Grant: Not available
	Field Located By: Not available	Field Located On: Not available
	Courthouse Location By: Not available	Courthouse Location On: Not available
	Location Accepted w/o Verification By: BRUNS	Location Accepted w/o Verification On: 2/3/1976
	Subdivision Name: Not available	Lot Number: Not available
	Ft W of EL: Not available	Ft N of SL: Not available
	Ft E of WL: Not available	Ft S of NL: Not available
	Ground Elevation: 720.0	Depth of Bedrock: Not available
	Bedrock Elevation: Not available	Aquifer Elevation: 669.0
	UTM Easting: 565335	UTM Northing: 4401360

Well Log

Top	Bottom	Formation
0.0	43.0	TOPSOIL & CLAY
43.0	51.0	GRAV

Comments
MC 664;

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
54066	Not available	4/15/1974

Owner-Contractor	Name	Address	Telephone
Owner	CARL CHITWOOD	15 S ENGLISH	Not available
Driller	HAMILTON BROS INC.	4025 ROCKVILLE RD	Not available
Operator	ED RASH	License Not available	

Construction Details	Use: Home	Drilling Method: Cable Tool	Pump Type: Not available
Well	Depth: 44.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: 40.0	Material: Not available	Diameter: 4.0
Screen	Length: 5.0	Material: Not available	Diameter: 3.0
	Slot Size: Not available		

Well Capacity Test	Type of Test: Not available	Test Rate: Not available	Bail Test Rate: 10.0 gpm for 0.5 hrs.
	Drawdown: Not available	Static Water Level: Not available	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: SL Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: 723.0 Bedrock Elevation: Not available UTM Easting: 565200	Township: 15N Section: NW of the NE of the NE of Section 7 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: 679.0 UTM Northing: 4401625
-----------------------	--	--

Well Log

Top	Bottom	Formation
0.0	24.0	TOPSOIL & CLAY
24.0	25.0	SAND
25.0	36.0	CLAY
36.0	44.0	SAND

Comments

MC 679;

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
54067	Not available	10/24/1972

Owner-Contractor	Name	Address	Telephone
Owner	SPURGEON	27 S EDGEHILL	Not available
Driller	Not available	Not available	Not available
Operator	RASH	License Not available	

Construction Details	Use: Home	Drilling Method: Cable Tool	Pump Type: Not available
Well	Depth: 65.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: 62.0	Material: Not available	Diameter: 4.0
Screen	Length: 5.0	Material: Not available	Diameter: 3.0
	Slot Size: #6		

Well Capacity Test	Type of Test: Not available	Test Rate: Not available	Bail Test Rate: 10.0 gpm for 0.5 hrs.
	Drawdown: Not available	Static Water Level: Not available	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: MCBN Courthouse Location By: Not available Location Accepted w/o Verification By: BRUNS Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: 722.0 Bedrock Elevation: Not available UTM Easting: 565200	Township: 15N Section: NW of the NE of the NE of Section 7 Grant: Not available Field Located On: 1/1/1992 Courthouse Location On: Not available Location Accepted w/o Verification On: 3/1/1976 Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: 657.0 UTM Northing: 4401550
-----------------------	--	--

Well Log

Top	Bottom	Formation
0.0	35.0	TOPSOIL & CLAY
35.0	46.0	SAND
46.0	51.0	CLAY
51.0	65.0	SAND

Comments

None

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
54069	Not available	3/26/1966

Owner-Contractor	Name	Address	Telephone
Owner	C & B BUILDERS	3508 ROCKVILLE RD	Not available
Driller	HAMILTON BROS	4025 ROCKVILLE RD	Not available
Operator	Not available	License Not available	

Construction Details	Use: Other	Drilling Method: Cable Tool	Pump Type: Not available
Well	Depth: 305.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: 52.0	Material: Not available	Diameter: 6.0
Screen	Length: Not available	Material: Not available	Diameter: Not available
	Slot Size: Not available		

Well Capacity Test	Type of Test: Not available	Test Rate: 60.0 gpm for 5.0 hrs.	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: 25.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: MCBH Courthouse Location By: Not available Location Accepted w/o Verification By: HCK Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: 703.0 Bedrock Elevation: 652.0 UTM Easting: 566825	Township: 15N Section: NW of the NE of the NE of Section 8 Grant: Not available Field Located On: 1/1/1992 Courthouse Location On: Not available Location Accepted w/o Verification On: 4/1/1966 Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: 51.0 Aquifer Elevation: Not available UTM Northing: 4401525
-----------------------	--	---

Well Log

Top	Bottom	Formation
0.0	10.0	CLAY
10.0	35.0	SAND
35.0	40.0	CLAY
40.0	51.0	S & G
51.0	77.0	SHALE

Comments
MC 652

77.0	305.0	LS	
------	-------	----	--

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
54070	C & B HOME OFFICE AND MODEL HOMES	Not available

Owner-Contractor	Name	Address	Telephone
Owner	C & B BUILDERS	3508 ROCKVILLE RD	Not available
Driller	HAMILTON BROS INC	4025 ROCKVILLE ROAD,PO BOX 24181,INDIANAPOLIS, IND	Not available
Operator	Not available	License Not available	

Construction Details	Well	Use: Not available	Drilling Method: Not available	Pump Type: Not available
		Depth: 115.0	Pump Setting Depth: Not available	Water Quality: Not available
	Casing	Length: Not available	Material: Not available	Diameter: Not available
	Screen	Length: Not available	Material: Not available	Diameter: Not available
		Slot Size: Not available		

Well Capacity Test	Type of Test: Not available	Test Rate: 10.0 gpm	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: Not available	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: U	Township: 15N Section: NE of the NE of Section 8 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: 7/1/1964 Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: 40.0 Aquifer Elevation: Not available UTM Northing: Not available
	Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: 705.0 Bedrock Elevation: 665.0 UTM Easting: Not available	

Well Log

Top	Bottom	Formation
0.0	15.0	SAND
15.0	38.0	GRAV
38.0	40.0	CLAY

Comments

None

40.0	115.0	BLK SHALE
------	-------	-----------

Record of Water Well
Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
54072	Not available	10/15/1958

Owner-Contractor	Name	Address	Telephone
Owner	C&B CONST CO INC	3508 ROCKVILLE RD	Not available
Driller	Not available	Not available	Not available
Operator	RASH	License Not available	

Construction Details			
Well	Use: Home	Drilling Method: Cable Tool	Pump Type: Not available
	Depth: 40.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: 37.0	Material: Not available	Diameter: 4.0
Screen	Length: Not available	Material: Not available	Diameter: Not available
	Slot Size: Not available		

Well Capacity Test	Type of Test: Pumping	Test Rate: 10.0 gpm for 0.5 hrs.	Bail Test Rate: 10.0 gpm
	Drawdown: Not available	Static Water Level: Not available	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Administrative	County: MARION	Township: 15N
	Range: 3E	Section: NW of the NE of the NE of Section 8
	Topo Map: INDIANAPOLIS WEST	Grant: Not available
	Field Located By: Not available	Field Located On: Not available
	Courthouse Location By: Not available	Courthouse Location On: Not available
	Location Accepted w/o Verification By: Not available	Location Accepted w/o Verification On: Not available
	Subdivision Name: Not available	Lot Number: Not available
	Ft W of EL: Not available	Ft N of SL: Not available
	Ft E of WL: Not available	Ft S of NL: Not available
	Ground Elevation: 705.0	Depth of Bedrock: Not available
	Bedrock Elevation: Not available	Aquifer Elevation: 665.0
	UTM Easting: 566825	UTM Northing: 4401525

Well Log

Top	Bottom	Formation
0.0	14.0	TOPSOIL & CLAY
14.0	40.0	SAND

Comments
None

Record of Water Well
Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
54076	4200 ROCKVILLE RD	8/18/1982

Owner-Contractor	Name	Address	Telephone
Owner	VIRGINIA LIESKE	Not available	Not available
Driller	HAMILTON BROS INC	4025 ROCKVILLE ROAD, PO BOX 24181, INDIANAPOLIS, I	Not available
Operator	DESTER HARNESS	License Not available	

Construction Details

Well	Use: Other	Drilling Method: Rotary	Pump Type: Not available
	Depth: 48.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: 45.0	Material: Not available	Diameter: 4.0
Screen	Length: 3.0	Material: Not available	Diameter: 4.0
	Slot Size: 60		

Well Capacity Test	Type of Test: Not available	Test Rate: 10.0 gpm for 1.0 hrs.	Bail Test Rate: Not available
	Drawdown: 10.0 ft.	Static Water Level: 25.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Administrative	County: MARION	Township: 15N
	Range: 3E	Section: NW of the NW of the NW of Section 8
	Topo Map: INDIANAPOLIS WEST	Grant: Not available
	Field Located By: MCBH	Field Located On: 1/1/1992
	Courthouse Location By: Not available	Courthouse Location On: Not available
	Location Accepted w/o Verification By: BRUNS 12/21/82	Location Accepted w/o Verification On: Not available
	Subdivision Name: Not available	Lot Number: Not available
	Ft W of EL: Not available	Ft N of SL: Not available
	Ft E of WL: Not available	Ft S of NL: Not available
	Ground Elevation: 710.0	Depth of Bedrock: Not available
	Bedrock Elevation: Not available	Aquifer Elevation: 662.0
	UTM Easting: 565630	UTM Northing: 4401615

Well Log

Top	Bottom	Formation
0.0	40.0	TOPSOIL & CLAY
40.0	48.0	S & G

Comments
MC 662

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
54082	301 S LOCKBURN 3860 W	7/1/1975

Owner-Contractor	Name	Address	Telephone
Owner	D & R TIRE	Not available	Not available
Driller	HAMILTON BROS	4025 Rockville Rd. Indpls., IN 46224	Not available
Operator	WOODROW BURKHART	License Not available	

Construction Details	Use: Home	Drilling Method: Cable Tool	Pump Type: Not available
Well	Depth: 70.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: 68.0	Material: Not available	Diameter: 4.0
Screen	Length: 2.0	Material: Not available	Diameter: 4.0
	Slot Size: .060		

Well Capacity Test	Type of Test: Not available	Test Rate: 10.0 gpm for 1.0 hrs.	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: Not available	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: MCBH Courthouse Location By: Not available Location Accepted w/o Verification By: TMB Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: 709.0 Bedrock Elevation: 667.0 UTM Easting: 566125	Township: 15N Section: SW of the NE of the NW of Section 8 Grant: Not available Field Located On: 1/1/1992 Courthouse Location On: Not available Location Accepted w/o Verification On: 9/3/1975 Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: 42.0 Aquifer Elevation: Not available UTM Northing: 4401335
-----------------------	--	---

Well Log

Top	Bottom	Formation
0.0	27.0	SOIL & CLAY
27.0	42.0	S & G
42.0	70.0	SHALE

Comments

Record of Water Well
Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
54084	Not available	Not available

Owner-Contractor	Name	Address	Telephone
Owner	W MCMANNIS	3444 W WASHINGTON	Not available
Driller	ROBERT EDWARDS	Not available	Not available
Operator	Not available	License Not available	

Construction Details			
Well	Use: Home	Drilling Method: Cable Tool	Pump Type: Not available
	Depth: 30.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: Not available	Material: Not available	Diameter: 6.0
Screen	Length: 5.0	Material: Not available	Diameter: Not available
	Slot Size: Not available		

Well Capacity Test	Type of Test: Pumping	Test Rate: 30.0 gpm	Bail Test Rate: Not available
	Drawdown: 25.0 ft.	Static Water Level: Not available	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Administrative	County: MARION	Township: 15N
	Range: 3E	Section: NE of the NE of the NE of Section 8
	Topo Map: INDIANAPOLIS WEST	Grant: Not available
	Field Located By: MCBN	Field Located On: 1/1/1992
	Courthouse Location By: Not available	Courthouse Location On: Not available
	Location Accepted w/o Verification By: Not available	Location Accepted w/o Verification On: Not available
	Subdivision Name: Not available	Lot Number: Not available
	Ft W of EL: Not available	Ft N of SL: Not available
	Ft E of WL: Not available	Ft S of NL: Not available
	Ground Elevation: 704.0	Depth of Bedrock: Not available
	Bedrock Elevation: Not available	Aquifer Elevation: 674.0
	UTM Easting: 567000	UTM Northing: 4401680

Well Log

Top	Bottom	Formation
0.0	24.0	SANDY CLAY
24.0	30.0	SANDY GRAV

Comments
MC 674

Record of Water Well
Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
54087	3602 W. WASHINGTON ST.	5/24/1982

Owner-Contractor	Name	Address	Telephone
Owner	Not available	Not available	Not available
Driller	HAMILTON BROS, INC.	4025 ROCKVILLE RD., INDPLS, IN.	Not available
Operator	LESTER HARNESS	License Not available	

Construction Details			
Well	Use: Other	Drilling Method: Rotary	Pump Type: Not available
	Depth: 42.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: 32.0	Material: Not available	Diameter: 6.0
Screen	Length: 10.0	Material: Not available	Diameter: 6.0
	Slot Size: 60		

Well Capacity Test	Type of Test: Pumping	Test Rate: 70.0 gpm for 1.0 hrs.	Bail Test Rate: Not available
	Drawdown: 25.0 ft.	Static Water Level: 15.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Administrative	County: MARION	Township: 15N
	Range: 3E	Section: SE of the NW of the NE of Section 8
	Topo Map: INDIANAPOLIS WEST	Grant: Not available
	Field Located By: Not available	Field Located On: Not available
	Courthouse Location By: Not available	Courthouse Location On: Not available
	Location Accepted w/o Verification By: Not available	Location Accepted w/o Verification On: Not available
	Subdivision Name: Not available	Lot Number: Not available
	Ft W of EL: Not available	Ft N of SL: Not available
	Ft E of WL: Not available	Ft S of NL: Not available
	Ground Elevation: Not available	Depth of Bedrock: Not available
	Bedrock Elevation: Not available	Aquifer Elevation: Not available
	UTM Easting: Not available	UTM Northing: Not available

Well Log

Top	Bottom	Formation
0.0	20.0	TOPSOIL & CLAY
20.0	42.0	GRAV

Comments
None

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
56682	.5 MI W OF GASOLINE ALLEY ON COSSELL RD ON S SIDE (WHERE COSSELL RD DEAD ENDS AT HOLT RD) (4017 COSSELL RD)	10/5/1993

Owner-Contractor	Name	Address	Telephone
Owner	CARL EDWARDS	4017 COSSELL INDPLS IN	(000)241-6027
Driller	PERRY WELL DRILLING	4946 SR 32 W ANDERSON IN	(000)642-7105
Operator	JEFF FLEMING	License: 1074	

Construction Details	Use: Home	Drilling Method: Rotary	Pump Type: Submersible
Well	Depth: 260.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: 139.0	Material: PVC	Diameter: 5.0
Screen	Length: Not available	Material: Not available	Diameter: Not available
	Slot Size: Not available		

Well Capacity Test	Type of Test: Air	Test Rate: 15.0 gpm for 1.0 hrs.	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: 71.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: BNSL	Depth: From 25.0 To 80.0
	Installation Method: TREM	Number of Bags Used: 2.3

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To \
	Installation Method: Not available	Number of Bags Used: Not available

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available	Township: 15N Section: NW of Section 5 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available
-----------------------	--	--

Well Log

Top	Bottom	Formation
0.0	3.0	TOP SOIL
3.0	37.0	S & G
37.0	44.0	GRAY CLAY
44.0	49.0	S & G

49.0	67.0	GRAY CLAY
67.0	70.0	S & G
70.0	78.0	GRAY CLAY
78.0	136.0	BLK SHALE
136.0	260.0	STONE

Comments
None

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
63778	1304 OLIN AVENUE	2/11/1981

Owner-Contractor	Name	Address	Telephone
Owner	MARATHON OIL	Not available	Not available
Driller	HAMILTON BROS., INC.	P.O. BOX 24181, INDIANAPOLIS IN	Not available
Operator	DESTER HARNESS	License Not available	

Construction Details			
Well	Use: Industry	Drilling Method: Rotary	Pump Type: Not available
	Depth: 110.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: 107.0	Material: Not available	Diameter: 4.0
Screen	Length: 3.0	Material: Not available	Diameter: 4.0
	Slot Size: 60		

Well Capacity Test	Type of Test: Not available	Test Rate: 10.0 gpm for 1.0 hrs.	Bail Test Rate: Not available
	Drawdown: 20.0 ft.	Static Water Level: 20.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: HM Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available	Township: 16N Section: NE of the SW of Section 32 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available
-----------------------	---	---

Well Log

Top	Bottom	Formation
0.0	10.0	TOP SOIL & CLAY
10.0	40.0	GRAVEL
40.0	90.0	CLAY
90.0	96.0	GRAVEL
96.0	110.0	CLAY

Comments

None

Record of Water Well
Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
63779	Not available	Not available

Owner-Contractor	Name	Address	Telephone
Owner	HARDING	10	Not available
Driller	HAMILTON BROS., INC.	4025 ROCKVILLE ROAD, INDIANAPOLIS	Not available
Operator	JOHN	License	Not available

Construction Details			
Well	Use: Home	Drilling Method: Cable Tool	Pump Type: Not available
	Depth: 58.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: 55.0	Material: Not available	Diameter: 4.0
Screen	Length: 5.0	Material: Not available	Diameter: 3.0
	Slot Size: Not available		

Well Capacity Test	Type of Test: Not available	Test Rate: 10.0 gpm	Bail Test Rate: Not available
	Drawdown: 1.0 ft.	Static Water Level: Not available	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Administrative	County: MARION	Township: 16N
	Range: 3E	Section: SW of the SW of the SE of Section 32
	Topo Map: INDIANAPOLIS WEST	Grant: Not available
	Field Located By: Not available	Field Located On: Not available
	Courthouse Location By: Not available	Courthouse Location On: Not available
	Location Accepted w/o Verification By: Not available	Location Accepted w/o Verification On: Not available
	Subdivision Name: Not available	Lot Number: Not available
	Ft W of EL: Not available	Ft N of SL: Not available
	Ft E of WL: Not available	Ft S of NL: Not available
	Ground Elevation: Not available	Depth of Bedrock: Not available
	Bedrock Elevation: Not available	Aquifer Elevation: Not available
	UTM Easting: Not available	UTM Northing: Not available

Well Log

Top	Bottom	Formation
0.0	10.0	FILL
10.0	58.0	GRAVEL

Comments
None

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
63781	3800W	6/21/1973

Owner-Contractor	Name	Address	Telephone
Owner	JAMES NALL	1107 N OLIN AVE	Not available
Driller	HAMILTON BROS	Not available	Not available
Operator	CLYDE MOWELL	License Not available	

Construction Details	Use: Home	Drilling Method: Cable Tool	Pump Type: Not available
Well	Depth: 71.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: 68.0	Material: Not available	Diameter: 4.0
Screen	Length: 5.0	Material: Not available	Diameter: 3.0
	Slot Size: 40		

Well Capacity Test	Type of Test: Pumping	Test Rate: 10.0 gpm for 2.0 hrs.	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: Not available	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: 2,700.0 Ft E of WL: Not available Ground Elevation: 728.0 Bedrock Elevation: Not available UTM Easting: 566372	Township: 16N Section: NE of the SE of the SW of Section 32 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: 900.0 Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: 663.0 UTM Northing: 4403738
-----------------------	---	---

Well Log

Top	Bottom	Formation
0.0	21.0	CLAY
21.0	30.0	SAND
30.0	65.0	CLAY
65.0	71.0	SAND

Comments

None

Record of Water Well
Indiana Department of Natural Resources

Reference Number 67030	Driving Direction to Well 6030 N. MICHIGAN	Date Completed 8/10/1972	
Owner-Contractor Owner Driller Operator	Name FITHER & REILLY MALCOLM M. NEWLIN MALCOLM M. NEWLIN	Address 209 N. DELENAY 611 1ST AVE., N.W. CARMEL IND License Not available	Telephone Not available Not available
Construction Details			
Well	Use: Home Depth: 50.0	Drilling Method: Cable Tool Pump Setting Depth: Not available	Pump Type: Not available Water Quality: Not available
Casing	Length: 48.0	Material: Not available	Diameter: 4.0
Screen	Length: 3.4 Slot Size: 40	Material: Not available	Diameter: 4.0
Well Capacity Test	Type of Test: Not available Drawdown: Not available	Test Rate: Not available Static Water Level: 18.0 ft.	Bail Test Rate: 20.0 gpm for 2.0 hrs. Bailer Drawdown: 3.0 ft.
Grouting Information	Material: Not available Installation Method: Not available		
	Depth: From (not available) To (not available) Number of Bags Used: Not available		
Well Abandonment	Sealing Material: Not available Installation Method: Not available		
	Depth: From (not available) To (not available) Number of Bags Used: Not available		
Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available		
	Township: 16N Section: SE of Section 32 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available		

Well Log

Top	Bottom	Formation
0.0	1.0	BLANK
1.0	40.0	CLAYS
40.0	50.0	GRAVEL

Comments
None

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
67032	ELECTRIC STEEL CASTING CO. SPEEDWAY.	12/19/1944

Owner-Contractor	Name	Address	Telephone
Owner	ELECTRIC STEEL CASTING	SPEEDWAY	Not available
Driller	R.L. CLARK	INDPLS	Not available
Operator	Not available	License Not available	

Construction Details	Use: Industry	Drilling Method: Cable Tool	Pump Type: Not available
Well	Depth: 124.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: Not available	Material: Not available	Diameter: 6.0
Screen	Length: Not available	Material: Not available	Diameter: Not available
	Slot Size: Not available		

Well Capacity Test	Type of Test: Not available	Test Rate: Not available	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: Not available	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available	Township: 16N Section: SW of the SE of Section 31 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available
-----------------------	--	---

Well Log

Top	Bottom	Formation
0.0	2.0	FILL
2.0	4.5	CLAY YEL
4.5	17.0	CLAY MORE GRAV YEL
17.0	29.0	CLAY YEL TO GRAV

29.0	30.5	ROCKS 6"+
30.5	47.5	CLAY GRAY
47.5	50.5	GRAV DRY
50.5	52.0	CLAY DARK GRAY HARD
52.0	64.0	GRAV DRY ADD WATER TO DRILL
64.0	73.0	CLAY GRAY
73.0	77.0	GRAV 60 SLOT SIZE WATER
77.0	110.5	CLAY GRAY
110.5	114.0	GRAV
114.0	117.0	CLAY BR TOUGH
117.0	123.0	GRAV

Comments

None

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
67033	TEST WELL #1.	9/1/1944

Owner-Contractor	Name	Address	Telephone
Owner	ELECTRIC STEEL CASTING	SPEEDWAY	Not available
Driller	Not available	Not available	Not available
Operator	Not available	License Not available	

Construction Details	Use: Test	Drilling Method: Cable Tool	Pump Type: Not available
Well	Depth: 475.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: 154.0	Material: Not available	Diameter: 8.0
Screen	Length: Not available	Material: Not available	Diameter: Not available
	Slot Size: Not available		

Well Capacity Test	Type of Test: Not available	Test Rate: Not available	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: Not available	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: 725.0 Bedrock Elevation: 600.0 UTM Easting: Not available	Township: 16N Section: SW of the SE of Section 31 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: 125.0 Aquifer Elevation: 600.0 UTM Northing: Not available
-----------------------	--	---

Well Log

Top	Bottom	Formation
0.0	8.0	CLAY YEL
8.0	25.0	S&G MUDDY
25.0	28.0	GRAV COBBLES
28.0	45.0	GRAV MUDDY NO WATER

45.0	65.0	GRAV MUDDY WATER
65.0	125.0	CLAY GRAY
125.0	172.0	SHALE SLATE
172.0	310.0	LSBR,BLUE,WH, SHALE BREAKS
310.0	400.0	BLUE ROCK HARD
400.0	430.0	SHALE
430.0	475.0	LS HARD WH

Comments
TEST #1;

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
67034	PLANT 2, TEST 3. NW CORNER OF PROPERTY, MAIN ST &	Not available

Owner-Contractor	Name	Address	Telephone
Owner	ALLISONG ENG CO.	SPEEDWAY	Not available
Driller	LAYNE NORTHERN CO	Not available	Not available
Operator	Not available	License Not available	

Construction Details			
Well	Use: Industry	Drilling Method: Not available	Pump Type: Not available
	Depth: 123.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: Not available	Material: Not available	Diameter: Not available
Screen	Length: Not available	Material: Not available	Diameter: Not available
	Slot Size: Not available		

Well Capacity Test	Type of Test: Not available	Test Rate: Not available	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: 33.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: 715.0 Bedrock Elevation: 593.0 UTM Easting: Not available	Township: 16N Section: SE of Section 31 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: 122.0 Aquifer Elevation: Not available UTM Northing: Not available
-----------------------	--	---

Well Log

Top	Bottom	Formation
0.0	6.0	FILL & CLAY
6.0	10.0	GRAV
10.0	14.0	HARDPAN
14.0	31.0	GRAV
31.0	43.0	CLAY

43.0	45.0	GRAV
45.0	52.0	TOUGH CLAY
52.0	61.0	FN GRAV
61.0	105.0	TOUGH CLAY
105.0	109.0	SAND
109.0	122.0	CRS S&G
122.0	123.0	BLUE SHALE

Comments

TEST 3; LAYNE
1940;

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
67035	PLANT 2, TEST #2. NE CORNER OF GROUNDS.	8/28/1940

Owner-Contractor	Name	Address	Telephone
Owner	ALLISON ENG CO.	SPEEDWAY CITY	Not available
Driller	LAYNE NORTHERN	Not available	Not available
Operator	Not available	License Not available	

Construction Details	Use: Industry	Drilling Method: Cable Tool	Pump Type: Not available
Well	Depth: 115.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: Not available	Material: Not available	Diameter: Not available
Screen	Length: Not available	Material: Not available	Diameter: Not available
	Slot Size: Not available		

Well Capacity Test	Type of Test: Not available	Test Rate: Not available	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: 25.5 ft.	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: 715.0 Bedrock Elevation: 601.0 UTM Easting: Not available	Township: 16N Section: SE of Section 31 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: 114.0 Aquifer Elevation: Not available UTM Northing: Not available
-----------------------	--	---

Well Log

Top	Bottom	Formation
0.0	8.0	FILL & CLAY
8.0	14.0	GRAV
14.0	18.0	HARDPAN
18.0	30.0	GRAV SL 18'
30.0	34.0	BOULDERS

34.0	52.0	HARD CLAY
52.0	59.0	CLAY & GRAV MIXED
59.0	77.0	TOUGH CLAY
77.0	99.0	HARD CLAY
99.0	105.0	TOUGH CLAY
105.0	108.0	MD SAND
108.0	114.0	FN GRAV
114.0	115.0	BLK SHALE

Comments
TEST 2;

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
67036	PLANT 2, TEST 4. ON MAIN ST, 10' E OF FENCE; 10' N FROM PAVEMENT. IN SW CORNER OF PARKING LOT.	1/1/1940

Owner-Contractor	Name	Address	Telephone
Owner	ALLISON ENG CO.	SPEEDWAY	Not available
Driller	LAYNE NORTHERN CO.	Not available	Not available
Operator	Not available	License Not available	

Construction Details	Use: Test	Drilling Method: Cable Tool	Pump Type: Not available
Well	Depth: 123.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: Not available	Material: Not available	Diameter: Not available
Screen	Length: Not available	Material: Not available	Diameter: Not available
	Slot Size: Not available		

Well Capacity Test	Type of Test: Not available	Test Rate: Not available	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: 27.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: 715.0 Bedrock Elevation: 593.0 UTM Easting: Not available	Township: 16N Section: SE of Section 31 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: 122.0 Aquifer Elevation: Not available UTM Northing: Not available
-----------------------	--	---

Well Log

Top	Bottom	Formation
0.0	20.0	FILL GRAV CLAY
20.0	35.0	MD GRAV
35.0	54.0	TOUGH CLAY
54.0	59.0	GRAV

Comments
TEST 4;

59.0	103.0	TOUGH CLAY
103.0	113.0	FN SAND
113.0	122.0	MUDDY S&G
122.0	123.0	BLK SHALE

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
67037	PLANT #2, TEST #1.	9/20/1940

Owner-Contractor	Name	Address	Telephone
Owner	ALLISON ENG CO.	SPEEDWAY CITY	Not available
Driller	LAYNE NORTHERN CO.	Not available	Not available
Operator	Not available	License Not available	

Construction Details	Use: Test	Drilling Method: Cable Tool	Pump Type: Not available
Well	Depth: 117.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: Not available	Material: Not available	Diameter: Not available
Screen	Length: Not available	Material: Not available	Diameter: Not available
	Slot Size: Not available		

Well Capacity Test	Type of Test: Not available	Test Rate: Not available	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: Not available	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: 725.0 Bedrock Elevation: 611.0 UTM Easting: Not available	Township: 16N Section: SE of Section 31 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: 114.0 Aquifer Elevation: Not available UTM Northing: Not available
-----------------------	--	---

Well Log

Top	Bottom	Formation
0.0	8.0	FILL
8.0	30.0	GRAV
30.0	35.0	BOULDERS
35.0	40.0	GRAV

40.0	52.0	CLAY
52.0	56.0	GRAV
56.0	106.0	CLAY
106.0	108.0	GRAV MD
108.0	114.0	FN GRAV
114.0	117.0	BLK SHALE

Comments
TEST #1;

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
67069	SW 1/4 SEC 5; SW CORNER OF AREA S OF EAGLE CREEK, 150' E OF ROENA ST; TEST #22	2/22/1942

Owner-Contractor	Name	Address	Telephone
Owner	SPEEDWAY WATER CO	Not available	Not available
Driller	NESS	Not available	Not available
Operator	Not available	License Not available	

Construction Details	Well	Use: Not available	Drilling Method: Not available	Pump Type: Not available
		Depth: 88.0	Pump Setting Depth: Not available	Water Quality: Not available
	Casing	Length: Not available	Material: Not available	Diameter: Not available
	Screen	Length: Not available	Material: Not available	Diameter: Not available
		Slot Size: Not available		

Well Capacity Test	Type of Test: Not available	Test Rate: Not available	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: 10.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: JMH Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: 708.0 Bedrock Elevation: 620.0 UTM Easting: Not available	Township: 15N Section: SW of the SW of Section 5 Grant: Not available Field Located On: 3/1/1961 Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: 88.0 Aquifer Elevation: Not available UTM Northing: Not available
-----------------------	--	--

Well Log

Top	Bottom	Formation
0.0	6.0	SOIL CLAY
6.0	9.0	GRAV
9.0	28.0	HARDPAN
28.0	32.0	FINE GRAV

32.0	38.0	HARDPAN
38.0	47.0	GRAV
47.0	57.0	GRAV
57.0	63.0	HARDPAN
63.0	64.0	GRAV
64.0	88.0	HARDPAN
88.0		SH

Comments
None

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
67071	MT JACKSON CEMETERY ON TIBBS JUST N OF HWY 40.	10/9/1968

Owner-Contractor	Name	Address	Telephone
Owner	OLIVER BORES	5707 W MORRIS	Not available
Driller	CLAUDE ROYSTER	RR 2 BOX 125 GREENWOOD	Not available
Operator	CLAUDE ROYSTER	License Not available	

Construction Details			
Well	Use: Not available	Drilling Method: Jet	Pump Type: Not available
	Depth: 45.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: 41.0	Material: Not available	Diameter: 2.0
Screen	Length: 30.0	Material: Not available	Diameter: 1.3
	Slot Size: 60		

Well Capacity Test	Type of Test: Not available	Test Rate: 10.0 gpm for 1.0 hrs.	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: 25.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: BRUNS Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available	Township: 15N Section: SE of Section 5 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: 6/27/1976 Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available
-----------------------	--	--

Well Log Comments	None
--------------------------	------

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
67072	MT JACKSON CEMETARY ON TIBBS JUST N OF HI WAY 40	10/1/1967

Owner-Contractor	Name	Address	Telephone
Owner	WAYNE TOWNSHIP TRUSTEE	Not available	Not available
Driller	CLAUDE ROYSTA	RR 2 BOX 125 GREENWOOD	Not available
Operator	CLAUDE ROYSTA	License Not available	

Construction Details			
Well	Use: Not available	Drilling Method: Jet	Pump Type: Not available
	Depth: 54.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: 51.0	Material: Not available	Diameter: 2.0
Screen	Length: 30.0	Material: Not available	Diameter: 1.3
	Slot Size: 60		

Well Capacity Test	Type of Test: Not available	Test Rate: 10.0 gpm for 1.0 hrs.	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: 25.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available	Township: 15N Section: SE of Section 5 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available
-----------------------	--	--

Well Log Comments	ALL GRAVEL
--------------------------	------------

Record of Water Well
Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
67073	Not available	4/17/1963

Owner-Contractor	Name	Address	Telephone
Owner	EAGLE CREEK GOLF COURSE	VERMONT & POENA	Not available
Driller	HAMILTON BROS, INC.	4025 ROCKVILLE RD.	Not available
Operator	JOHN GALLADAY	License Not available	

Construction Details			
Well	Use: Home	Drilling Method: Cable Tool	Pump Type: Not available
	Depth: 56.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: 53.0	Material: Not available	Diameter: 4.0
Screen	Length: 5.0	Material: Not available	Diameter: 3.0
	Slot Size: Not available		

Well Capacity Test	Type of Test: Pumping	Test Rate: 10.0 gpm	Bail Test Rate: Not available
	Drawdown: 15.0 ft.	Static Water Level: Not available	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Administrative	County: MARION	Township: 15N
	Range: 3E	Section: SE of the NE of Section 6
	Topo Map: INDIANAPOLIS WEST	Grant: Not available
	Field Located By: Not available	Field Located On: Not available
	Courthouse Location By: Not available	Courthouse Location On: Not available
	Location Accepted w/o Verification By: U	Location Accepted w/o Verification On: 3/1/1965
	Subdivision Name: Not available	Lot Number: Not available
	Ft W of EL: Not available	Ft N of SL: Not available
	Ft E of WL: Not available	Ft S of NL: Not available
	Ground Elevation: Not available	Depth of Bedrock: Not available
	Bedrock Elevation: Not available	Aquifer Elevation: Not available
	UTM Easting: Not available	UTM Northing: Not available

Well Log

Top	Bottom	Formation
0.0	56.0	GRAV

Comments
None

Record of Water Well
Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
72546	3010 W VERMONT	8/11/1994

Owner-Contractor	Name	Address	Telephone
Owner	BEN SAYMAN	7674 S CR 300W CLAYTON IN	(000)539-6723
Driller	HAMILTON BROS INC	4025 ROCKVILLE RD INDPLS IN	(000)241-2571
Operator	JAMES N HERMAN	License: 660	

Construction Details			
Well	Use: Home	Drilling Method: Rotary	Pump Type: Submersible
	Depth: 75.0	Pump Setting Depth: 60.0	Water Quality: CLEAR
Casing	Length: 70.0	Material: PVC	Diameter: 4.0
Screen	Length: 5.0	Material: PVC	Diameter: 4.0
	Slot Size: .032		

Well Capacity Test	Type of Test: Bailing	Test Rate: 10.0 gpm for 1.0 hrs.	Bail Test Rate: Not available
	Drawdown: 25.0 ft.	Static Water Level: 35.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: ENVIROPLUG	Depth: From 15.0 To 40.0
	Installation Method: TREM	Number of Bags Used: 2.0

Well Abandonment	Sealing Material: HOLE PLUG	Depth: From 0 To 25
	Installation Method: POUR IN	Number of Bags Used: 1.0

Administrative	County: MARION	Township: 15N
	Range: 3E	Section: NW of Section 4
	Topo Map: INDIANAPOLIS WEST	Grant: Not available
	Field Located By: Not available	Field Located On: Not available
	Courthouse Location By: Not available	Courthouse Location On: Not available
	Location Accepted w/o Verification By: Not available	Location Accepted w/o Verification On: Not available
	Subdivision Name: Not available	Lot Number: Not available
	Ft W of EL: Not available	Ft N of SL: Not available
	Ft E of WL: Not available	Ft S of NL: Not available
	Ground Elevation: Not available	Depth of Bedrock: Not available
	Bedrock Elevation: Not available	Aquifer Elevation: Not available
	UTM Easting: Not available	UTM Northing: Not available

Well Log

Top	Bottom	Formation
0.0	5.0	TOPSOIL & CLAY
5.0	40.0	SAND
40.0	75.0	CLAY

Comments
SKETCH MAP

Record of Water Well
Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
112974	2920 NEWHART	8/26/1994

Owner-Contractor	Name	Address	Telephone
Owner	DONALD CORNETT	2920 NEWHART ST INDPLS IN	(000)784-7137
Driller	HAMILTON BROS INC	4025 ROCKVILLE RD INDPLS IN	(000)241-2571
Operator	JAMES N HERMAN	License: 660	

Construction Details			
Well	Use: Home	Drilling Method: Rotary	Pump Type: Submersible
	Depth: 44.0	Pump Setting Depth: 30.0	Water Quality: CLEAR
Casing	Length: 40.0	Material: PVC	Diameter: 4.0
Screen	Length: 4.0	Material: PVC	Diameter: 4.0
	Slot Size: .060		

Well Capacity Test	Type of Test: Bailing	Test Rate: 10.0 gpm for 1.0 hrs.	Bail Test Rate: Not available
	Drawdown: 25.0 ft.	Static Water Level: 5.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: ENVIROPLUG	Depth: From 0.0 To 25.0
	Installation Method: TREM	Number of Bags Used: 2.0

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Administrative	County: MARION	Township: 15N
	Range: 3E	Section: NW of Section 4
	Topo Map: INDIANAPOLIS WEST	Grant: Not available
	Field Located By: Not available	Field Located On: Not available
	Courthouse Location By: Not available	Courthouse Location On: Not available
	Location Accepted w/o Verification By: Not available	Location Accepted w/o Verification On: Not available
	Subdivision Name: Not available	Lot Number: Not available
	Ft W of EL: Not available	Ft N of SL: Not available
	Ft E of WL: Not available	Ft S of NL: Not available
	Ground Elevation: Not available	Depth of Bedrock: Not available
	Bedrock Elevation: Not available	Aquifer Elevation: Not available
	UTM Easting: Not available	UTM Northing: Not available

Well Log

Top	Bottom	Formation
0.0	1.0	TOPSOIL & CLAY
1.0	44.0	GRAV

Comments
SKETCH MAP

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed	
172484	SANITORIUM	Not available	

Owner-Contractor	Name	Address	Telephone
Owner	MT JACKSON SANITORIUM	3127 W WASHINGTON ST	Not available
Driller	Not available	Not available	Not available
Operator	Not available	License Not available	

Construction Details			
Well	Use: Public Supply Depth: 1,708.0	Drilling Method: Not available Pump Setting Depth: Not available	Pump Type: Not available Water Quality: Not available
Casing	Length: Not available	Material: Not available	Diameter: 8.0
Screen	Length: Not available Slot Size: Not available	Material: Not available	Diameter: Not available

Well Capacity Test	Type of Test: Not available Drawdown: Not available	Test Rate: Not available Static Water Level: 15.0 ft.	Bail Test Rate: Not available Bailer Drawdown: Not available
---------------------------	--	--	---

Grouting Information	Material: Not available Installation Method: Not available	Depth: From (not available) To (not available) Number of Bags Used: Not available
-----------------------------	---	--

Well Abandonment	Sealing Material: Not available Installation Method: Not available	Depth: From (not available) To (not available) Number of Bags Used: Not available
-------------------------	---	--

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: 1,300.0 Ground Elevation: 710.0 Bedrock Elevation: Not available UTM Easting: 567525	Township: 15N Section: NE of the NW of the NW of Section 9 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: 150.0 Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: 4401705
-----------------------	---	--

Well Log Comments	
--------------------------	--

ATTEMPTED TO
REPAIR ABOUT
3 YEARS AGO
(1936);
DROPPED 500'
OF PIPE INTO
WELL; WELL
NOT USED

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
172486	4038 ROCKVILLE RD	Not available

Owner-Contractor	Name	Address	Telephone
Owner	L MOON	Not available	Not available
Driller	HAMILTON BROS INC	Not available	Not available
Operator	Not available	License Not available	

Construction Details	Use: Home	Drilling Method: Rotary	Pump Type: Not available
Well	Depth: 76.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: Not available	Material: Not available	Diameter: 4.3
Screen	Length: 3.0	Material: Not available	Diameter: 4.3
	Slot Size: Not available		

Well Capacity Test	Type of Test: Not available	Test Rate: Not available	Bail Test Rate: 10.0 gpm for 1.0 hrs.
	Drawdown: Not available	Static Water Level: Not available	Bailer Drawdown: 27.0 ft.

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available	Township: 15N Section: NE of the NW of the NW of Section 8 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available
-----------------------	--	--

Well Log

Top	Bottom	Formation
0.0	2.0	CLAY SANDY
2.0	37.0	SAND
37.0	43.0	CLAY
43.0	62.0	SAND

62.0	67.0	CLAY
67.0	76.0	SAND

Comments
None

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed	
172504	Not available	Not available	

Owner-Contractor	Name	Address	Telephone
Owner	MT. JACKSON SANITARIUM	Not available	Not available
Driller	Not available	Not available	Not available
Operator	Not available	License Not available	

Construction Details			
Well	Use: Not available Depth: 1,500.0	Drilling Method: Not available Pump Setting Depth: Not available	Pump Type: Not available Water Quality: Not available
Casing	Length: Not available	Material: Not available	Diameter: 4.0
Screen	Length: Not available Slot Size: Not available	Material: Not available	Diameter: Not available

Well Capacity Test	Type of Test: Not available Drawdown: Not available	Test Rate: Not available Static Water Level: 28.0 ft.	Bail Test Rate: Not available Bailer Drawdown: Not available
---------------------------	--	--	---

Grouting Information	Material: Not available Installation Method: Not available	Depth: From (not available) To (not available) Number of Bags Used: Not available
-----------------------------	---	--

Well Abandonment	Sealing Material: Not available Installation Method: Not available	Depth: From (not available) To (not available) Number of Bags Used: Not available
-------------------------	---	--

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available	Township: 15N Section: NW of the NW of Section 9 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available
-----------------------	--	--

Well Log Comments	None
--------------------------	------

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
172532	Not available	5/25/1973

Owner-Contractor	Name	Address	Telephone
Owner	OLA NEWMIER	602 S RYBOLT	Not available
Driller	Not available	Not available	Not available
Operator	RASH	License Not available	

Construction Details	Use: Home	Drilling Method: Cable Tool	Pump Type: Not available
Well	Depth: 45.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: 42.0	Material: Not available	Diameter: 4.0
Screen	Length: 5.0	Material: Not available	Diameter: 3.0
	Slot Size: Not available		

Well Capacity Test	Type of Test: Not available	Test Rate: Not available	Bail Test Rate: 10.0 gpm for 0.5 hrs.
	Drawdown: Not available	Static Water Level: Not available	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: 4,400.0 Ft E of WL: Not available Ground Elevation: 713.0 Bedrock Elevation: Not available UTM Easting: 565812.3	Township: 15N Section: NE of the SW of the NW of Section 8 Grant: Not available Field Located On: 5/1/1974 Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: 3,700.0 Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: 680.0 UTM Northing: 4401228.5
-----------------------	---	---

Well Log

Top	Bottom	Formation
0.0	14.0	TOPSOIL & CLAY
14.0	26.0	SAND
26.0	33.0	CLAY
33.0	45.0	SAND

Comments

None

Record of Water Well
Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
172563	Not available	2/3/1955

Owner-Contractor	Name	Address	Telephone
Owner	RICHARD HAMILTON	4025 ROCKVILLE RD	Not available
Driller	HAMILTON BROS	Not available	Not available
Operator	Not available	License Not available	

Construction Details			
Well	Use: Home	Drilling Method: Not available	Pump Type: Not available
	Depth: 77.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: Not available	Material: Not available	Diameter: 4.0
Screen	Length: 5.5	Material: Not available	Diameter: Not available
	Slot Size: Not available		

Well Capacity Test	Type of Test: Pumping	Test Rate: 10.0 gpm	Bail Test Rate: Not available
	Drawdown: 62.0 ft.	Static Water Level: Not available	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Administrative	County: MARION	Township: 15N
	Range: 3E	Section: NW of the NW of Section 8
	Topo Map: INDIANAPOLIS WEST	Grant: Not available
	Field Located By: Not available	Field Located On: Not available
	Courthouse Location By: Not available	Courthouse Location On: Not available
	Location Accepted w/o Verification By: Not available	Location Accepted w/o Verification On: Not available
	Subdivision Name: Not available	Lot Number: Not available
	Ft W of EL: Not available	Ft N of SL: Not available
	Ft E of WL: Not available	Ft S of NL: Not available
	Ground Elevation: Not available	Depth of Bedrock: Not available
	Bedrock Elevation: Not available	Aquifer Elevation: Not available
	UTM Easting: Not available	UTM Northing: Not available

Well Log

Top	Bottom	Formation
0.0	70.0	SANDY CLAY
70.0	77.0	SAND GRAV

Comments
None

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
172568	Not available	2/4/1955

Owner-Contractor	Name	Address	Telephone
Owner	HAMILTON BROS	4023 ROCKVILLE RD	Not available
Driller	HAMILTON BROS	Not available	Not available
Operator	Not available	License Not available	

Construction Details	Use: Home	Drilling Method: Not available	Pump Type: Not available
Well	Depth: 45.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: Not available	Material: Not available	Diameter: 4.0
Screen	Length: 5.5	Material: Not available	Diameter: Not available
	Slot Size: Not available		

Well Capacity Test	Type of Test: Pumping	Test Rate: 10.0 gpm	Bail Test Rate: Not available
	Drawdown: 25.0 ft.	Static Water Level: Not available	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available	Township: 15N Section: NW of the NW of Section 8 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available
-----------------------	--	--

Well Log

Top	Bottom	Formation
0.0	18.0	CLAY
18.0	23.0	DRY GRAV
23.0	34.0	SANDY CLAY
34.0	45.0	S&G

Comments

None

Record of Water Well
Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
172576	515 S LYONS NORTH ON WASHINGTON ON E SIDE	11/26/1974

Owner-Contractor	Name	Address	Telephone
Owner	WRIGHT MANUFACTURING	Not available	Not available
Driller	HAMILTON BROS INC	PO BOX 24181 INDIANAPOLIS, IND	Not available
Operator	C W HARNESS	License Not available	

Construction Details			
Well	Use: Industry	Drilling Method: Rotary	Pump Type: Not available
	Depth: 60.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: 58.0	Material: Not available	Diameter: 5.0
Screen	Length: 2.0	Material: Not available	Diameter: 5.0
	Slot Size: .060		

Well Capacity Test	Type of Test: Not available	Test Rate: Not available	Bail Test Rate: 15.0 gpm for 1.0 hrs.
	Drawdown: Not available	Static Water Level: Not available	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Administrative	County: MARION	Township: 15N
	Range: 3E	Section: NW of Section 8
	Topo Map: INDIANAPOLIS WEST	Grant: Not available
	Field Located By: Not available	Field Located On: Not available
	Courthouse Location By: Not available	Courthouse Location On: Not available
	Location Accepted w/o Verification By: TMB	Location Accepted w/o Verification On: 7/1/1975
	Subdivision Name: Not available	Lot Number: Not available
	Ft W of EL: Not available	Ft N of SL: Not available
	Ft E of WL: Not available	Ft S of NL: Not available
	Ground Elevation: Not available	Depth of Bedrock: Not available
	Bedrock Elevation: Not available	Aquifer Elevation: Not available
	UTM Easting: Not available	UTM Northing: Not available

Well Log

Top	Bottom	Formation
0.0	48.0	TOPSOIL & CLAY
48.0	60.0	GRAV

Comments
None

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
173701	PLANT #2 NE CORNER WELL #2	11/7/1940

Owner-Contractor	Name	Address	Telephone
Owner	ALLISON ENGINEERING	Not available	Not available
Driller	LAYNE NORTHERN	Not available	Not available
Operator	JAMES NESS	License Not available	

Construction Details	Use: Not available	Drilling Method: Not available	Pump Type: Not available
Well	Depth: 114.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: 104.0	Material: Not available	Diameter: 12.0
Screen	Length: 10.0	Material: Not available	Diameter: 6.0
	Slot Size: Not available		

Well Capacity Test	Type of Test: Not available	Test Rate: Not available	Bail Test Rate: 400.0 gpm
	Drawdown: Not available	Static Water Level: 26.0 ft.	Bailer Drawdown: 43.0 ft.

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: ALLISON GMC PLANT #2 Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available	Township: 16N Section: SE of Section 31 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available
-----------------------	---	---

Well Log

Top	Bottom	Formation
0.0	8.0	FILL
8.0	14.0	GRAVEL
14.0	18.0	HARD PAN
18.0	30.0	GRAVEL
30.0	34.0	BOULDERS

Comments
(WELL
DIAGRAM
AVIALABLE)

34.0	105.0	CLAY
105.0	108.0	COARSE SAND
108.0	114.0	FN GRAVEL

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
173706	END OF GILMAN ST OFF SPEEDWAY MAIN 3 BLKS S OF 16TH	2/27/1964

Owner-Contractor	Name	Address	Telephone
Owner	CENTRAL LIME CORP	4700 W GILMAN	Not available
Driller	HAMILTON BROS	4025 ROCKVILLE RD	Not available
Operator	WHEELER	License Not available	

Construction Details	Use: Industry	Drilling Method: Rotary	Pump Type: Not available
Well	Depth: 116.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: 114.0	Material: Not available	Diameter: 4.3
Screen	Length: 2.0	Material: Not available	Diameter: 4.0
	Slot Size: 50		

Well Capacity Test	Type of Test: Bailing	Test Rate: Not available	Bail Test Rate: 20.0 gpm for 1.0 hrs.
	Drawdown: Not available	Static Water Level: 35.0 ft.	Bailer Drawdown: 45.0 ft.

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: U Subdivision Name: Not available Ft W of EL: 500.0 Ft E of WL: Not available Ground Elevation: 728.0 Bedrock Elevation: Not available UTM Easting: 565383	Township: 16N Section: NE of the SE of the SE of Section 31 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: 5/1/1964 Lot Number: Not available Ft N of SL: 1,100.0 Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: 612.0 UTM Northing: 4403759
-----------------------	---	--

Well Log

Top	Bottom	Formation
0.0	10.0	CLAY
10.0	33.0	GRAVEL & SAND
33.0	49.0	CLAY
49.0	56.0	SAND MED. CRS
56.0	111.0	CLAY

Comments
None

111.0	116.0	SAND FINE TO CRS.
-------	-------	-------------------

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
173711	AT #2 TEST SITE SE CORNER PERMANENT #2	Not available

Owner-Contractor	Name	Address	Telephone
Owner	ALLISON ENGINEERING	Not available	Not available
Driller	LAYNE NORTHERN	Not available	Not available
Operator	WILLIAM WAGNER	License Not available	

Construction Details	Use: Industry	Drilling Method: Not available	Pump Type: Not available
Well	Depth: 114.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: 105.0	Material: Not available	Diameter: 12.0
Screen	Length: 10.0	Material: Not available	Diameter: 6.0
	Slot Size: #4		

Well Capacity Test	Type of Test: Not available	Test Rate: Not available	Bail Test Rate: 270.0 gpm
	Drawdown: Not available	Static Water Level: 28.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available	Township: 16N Section: SE of Section 31 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available
-----------------------	--	---

Well Log

Top	Bottom	Formation
0.0	8.0	FILL
8.0	14.0	GRAVEL
14.0	18.0	HARDPAN
18.0	30.0	GRAVEL
30.0	34.0	BOULDERS

34.0	52.0	HARD CLAY
52.0	59.0	CLAY & GRAVEL
59.0	77.0	TOUGH CLAY
77.0	99.0	HARD CLAY
99.0	105.0	TOUGH CLAY
105.0	108.0	MEDIUM SAND
108.0	114.0	FN GRAVEL

Comments
(WELL
DIAGRAM
AVAILABLE)

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
173716	N.W. CORNER PLANT #2 PERMANENT#2	2/12/1941

Owner-Contractor	Name	Address	Telephone
Owner	ALLISON ENGINEERING	Not available	Not available
Driller	LAYNE NORTHERN	Not available	Not available
Operator	WAGNER AND POOLE	License Not available	

Construction Details			
Well	Use: Industry	Drilling Method: Not available	Pump Type: Not available
	Depth: 121.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: 108.0	Material: Not available	Diameter: 40.0
Screen	Length: 15.0	Material: Not available	Diameter: 8.0
	Slot Size: #4		

Well Capacity Test	Type of Test: Not available	Test Rate: Not available	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: 32.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available	Township: 16N Section: SE of Section 31 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available
-----------------------	--	---

Well Log

Top	Bottom	Formation
0.0	2.0	TOP SOIL
2.0	10.0	GRAVEL
10.0	14.0	CLAY
14.0	31.0	GRAVEL
31.0	43.0	CLAY

43.0	52.0	HARD PAN
52.0	61.0	S&G
61.0	108.0	TOUGH CLAY
108.0	113.0	SAND & CLAY BALLS
113.0	122.0	COARSE S&G

Comments

(WELL
DEIAGRAM IN
ORIGINAL)

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
173721	WELL #4	Not available

Owner-Contractor	Name	Address	Telephone
Owner	PRESTO LITE	Not available	Not available
Driller	LAYNE NORTHERN	Not available	Not available
Operator	CHARLES KIMBAL	License Not available	

Construction Details	Well	Use: Not available	Drilling Method: Not available	Pump Type: Not available
		Depth: 98.0	Pump Setting Depth: Not available	Water Quality: Not available
	Casing	Length: Not available	Material: Not available	Diameter: Not available
	Screen	Length: Not available	Material: Not available	Diameter: Not available
		Slot Size: Not available		

Well Capacity Test	Type of Test: Not available	Test Rate: Not available	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: Not available	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available	Township: 16N Section: SE of Section 31 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available
-----------------------	--	---

Well Log

Top	Bottom	Formation
0.0	9.0	CLAY
9.0	17.0	GRAVEL
17.0	32.0	CLAY
32.0	34.0	GRAVEL

Comments
SEE MAP

34.0	38.0	CLAY
38.0	42.0	GRAVEL
42.0	98.0	CLAY

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
173731	Not available	9/28/1988

Owner-Contractor	Name	Address	Telephone
Owner	FLOYD MADOWS	1027 N OLIN INDPLS IN	Not available
Driller	MATLOCK WELL DRILLING	4701 W MORRISINDPLS IN	(000)241-8284
Operator	TIM DAVIS	License: 66	

Construction Details	Use: Home	Drilling Method: Rotary	Pump Type: Not available
Well	Depth: 92.0	Pump Setting Depth: Not available	Water Quality: CLEAR
Casing	Length: 92.0	Material: PVC	Diameter: 4.0
Screen	Length: 5.0	Material: PVC	Diameter: 4.0
	Slot Size: #60		

Well Capacity Test	Type of Test: Not available	Test Rate: 20.0 gpm	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: 25.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available	Township: 16N Section: SW of the SW of the SE of Section 32 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available
-----------------------	--	---

Well Log

Top	Bottom	Formation
0.0	3.0	TOP SOIL
3.0	15.0	AVE BURDEN
15.0	57.0	GRAVEL
57.0	64.0	CLAY
64.0	92.0	GRAVEL

Comments

None

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
173736	Not available	Not available

Owner-Contractor	Name	Address	Telephone
Owner	RAY MEDSKER	1111 N OLIN AVE INDPLS IN	(000)637-0851
Driller	MATLOCK WELL DRILLING	4701 W MORRISINDPLS IN	(000)241-8284
Operator	Not available	License Not available	

Construction Details	Use: Home	Drilling Method: Rotary	Pump Type: Not available
Well	Depth: 133.0	Pump Setting Depth: Not available	Water Quality: CLEAR
Casing	Length: 133.0	Material: PVC	Diameter: 4.0
Screen	Length: Not available	Material: Not available	Diameter: Not available
	Slot Size: Not available		

Well Capacity Test	Type of Test: Not available	Test Rate: 10.0 gpm	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: 40.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available	Township: 16N Section: SW of the SE of Section 32 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available
-----------------------	--	---

Well Log

Top	Bottom	Formation
0.0	3.0	TOP SOIL
3.0	37.0	GRAVEL
37.0	65.0	CLAY
65.0	67.0	GRAVEL
67.0	96.0	CLAY

96.0	98.0	GRAVEL
98.0	130.0	CLAY
130.0	133.0	GRAVEL

Comments
None

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
173741	1115 ALIN STREET	4/2/1990

Owner-Contractor	Name	Address	Telephone
Owner	RUSSELL DILL	7136 BUICK DR INDPLS IN	(000)244-9446
Driller	HAMILTON BROS INC	4025 ROCKVILLE RD INDPLS IN	(000)241-2577
Operator	ROBERT D SCHELLENBURG	License: #36	

Construction Details			
Well	Use: Home	Drilling Method: Rotary	Pump Type: Submersible
	Depth: 87.0	Pump Setting Depth: 50.0	Water Quality: CLEAR
Casing	Length: 83.0	Material: PVC	Diameter: 4.0
Screen	Length: 4.0	Material: PVC	Diameter: 4.0
	Slot Size: .060		

Well Capacity Test	Type of Test: Bailing	Test Rate: 10.0 gpm for 1.0 hrs.	Bail Test Rate: Not available
	Drawdown: 20.0 ft.	Static Water Level: 30.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: ENVIROPLUG	Depth: From 0.0 To 81.0
	Installation Method: TREM	Number of Bags Used: 7.0

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available	Township: 16N Section: SE of the SW of Section 32 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available
-----------------------	--	---

Well Log

Top	Bottom	Formation
0.0	5.0	TOP SOIL & CLAY
5.0	37.0	GRAVEL
37.0	81.0	CLAY
81.0	87.0	GRAVEL

Comments
None

Record of Water Well
Indiana Department of Natural Resources

Reference Number 173746	Driving Direction to Well NO INFO PROVIDED	Date Completed Not available	
Owner-Contractor Owner Driller Operator	Name RUSS DILL Not available WOODIE	Address 1117 N. OLIN Not available License Not available	Telephone Not available Not available
Construction Details			
Well	Use: Home Depth: 46.0	Drilling Method: Cable Tool Pump Setting Depth: Not available	Pump Type: Not available Water Quality: Not available
Casing	Length: Not available	Material: Not available	Diameter: Not available
Screen	Length: Not available Slot Size: Not available	Material: Not available	Diameter: Not available
Well Capacity Test	Type of Test: Not available Drawdown: 20.0 ft.	Test Rate: 10.0 gpm Static Water Level: Not available	Bail Test Rate: Not available Bailer Drawdown: Not available
Grouting Information	Material: Not available Installation Method: Not available	Depth: From (not available) To (not available) Number of Bags Used: Not available	
Well Abandonment	Sealing Material: Not available Installation Method: Not available	Depth: From (not available) To (not available) Number of Bags Used: Not available	
Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: U Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available	Township: 16N Section: NW of the SW of the SE of Section 32 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: 5/1/1965 Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available	

Well Log

Top	Bottom	Formation
0.0	40.0	GRAVEL

Comments

None

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
173771	WELL#3	12/5/1936

Owner-Contractor	Name	Address	Telephone
Owner	PRESTO LITE CORP	Not available	Not available
Driller	LAYNE NORTHERN	Not available	Not available
Operator	CHARLES KIMBAL	License Not available	

Construction Details	Use: Not available	Drilling Method: Not available	Pump Type: Not available
Well	Depth: 103.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: Not available	Material: Not available	Diameter: Not available
Screen	Length: Not available	Material: Not available	Diameter: Not available
	Slot Size: Not available		

Well Capacity Test	Type of Test: Not available	Test Rate: Not available	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: 18.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available	Township: 16N Section: SE of Section 31 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available
-----------------------	--	---

Well Log

Top	Bottom	Formation
0.0	12.0	CLAY
12.0	19.0	GRAVEL
19.0	35.0	CLAY
35.0	41.0	GRAVEL
41.0	50.0	CLAY

50.0	62.0	GRAVEL
62.0	103.0	CLAY

Comments
None

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
173776	WELL #1	11/12/1936

Owner-Contractor	Name	Address	Telephone
Owner	PRESTO LITE	Not available	Not available
Driller	LAYNE NORTHERN	Not available	Not available
Operator	CHARLES KIMBAL	License Not available	

Construction Details	Use: Not available	Drilling Method: Not available	Pump Type: Not available
Well	Depth: 108.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: Not available	Material: Not available	Diameter: Not available
Screen	Length: Not available	Material: Not available	Diameter: Not available
	Slot Size: Not available		

Well Capacity Test	Type of Test: Not available	Test Rate: Not available	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: 23.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available	Township: 16N Section: SE of Section 31 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available
-----------------------	--	---

Well Log

Top	Bottom	Formation
0.0	6.0	CLAY
6.0	17.0	GRAVEL
17.0	23.0	CLAY
23.0	33.0	S&G
33.0	53.0	CLAY

Comments
None

53.0	64.0	GRAVEL
64.0	86.0	CLAY
86.0	87.0	FN GRAVEL
87.0	108.0	CLAY

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
173781	WELL #2	11/25/1939

Owner-Contractor	Name	Address	Telephone
Owner	PRESTO LITE	Not available	Not available
Driller	LAYNE NORTHERN	Not available	Not available
Operator	CHARLES KIMBAL	License Not available	

Construction Details	Use: Not available	Drilling Method: Not available	Pump Type: Not available
Well	Depth: 102.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: Not available	Material: Not available	Diameter: Not available
Screen	Length: Not available	Material: Not available	Diameter: Not available
	Slot Size: Not available		

Well Capacity Test	Type of Test: Not available	Test Rate: Not available	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: 18.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available	Township: 16N Section: SE of Section 31 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available
-----------------------	--	---

Well Log

Top	Bottom	Formation
0.0	6.0	CLAY
6.0	24.0	GRAVEL
24.0	63.0	CLAY
63.0	67.0	GRAVEL
67.0	102.0	CLAY

Comments

None

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
179995	325 FEET S OF TEST #16	5/27/1940

Owner-Contractor	Name	Address	Telephone
Owner	ALLISON ENGINEERING CO PLANT 3	Not available	Not available
Driller	LAYNE NORTHERN	Not available	Not available
Operator	JAMES NESS	License Not available	

Construction Details	Use: Test	Drilling Method: Not available	Pump Type: Not available
Well	Depth: Not available	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: Not available	Material: Not available	Diameter: Not available
Screen	Length: Not available	Material: Not available	Diameter: Not available
	Slot Size: Not available		

Well Capacity Test	Type of Test: Not available	Test Rate: Not available	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: 17.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: 1,950.0 Ft E of WL: Not available Ground Elevation: 723.0 Bedrock Elevation: 618.0 UTM Easting: 564988.5	Township: 15N Section: NE of the NW of the NE of Section 6 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: 400.0 Depth of Bedrock: 105.0 Aquifer Elevation: Not available UTM Northing: 4403279.5
-----------------------	---	--

Well Log

Top	Bottom	Formation
0.0	6.0	SOIL DIRT
6.0	13.0	GRAV
13.0	35.0	HARDPAN
35.0	39.0	GRAV

39.0	46.0	HARDPAN
46.0	59.0	GRAV
59.0	101.0	TOUGHT CLAY
101.0	105.0	FINE SAND
105.0	107.0	SH

Comments

TEST WELL NO.

17

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
180000	PLANT 3, 10TH & MAIN	10/1/1940

Owner-Contractor	Name	Address	Telephone
Owner	ALLISON DIV GMC	Not available	Not available
Driller	LAYNE NORTHERN	Not available	Not available
Operator	Not available	License Not available	

Construction Details	Use: Not available	Drilling Method: Not available	Pump Type: Not available
Well	Depth: 59.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: Not available	Material: Not available	Diameter: 18.0
Screen	Length: Not available	Material: Not available	Diameter: Not available
	Slot Size: Not available		

Well Capacity Test	Type of Test: Not available	Test Rate: Not available	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: 18.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available	Township: 15N Section: NE of Section 6 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available
-----------------------	--	--

Well Log

Top	Bottom	Formation
0.0	4.0	SOIL & CLAY
4.0	16.0	DIZGRAV & SAND
16.0	32.0	GRAV & SAND
32.0	40.0	GRAV W/BOULDERS
40.0	42.0	GRAV W/FINE SAND

42.0	44.0	FINE SAND
44.0	48.0	CLAY
48.0	59.0	SAND W/GRAV
59.0		CLAY

Comments
None

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
180005	PLANT 23, WELL #3, LOG TEST #9	9/12/1939

Owner-Contractor	Name	Address	Telephone
Owner	ALLISON ENGR CO	SPEEDWAY CITY	Not available
Driller	LAYNE NORTHERN	Not available	Not available
Operator	Not available	License Not available	

Construction Details	Use: Not available	Drilling Method: Not available	Pump Type: Not available
Well	Depth: Not available	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: Not available	Material: Not available	Diameter: 18.0
Screen	Length: 15.0	Material: Not available	Diameter: 18.0
	Slot Size: Not available		

Well Capacity Test	Type of Test: Not available	Test Rate: Not available	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: 12.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available	Township: 15N Section: NE of Section 6 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available
-----------------------	--	--

Well Log

Top	Bottom	Formation
0.0	4.0	SOIL
4.0	12.0	DRY GRAV & BOULDERS (SL 10')
12.0	35.0	GRAV
35.0	43.0	CLAY
43.0	56.0	GRAV & SAND

Comments

None

56.0

CLAY

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
180010	690' E OF COSSEL RD AND W 10TH ST	5/21/1940

Owner-Contractor	Name	Address	Telephone
Owner	ALLISON ENGINEERING DIVISION	Not available	Not available
Driller	LAYNE NORTHERN	Not available	Not available
Operator	JAMES NESS	License Not available	

Construction Details	Use: Not available	Drilling Method: Not available	Pump Type: Not available
Well	Depth: Not available	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: Not available	Material: Not available	Diameter: Not available
Screen	Length: Not available	Material: Not available	Diameter: Not available
	Slot Size: Not available		

Well Capacity Test	Type of Test: Not available	Test Rate: Not available	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: 20.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: 1,950.0 Ft E of WL: Not available Ground Elevation: 725.0 Bedrock Elevation: 612.0 UTM Easting: 564965.3	Township: 15N Section: NE of the NW of the NE of Section 6 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: 100.0 Depth of Bedrock: 113.0 Aquifer Elevation: Not available UTM Northing: 4403396.5
-----------------------	---	--

Well Log

Top	Bottom	Formation
0.0	7.0	SOIL DIRT
7.0	17.0	GRAV
17.0	40.0	HARDPAN
40.0	44.0	GRAV
44.0	53.0	HARDPAN

53.0	61.0	GRAV
61.0	102.0	CLAY
102.0	113.0	FINE SAND
113.0	115.0	SH

Comments
None

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
180015	215' S OF #1 WELL, 25' E CENTER LINE GRANDIE AVE.	7/28/1941

Owner-Contractor	Name	Address	Telephone
Owner	ALLISON ENGINEERING CO	Not available	Not available
Driller	LAYNE NORTHERN	MISHAWAKA IN	Not available
Operator	V.L. KELLY	License Not available	

Construction Details			
Well	Use: Industry	Drilling Method: Not available	Pump Type: Not available
	Depth: 56.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: 20.0	Material: Not available	Diameter: 30.0
Screen	Length: 35.0	Material: Not available	Diameter: Not available
	Slot Size: Not available		

Well Capacity Test	Type of Test: Not available	Test Rate: Not available	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: 18.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: 50.0 Ft E of WL: Not available Ground Elevation: 720.0 Bedrock Elevation: Not available UTM Easting: 565572.5	Township: 15N Section: SE of the NE of the NE of Section 6 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: 1,200.0 Depth of Bedrock: Not available Aquifer Elevation: 664.0 UTM Northing: 4403066.5
-----------------------	--	--

Well Log

Top	Bottom	Formation
0.0	2.0	CLAY FILL
2.0	8.0	HARD CLAY
8.0	12.0	S&G
12.0	28.0	GRITTY CLAY
28.0	35.0	S&G

Comments
ADDT'L INFO
STAPLED TO
LOG;

35.0	42.0	GRITTY CLAY
42.0	48.0	FN SAND
48.0	55.0	CRS S&G
55.0	56.0	CLAY

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
180020	PLANT #3, 12" & 8" ROCK WELL.	1/12/1941

Owner-Contractor	Name	Address	Telephone
Owner	ALLISON ENGINEERING CO	Not available	Not available
Driller	LAYNE NORTHERN	MISHAWAKA IN	Not available
Operator	WILLIAM WAGNER&CE POOLE	License Not available	

Construction Details	Use: Not available	Drilling Method: Not available	Pump Type: Not available
Well	Depth: 362.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: Not available	Material: Not available	Diameter: 12.0
Screen	Length: Not available	Material: Not available	Diameter: 8.0
	Slot Size: Not available		

Well Capacity Test	Type of Test: Pumping	Test Rate: 30.0 gpm	Bail Test Rate: Not available
	Drawdown: 30.0 ft.	Static Water Level: 69.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available	Township: 15N Section: NE of Section 6 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available
-----------------------	--	--

Well Log

Top	Bottom	Formation
0.0	5.0	TOPSOIL & CLAY
5.0	18.0	GRAV & SAND
18.0	52.0	HARD GRAVELLT CLAY
52.0	58.0	S&G
58.0	86.0	HARD GRAVELLY CLAY

86.0	107.0	MD CLAY
107.0	109.0	SOFT SHALE
109.0	120.0	MD CLAY
120.0	124.0	HARD GRAVELLY CLAY
124.0	129.0	STICKY SHALE
129.0	159.0	HARD SHALE
159.0	362.0	LS

Comments
ADDT'L INFO
STAPLED TO
LOG;

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
180221	E OF GRANDE, S OF 10TH ST.	3/24/1975

Owner-Contractor	Name	Address	Telephone
Owner	DETROIT DIESEL ALLISON DIV.	Not available	Not available
Driller	LAYNE NORTHERN	MISHAWAKA	Not available
Operator	E. ALLEN	License Not available	

Construction Details	Use: Not available	Drilling Method: Not available	Pump Type: Not available
Well	Depth: 152.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: Not available	Material: Not available	Diameter: Not available
Screen	Length: Not available	Material: Not available	Diameter: Not available
	Slot Size: Not available		

Well Capacity Test	Type of Test: Not available	Test Rate: Not available	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: Not available	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: WDH Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: 200.0 Ft E of WL: Not available Ground Elevation: 715.0 Bedrock Elevation: 605.0 UTM Easting: 567058.8	Township: 15N Section: NE of the NE of the NE of Section 5 Grant: Not available Field Located On: 7/2/1967 Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: 300.0 Depth of Bedrock: 110.0 Aquifer Elevation: Not available UTM Northing: 4403387.5
-----------------------	---	---

Well Log

Top	Bottom	Formation
0.0	7.0	TOPSOIL & SAND
7.0	29.0	MD S&G W/BOULDERS
29.0	45.0	CLAY
45.0	50.0	DIRTY S&G W/SOME CLAY

50.0	98.0	CLAY
98.0	106.0	CRS GRAV W/CLAY STRIPS
106.0	110.0	GREY CLAY
110.0	152.0	BLK SHALE
152.0		DARK LS

Comments

APPROX
LOCATION;
SIMILAR TEST
WELL ON SITE;
MC; 170' E OF W
FENCE, 45' N OF
S FENCE;

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
180226	4050 W VERMONT	3/31/1979

Owner-Contractor	Name	Address	Telephone
Owner	Not available	Not available	Not available
Driller	HAMILTON BROS INC	PO BOX24181,4025 ROCKVILLE ROAD,INDIANAPOLIS, IND	Not available
Operator	DESTER HARNESS	License Not available	

Construction Details	Use: Home	Drilling Method: Rotary	Pump Type: Not available
Well	Depth: 70.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: 67.0	Material: Not available	Diameter: 4.0
Screen	Length: 3.0	Material: Not available	Diameter: 4.0
	Slot Size: 60		

Well Capacity Test	Type of Test: Not available	Test Rate: 10.0 gpm for 1.0 hrs.	Bail Test Rate: Not available
	Drawdown: 10.0 ft.	Static Water Level: 25.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: SLP SAW 6/14/79 Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available	Township: 15N Section: NW of Section 5 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available
-----------------------	--	--

Well Log

Top	Bottom	Formation
0.0	5.0	TOPSOIL & CLAY
5.0	40.0	GRAV
40.0	70.0	CLAY

Comments

None

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
180227	Not available	9/27/1954

Owner-Contractor	Name	Address	Telephone
Owner	HE MENDENHALL	21 S EDGEHILL DR	Not available
Driller	HAMILTON BROS	Not available	Not available
Operator	Not available	License Not available	

Construction Details	Use: Home	Drilling Method: Not available	Pump Type: Not available
Well	Depth: 44.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: Not available	Material: Not available	Diameter: 4.0
Screen	Length: Not available	Material: Not available	Diameter: Not available
	Slot Size: Not available		

Well Capacity Test	Type of Test: Pumping	Test Rate: 10.0 gpm	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: Not available	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available	Township: 15N Section: NE of the NW of the NE of Section 7 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available
-----------------------	--	--

Well Log

Top	Bottom	Formation
0.0	20.0	CLAY
20.0	25.0	SAND
25.0	37.0	CLAY
37.0	44.0	GRAV

Comments

None

Record of Water Well
Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
180231	4036 COSSELL RD N 300 & 3400W	5/3/1984

Owner-Contractor	Name	Address	Telephone
Owner	Not available	Not available	Not available
Driller	HAMILTON BROS INC	PO BOX24181,4025 ROCKVILLE ROAD,INDIANAPOLIS, IND	Not available
Operator	JAMES HERMAN	License Not available	

Construction Details			
Well	Use: Home	Drilling Method: Rotary	Pump Type: Not available
	Depth: 40.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: 36.0	Material: Not available	Diameter: 4.0
Screen	Length: 4.0	Material: Not available	Diameter: 4.0
	Slot Size: 60		

Well Capacity Test	Type of Test: Not available	Test Rate: 10.0 gpm for 1.0 hrs.	Bail Test Rate: Not available
	Drawdown: 10.0 ft.	Static Water Level: 15.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Administrative	County: MARION	Township: 15N
	Range: 3E	Section: SW of the NW of Section 5
	Topo Map: INDIANAPOLIS WEST	Grant: Not available
	Field Located By: Not available	Field Located On: Not available
	Courthouse Location By: Not available	Courthouse Location On: Not available
	Location Accepted w/o Verification By: TCS	Location Accepted w/o Verification On: Not available
	Subdivision Name: Not available	Lot Number: Not available
	Ft W of EL: Not available	Ft N of SL: Not available
	Ft E of WL: Not available	Ft S of NL: Not available
	Ground Elevation: Not available	Depth of Bedrock: Not available
	Bedrock Elevation: Not available	Aquifer Elevation: Not available
	UTM Easting: Not available	UTM Northing: Not available

Well Log

Top	Bottom	Formation
0.0	3.0	TOPSOIL & CLAY
3.0	40.0	GRAV

Comments
None

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
180236	4019 W COSSELL RD, INDPLS IN 46222.	9/5/1975

Owner-Contractor	Name	Address	Telephone
Owner	DARELL GILLASPIE	4019 COSSELL RD, INDPLS IN	Not available
Driller	CLAYTON OTTINGER	RR#3, BOX 162, ZIONSVILLE IN	Not available
Operator	WM STOVALL	License Not available	

Construction Details			
Well	Use: Home	Drilling Method: Cable Tool	Pump Type: Not available
	Depth: 41.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: 41.0	Material: Not available	Diameter: 4.0
Screen	Length: Not available	Material: Not available	Diameter: Not available
	Slot Size: #40 COOKS		

Well Capacity Test	Type of Test: Pumping	Test Rate: 10.0 gpm for 2.0 hrs.	Bail Test Rate: Not available
	Drawdown: 8.0 ft.	Static Water Level: 22.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: TMB Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available	Township: 15N Section: NE of the SW of Section 5 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: 9/15/1975 Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available
-----------------------	--	--

Well Log

Top	Bottom	Formation
0.0	6.0	BR CLAY
6.0	15.0	DRY GRAV
15.0	18.0	BR CLAY & GRAV
18.0	23.0	SAND WATER
23.0	25.0	GRAY CLAY

Comments

None

25.0	41.0	WATER GRAV
------	------	------------

Record of Water Well
Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed													
180241	Not available	1/30/1973													
Owner-Contractor	Name	Address	Telephone												
Owner	EUGENE WILLIAMS	4020 COSSELL RD	Not available												
Driller	HAMILTON BROS INC	Not available	Not available												
Operator	RASH	License Not available													
Construction Details															
Well	Use: Home	Drilling Method: Cable Tool	Pump Type: Not available												
	Depth: 51.0	Pump Setting Depth: Not available	Water Quality: Not available												
Casing	Length: 51.0	Material: Not available	Diameter: 4.0												
Screen	Length: 3.0	Material: Not available	Diameter: 4.0												
	Slot Size: Not available														
Well Capacity Test	Type of Test: Not available	Test Rate: Not available	Bail Test Rate: 10.0 gpm for 5.0 hrs.												
	Drawdown: Not available	Static Water Level: Not available	Bailer Drawdown: Not available												
Grouting Information	Material: Not available	Depth: From (not available) To (not available)													
	Installation Method: Not available	Number of Bags Used: Not available													
Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)													
	Installation Method: Not available	Number of Bags Used: Not available													
Administrative	County: MARION	Township: 15N													
	Range: 3E	Section: 5													
	Topo Map: INDIANAPOLIS WEST	Grant: Not available													
	Field Located By: Not available	Field Located On: Not available													
	Courthouse Location By: Not available	Courthouse Location On: Not available													
	Location Accepted w/o Verification By: Not available	Location Accepted w/o Verification On: Not available													
	Subdivision Name: Not available	Lot Number: Not available													
	Ft W of EL: Not available	Ft N of SL: Not available													
	Ft E of WL: Not available	Ft S of NL: Not available													
	Ground Elevation: Not available	Depth of Bedrock: Not available													
	Bedrock Elevation: Not available	Aquifer Elevation: Not available													
	UTM Easting: Not available	UTM Northing: Not available													
Well Log															
	<table><tr><th>Top</th><th>Bottom</th><th>Formation</th></tr><tr><td>0.0</td><td>5.0</td><td>TOPSOIL & CLAY</td></tr><tr><td>5.0</td><td>35.0</td><td>SAND</td></tr><tr><td>35.0</td><td>51.0</td><td>CLAY</td></tr></table>	Top	Bottom	Formation	0.0	5.0	TOPSOIL & CLAY	5.0	35.0	SAND	35.0	51.0	CLAY		
Top	Bottom	Formation													
0.0	5.0	TOPSOIL & CLAY													
5.0	35.0	SAND													
35.0	51.0	CLAY													
Comments															

None

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
180246	4012 W COSSELL RD(300N)	1/13/1977

Owner-Contractor	Name	Address	Telephone
Owner	LEON PEDIGO	Not available	Not available
Driller	HAMILTON BROS INC.	PO BOX 24181, INDPLS IN	Not available
Operator	ED RANDOLPH	License Not available	

Construction Details			
Well	Use: Home	Drilling Method: Cable Tool	Pump Type: Not available
	Depth: 62.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: 59.0	Material: Not available	Diameter: 4.0
Screen	Length: 3.0	Material: Not available	Diameter: 4.0
	Slot Size: .060		

Well Capacity Test	Type of Test: Pumping	Test Rate: 10.0 gpm for 1.0 hrs.	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: Not available	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: BRUNS Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available	Township: 15N Section: 5 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: 2/14/1977 Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available
-----------------------	--	--

Well Log

Top	Bottom	Formation
0.0	1.0	TOPSOIL & CLAY
1.0	35.0	S&G
35.0	62.0	BR CLAY

Comments

None

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
180251	4028 COSSELL RD	Not available

Owner-Contractor	Name	Address	Telephone
Owner	RON MATHIS	Not available	Not available
Driller	HAMILTON BROS INC	4025 ROCKVILLE RD	Not available
Operator	WHEELER	License Not available	

Construction Details	Use: Home	Drilling Method: Rotary	Pump Type: Not available
Well	Depth: 40.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: Not available	Material: Not available	Diameter: 4.3
Screen	Length: 3.0	Material: Not available	Diameter: 4.3
	Slot Size: Not available		

Well Capacity Test	Type of Test: Not available	Test Rate: Not available	Bail Test Rate: 10.0 gpm for 1.0 hrs.
	Drawdown: Not available	Static Water Level: Not available	Bailer Drawdown: 23.0 ft.

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available	Township: 15N Section: NW of Section 5 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available
-----------------------	--	--

Well Log

Top	Bottom	Formation
0.0	11.0	CLAY
11.0	22.0	SAND
22.0	26.0	CLAY
26.0	40.0	SAND

Comments

None

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
180256	Not available	8/24/1971

Owner-Contractor	Name	Address	Telephone
Owner	FLORAL PARK CEMETARY	3659 COSSELL RD	Not available
Driller	HAMILTON BROS INC.	Not available	Not available
Operator	RASH	License Not available	

Construction Details			
Well	Use: Not available	Drilling Method: Cable Tool	Pump Type: Not available
	Depth: 48.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: 45.0	Material: Not available	Diameter: 4.0
Screen	Length: 5.0	Material: Not available	Diameter: 3.0
	Slot Size: #40		

Well Capacity Test	Type of Test: Pumping	Test Rate: 10.0 gpm for 2.0 hrs.	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: Not available	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available	Township: 15N Section: 5 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available
-----------------------	--	--

Well Log Comments	None
--------------------------	------

Record of Water Well
Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
180261	3216 S RYBALT	3/9/1989

Owner-Contractor	Name	Address	Telephone
Owner	AGNES DAVIS	3216 S RYBOLT INDIANAPOLIS IN	(000)247-8749
Driller	HAMILTON BROS. INC.	4025 ROCKVILLE RD INDPLS, IN	(000)241-2571
Operator	DAVID R. HARNESS	License: 35	

Construction Details			
Well	Use: Home	Drilling Method: Rotary	Pump Type: Submersible
	Depth: 38.0	Pump Setting Depth: 30.0	Water Quality: CLEAR
Casing	Length: 34.0	Material: PVC	Diameter: 4.0
Screen	Length: 4.0	Material: PVC	Diameter: 4.0
	Slot Size: .060		

Well Capacity Test	Type of Test: Bailing	Test Rate: 10.0 gpm for 1.0 hrs.	Bail Test Rate: Not available
	Drawdown: 10.0 ft.	Static Water Level: 20.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: ENVIROPLUG	Depth: From 5.0 To 30.0
	Installation Method: TREM	Number of Bags Used: 2.0

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Administrative	County: MARION	Township: 15N
	Range: 3E	Section: SW of the NW of Section 5
	Topo Map: INDIANAPOLIS WEST	Grant: Not available
	Field Located By: Not available	Field Located On: Not available
	Courthouse Location By: Not available	Courthouse Location On: Not available
	Location Accepted w/o Verification By: Not available	Location Accepted w/o Verification On: Not available
	Subdivision Name: Not available	Lot Number: Not available
	Ft W of EL: Not available	Ft N of SL: Not available
	Ft E of WL: Not available	Ft S of NL: Not available
	Ground Elevation: Not available	Depth of Bedrock: Not available
	Bedrock Elevation: Not available	Aquifer Elevation: Not available
	UTM Easting: Not available	UTM Northing: Not available

Well Log

Top	Bottom	Formation
0.0	6.0	TOPSOIL & CLAY
6.0	38.0	GRAV

Comments
None

Record of Water Well
Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
180266	LYNHURST TO RAYMOND GO E TO RYBOLT, GO N HOUSE IS ON THE W SIDE OF THE ST	4/18/1990

Owner-Contractor	Name	Address	Telephone
Owner	MIKE BACK	2946 S RYBOLT	(317)638-6404
Driller	WATER WELLS BY WILHITE	5455 N ALTON AVE, INDPLS, IN	(317)257-2393
Operator	DAN WILHITE	License: 844	

Construction Details			
Well	Use: Home	Drilling Method: Rotary	Pump Type: Shallow-Well Jet
	Depth: 41.0	Pump Setting Depth: 15.0	Water Quality: Not available
Casing	Length: 37.0	Material: PVC	Diameter: 4.0
Screen	Length: 4.0	Material: PVC	Diameter: 4.0
	Slot Size: .060		

Well Capacity Test	Type of Test: Air	Test Rate: 20.0 gpm	Bail Test Rate: Not available
	Drawdown: 0.0 ft.	Static Water Level: 10.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: ENVIROPLUG	Depth: From 0.0 To 30.0
	Installation Method: PUMP	Number of Bags Used: 2.0

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Administrative	County: MARION	Township: 15N
	Range: 3E	Section: SW of the NW of Section 5
	Topo Map: INDIANAPOLIS WEST	Grant: Not available
	Field Located By: Not available	Field Located On: Not available
	Courthouse Location By: Not available	Courthouse Location On: Not available
	Location Accepted w/o Verification By: Not available	Location Accepted w/o Verification On: Not available
	Subdivision Name: Not available	Lot Number: Not available
	Ft W of EL: Not available	Ft N of SL: Not available
	Ft E of WL: Not available	Ft S of NL: Not available
	Ground Elevation: Not available	Depth of Bedrock: Not available
	Bedrock Elevation: Not available	Aquifer Elevation: Not available
	UTM Easting: Not available	UTM Northing: Not available

Well Log

Top	Bottom	Formation
0.0	15.0	CLAY
15.0	41.0	GRAV

Comments
None

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
180271	GO W ON MICHIGAN ST FROM HOLT RD TO GASOLINE ALLEY 500 4100 GO S AND STRAIGHT DO NO CROSS RIVER TO VERMONT, THEN E TO 4110	10/1/1989

Owner-Contractor	Name	Address	Telephone
Owner	M/M KEN BOGER	4110 W VERMONT INDPLS, IN	(317)244-9707
Driller	JOSEPH HUSER SERVICES INC.	5728 S EMERSON INDPLS, IN	(317)784-4264
Operator	SHAWN R. COREY	License: 436	

Construction Details			
Well	Use: Home	Drilling Method: Rotary	Pump Type: Submersible
	Depth: 38.0	Pump Setting Depth: 34.0	Water Quality: OK
Casing	Length: 36.0	Material: PVC	Diameter: 5.0
Screen	Length: 3.0	Material: SS	Diameter: 4.0
	Slot Size: .035		

Well Capacity Test	Type of Test: Air	Test Rate: 20.0 gpm for 1.0 hrs.	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: 13.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: BENTONITE	Depth: From 4.0 To 30.0
	Installation Method: PUMP	Number of Bags Used: 1.5

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Administrative	County: MARION	Township: 15N
	Range: 3E	Section: NW of the NW of the SW of Section 5
	Topo Map: INDIANAPOLIS WEST	Grant: Not available
	Field Located By: Not available	Field Located On: Not available
	Courthouse Location By: Not available	Courthouse Location On: Not available
	Location Accepted w/o Verification By: Not available	Location Accepted w/o Verification On: Not available
	Subdivision Name: Not available	Lot Number: Not available
	Ft W of EL: Not available	Ft N of SL: Not available
	Ft E of WL: Not available	Ft S of NL: Not available
	Ground Elevation: 716.0	Depth of Bedrock: Not available
	Bedrock Elevation: Not available	Aquifer Elevation: 678.0
	UTM Easting: Not available	UTM Northing: Not available

Well Log

Top	Bottom	Formation
0.0	15.0	CLAY
15.0	38.0	S&G

Comments
None

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
180276	Not available	11/28/1973

Owner-Contractor	Name	Address	Telephone
Owner	KEN BOGER	4110 W VERMONT	Not available
Driller	HAMILTON BROS INC.	4025 ROCKVILLE RD	Not available
Operator	WARREN HARNESS	License Not available	

Construction Details	Use: Home	Drilling Method: Rotary	Pump Type: Not available
Well	Depth: 60.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: Not available	Material: Not available	Diameter: 4.0
Screen	Length: 2.0	Material: Not available	Diameter: 4.0
	Slot Size: .060		

Well Capacity Test	Type of Test: Pumping	Test Rate: 15.0 gpm for 1.0 hrs.	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: Not available	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: 716.0 Ft E of WL: Not available Ground Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available	Township: 15N Section: SW of the NW of Section 5 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available
-----------------------	--	--

Well Log

Top	Bottom	Formation
0.0	7.0	CLAY
7.0	44.0	S&G
44.0	60.0	CLAY

Comments

None

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
180281	S OF EAGLE CREEK PARK.	6/15/1961

Owner-Contractor	Name	Address	Telephone
Owner	MR KENNETH BOGER	4110 W VERMONT ST	Not available
Driller	INDPLS PUMP & EQUIP CO.	2720 BRILL RD	Not available
Operator	JOE STOVALL	License Not available	

Construction Details	Use: Home	Drilling Method: Cable Tool	Pump Type: Not available
Well	Depth: 40.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: 37.0	Material: Not available	Diameter: 4.5
Screen	Length: 5.4	Material: Not available	Diameter: 3.0
	Slot Size: #6 GA		

Well Capacity Test	Type of Test: Not available	Test Rate: Not available	Bail Test Rate: 15.0 gpm for 3.0 hrs.
	Drawdown: Not available	Static Water Level: 20.0 ft.	Bailer Drawdown: 30.0 ft.

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: D JORDAN Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: 1,000.0 Ground Elevation: 715.0 Bedrock Elevation: Not available UTM Easting: 565868.5	Township: 15N Section: SE of the SW of the NW of Section 5 Grant: Not available Field Located On: 2/1/1962 Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: 2,750.0 Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: 675.0 UTM Northing: 4402579.5
-----------------------	--	---

Well Log

Top	Bottom	Formation
0.0	18.0	RED CLAY
18.0	28.0	GRAV & SAND
28.0	34.0	BLUE MUD
34.0	36.0	SAND
36.0	40.0	RED GRAV

Comments

None

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
180282	N OF RICKVILLE RD OFF OF VERMONT ST. 4400N 300N	7/20/1987

Owner-Contractor	Name	Address	Telephone
Owner	HENRY BALLARD	332 N FLEMING	Not available
Driller	MATLOCK WELL DRILLING	4701 W. MORRIS	Not available
Operator	JERRY OAKLEY	License Not available	

Construction Details			
Well	Use: Home	Drilling Method: Rotary	Pump Type: Submersible
	Depth: Not available	Pump Setting Depth: 45.0	Water Quality: Not available
Casing	Length: 68.0	Material: Not available	Diameter: 4.0
Screen	Length: 4.0	Material: Not available	Diameter: 4.0
	Slot Size: #6		

Well Capacity Test	Type of Test: Bailing	Test Rate: 10.0 gpm for 1.0 hrs.	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: 20.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available	Township: 15N Section: NE of the SE of Section 6 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available
-----------------------	--	--

Well Log

Top	Bottom	Formation
0.0	3.0	TOP SOIL
3.0	18.0	CLAY
18.0	30.0	GRAVEL
30.0	40.0	CLAY
40.0	55.0	GRAVEL
55.0	68.0	CLAY

Comments

None

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
180286	E OF GRANDE ST, S OF 10TH ST.	5/7/1975

Owner-Contractor	Name	Address	Telephone
Owner	DETROIT DIESEL ALLISON	Not available	Not available
Driller	LAYNE NORTHERN CO INC.	MISHAWAKA	Not available
Operator	E. ALLEN	License Not available	

Construction Details	Use: Industry	Drilling Method: Rotary	Pump Type: Not available
Well	Depth: 110.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: Not available	Material: Not available	Diameter: Not available
Screen	Length: Not available	Material: Not available	Diameter: Not available
	Slot Size: Not available		

Well Capacity Test	Type of Test: Not available	Test Rate: Not available	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: Not available	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: 1,100.0 Ground Elevation: 703.0 Bedrock Elevation: 595.0 UTM Easting: 565869	Township: 15N Section: NE of the NW of the NW of Section 5 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: 200.0 Depth of Bedrock: 108.0 Aquifer Elevation: Not available UTM Northing: 4403390.5
-----------------------	---	--

Well Log

Top	Bottom	Formation
0.0	9.0	RED CLAY
9.0	11.0	DIRTY GRAV
11.0	13.0	BLUE CLAY
13.0	31.0	MD S&G

31.0	39.0	GREY CLAY
39.0	55.0	GRITTY CLAY
55.0	57.0	SAND STRIP
57.0	83.0	GREY CLAY
83.0	85.0	SAND STRIP
85.0	95.0	GREY CLAY
95.0	99.0	BLK CLAY
99.0	102.0	GREY CLAY
102.0	105.0	GRITTY CLAY
105.0	108.0	DIRTY S&G
108.0	110.0	BLK SHALE

Comments

20' SW OF NE
FENCE POST,
50' W OF W
BANK OF
CREEK;
APPROX
LOCATION;
SIMILAR TEST
WELLS ON
SITE;

Record of Water Well
Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
180291	4140 W VERMONT	11/8/1982

Owner-Contractor	Name	Address	Telephone
Owner	Not available	Not available	Not available
Driller	HAMILTON BROS INC	PO BOX24181,4025 ROCKVILLE ROAD,INDIANAPOLIS, IND	Not available
Operator	DESTER HARNESS	License Not available	

Construction Details

Well	Use: Home	Drilling Method: Rotary	Pump Type: Not available
	Depth: 36.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: 32.0	Material: Not available	Diameter: 4.0
Screen	Length: 4.0	Material: Not available	Diameter: 4.0
	Slot Size: 60		

Well Capacity Test	Type of Test: Not available	Test Rate: 10.0 gpm for 1.0 hrs.	Bail Test Rate: Not available
	Drawdown: 5.0 ft.	Static Water Level: 20.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Administrative	County: MARION	Township: 15N
	Range: 3E	Section: SW of the NW of Section 5
	Topo Map: INDIANAPOLIS WEST	Grant: Not available
	Field Located By: Not available	Field Located On: Not available
	Courthouse Location By: Not available	Courthouse Location On: Not available
	Location Accepted w/o Verification By: BRUNS	Location Accepted w/o Verification On: 12/21/1982
	Subdivision Name: Not available	Lot Number: Not available
	Ft W of EL: Not available	Ft N of SL: Not available
	Ft E of WL: Not available	Ft S of NL: Not available
	Ground Elevation: Not available	Depth of Bedrock: Not available
	Bedrock Elevation: Not available	Aquifer Elevation: Not available
	UTM Easting: Not available	UTM Northing: Not available

Well Log

Top	Bottom	Formation
0.0	15.0	TOPSOIL & CLAY
15.0	36.0	GRAV

Comments
None

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
180296	150 N ROENA W 4200 500N	9/4/1964

Owner-Contractor	Name	Address	Telephone
Owner	Not available	Not available	Not available
Driller	HAMILTON BROS INC	PO BOX24181,4025 ROCKVILLE ROAD,INDIANAPOLIS, IND	Not available
Operator	WARREN HARNESS	License Not available	

Construction Details			
Well	Use: Other	Drilling Method: Rotary	Pump Type: Not available
	Depth: 55.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: 51.0	Material: Not available	Diameter: 4.0
Screen	Length: 4.0	Material: Not available	Diameter: 4.0
	Slot Size: 60		

Well Capacity Test	Type of Test: Not available	Test Rate: 10.0 gpm for 1.0 hrs.	Bail Test Rate: Not available
	Drawdown: 15.0 ft.	Static Water Level: 15.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: TCS Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available	Township: 15N Section: SW of the SW of Section 5 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available
-----------------------	--	--

Well Log

Top	Bottom	Formation
0.0	40.0	TOPSOIL & CLAY
40.0	55.0	GRAV

Comments
None

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
180301	TEST #19	1/27/1943

Owner-Contractor	Name	Address	Telephone
Owner	SPEEDWAY WATER CO	Not available	Not available
Driller	Not available	Not available	Not available
Operator	NESS	License Not available	

Construction Details	Use: Home	Drilling Method: Not available	Pump Type: Not available
Well	Depth: 91.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: Not available	Material: Not available	Diameter: Not available
Screen	Length: Not available	Material: Not available	Diameter: Not available
	Slot Size: Not available		

Well Capacity Test	Type of Test: Not available	Test Rate: Not available	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: 14.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: JMH Courthouse Location By: Not available Location Accepted w/o Verification By: JMH Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: 714.0 Bedrock Elevation: Not available UTM Easting: Not available	Township: 15N Section: NW of the SW of Section 5 Grant: Not available Field Located On: 3/1/1961 Courthouse Location On: Not available Location Accepted w/o Verification On: 3/1/1961 Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available
-----------------------	--	--

Well Log

Top	Bottom	Formation
0.0	8.0	SOIL & GRAV
8.0	14.0	BOULDERS & GRAV
14.0	27.0	HARD CLAY
27.0	35.0	SAND GRAV
35.0	45.0	HARD CLAY

45.0	52.0	SAND
52.0	54.0	GRAV
54.0	64.0	HRADPAN
64.0	65.0	GRAV
65.0	89.0	HARDPAN
89.0	90.0	GRAV
90.0	91.0	SH

Comments
None

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
180306	200' FROM E FENCE, 185' FROM VERMONT ST ON N SIDE OF TEST WELL; TEST #18	1/2/1943

Owner-Contractor	Name	Address	Telephone
Owner	SPEEDWAY WATER CO	Not available	Not available
Driller	Not available	Not available	Not available
Operator	E POOLE	License Not available	

Construction Details	Use: Home	Drilling Method: Not available	Pump Type: Not available
Well	Depth: 80.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: Not available	Material: Not available	Diameter: Not available
Screen	Length: Not available	Material: Not available	Diameter: Not available
	Slot Size: Not available		

Well Capacity Test	Type of Test: Not available	Test Rate: Not available	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: 18.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: JMH Courthouse Location By: Not available Location Accepted w/o Verification By: JMH Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: 712.0 Bedrock Elevation: Not available UTM Easting: Not available	Township: 15N Section: NE of the SW of Section 5 Grant: Not available Field Located On: 3/1/1961 Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available
-----------------------	--	---

Well Log

Top	Bottom	Formation
0.0	2.5	TOPSOIL
2.5	7.0	GRAV CLAY
7.0	11.0	GRAV & CLAY
11.0	13.0	BOULDERS

13.0	26.0	S&G
26.0	34.0	S&G
34.0	37.0	BOULDERS
37.0	52.0	CLAY
52.0	75.0	HARDPAN
75.0	79.0	CLAY
79.0	80.0	SH

Comments
None

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
180311	SE EDGE OF SPEEDWAY AT 4010 COSSELL RD.	6/3/1966

Owner-Contractor	Name	Address	Telephone
Owner	COSSELL FLORISTS	4010 COSSELL RD, INDPLS IN	Not available
Driller	WILLARD ENGLISH & SON	RR#1, CLAYTON IN	Not available
Operator	DESTER HARNESS	License Not available	

Construction Details	Use: Home	Drilling Method: Rotary	Pump Type: Not available
Well	Depth: 270.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: 80.0	Material: Not available	Diameter: 4.5
Screen	Length: Not available	Material: Not available	Diameter: Not available
	Slot Size: Not available		

Well Capacity Test	Type of Test: Not available	Test Rate: Not available	Bail Test Rate: 10.0 gpm
	Drawdown: Not available	Static Water Level: 70.0 ft.	Bailer Drawdown: 220.0 ft.

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: U & BOK Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: 1,700.0 Ground Elevation: 717.0 Bedrock Elevation: 637.0 UTM Easting: 566087.8	Township: 15N Section: SW of the SE of the NW of Section 5 Grant: Not available Field Located On: 1/1/1974 Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: 2,800.0 Ft S of NL: Not available Depth of Bedrock: 80.0 Aquifer Elevation: Not available UTM Northing: 4402574
-----------------------	---	--

Well Log

Top	Bottom	Formation
1.0	10.0	CLAY GRAY
10.0	37.0	SAND BR
37.0	80.0	CLAY BLUE
80.0	190.0	SHALE BLK
190.0	270.0	LS

Comments

MC;

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
180316	Not available	1/15/1981

Owner-Contractor	Name	Address	Telephone
Owner	GUY CRAWFORD	4018 W VERMONT	Not available
Driller	MATLOCK WELL DRILLING	401 W MORRIS ST	Not available
Operator	JERRY OAKLEY	License Not available	

Construction Details	Use: Home	Drilling Method: Rotary	Pump Type: Not available
Well	Depth: 75.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: 75.0	Material: Not available	Diameter: 4.0
Screen	Length: 5.0	Material: Not available	Diameter: 4.0
	Slot Size: #6		

Well Capacity Test	Type of Test: Not available	Test Rate: Not available	Bail Test Rate: 5.0 gpm for 1.0 hrs.
	Drawdown: Not available	Static Water Level: 20.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: BRUNS Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available	Township: 15N Section: NW of the SW of Section 5 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: 2/19/1981 Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available
-----------------------	--	--

Well Log

Top	Bottom	Formation
0.0	3.0	TOPSOIL
3.0	10.0	OVERBURDEN
10.0	38.0	GRAV
38.0	75.0	OVERBURDEN

Comments

None

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
180321	N OF WASHINGTON ST ON TIBBS AVE TO COSSELL RD. W TO 3910 COSSELL RD.	2/22/1958

Owner-Contractor	Name	Address	Telephone
Owner	Not available	Not available	Not available
Driller	MILLS PUMP & WELL DRILLING INC	2508 W MICHIGAN ST, INDPLS IN	Not available
Operator	RUSSELL MILLS	License Not available	

Construction Details	Use: Home	Drilling Method: Rotary	Pump Type: Not available
Well	Depth: 53.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: 50.0	Material: Not available	Diameter: 4.0
Screen	Length: 3.0	Material: Not available	Diameter: 4.0
	Slot Size: 40		

Well Capacity Test	Type of Test: Not available	Test Rate: Not available	Bail Test Rate: 10.0 gpm for 1.0 hrs.
	Drawdown: Not available	Static Water Level: 15.0 ft.	Bailer Drawdown: 25.0 ft.

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: JM	Township: 15N Section: NE of the SW of Section 5 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: 5/11/1981 Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available
	Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available	

Well Log

Top	Bottom	Formation
1.0	17.0	CLAY GRAY
17.0	45.0	CLAY BLUE
45.0	53.0	SAND BLUE

Comments

None

Record of Water Well
Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
180326	Not available	8/23/1971

Owner-Contractor	Name	Address	Telephone
Owner	FLORAL PARK CEMETERY	3659 COSSELL RD	Not available
Driller	HAMILTON BROS INC.	Not available	Not available
Operator	RASH	License Not available	

Construction Details			
Well	Use: Not available	Drilling Method: Not available	Pump Type: Not available
	Depth: 50.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: 50.0	Material: Not available	Diameter: 4.0
Screen	Length: 5.0	Material: Not available	Diameter: 3.0
	Slot Size: #40		

Well Capacity Test	Type of Test: Pumping	Test Rate: 10.0 gpm for 2.0 hrs.	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: Not available	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Administrative	County: MARION	Township: 15N
	Range: 3E	Section: 5
	Topo Map: INDIANAPOLIS WEST	Grant: Not available
	Field Located By: Not available	Field Located On: Not available
	Courthouse Location By: Not available	Courthouse Location On: Not available
	Location Accepted w/o Verification By: Not available	Location Accepted w/o Verification On: Not available
	Subdivision Name: Not available	Lot Number: Not available
	Ft W of EL: Not available	Ft N of SL: Not available
	Ft E of WL: Not available	Ft S of NL: Not available
	Ground Elevation: Not available	Depth of Bedrock: Not available
	Bedrock Elevation: Not available	Aquifer Elevation: Not available
	UTM Easting: Not available	UTM Northing: Not available

Well Log

Top	Bottom	Formation
0.0	1.0	TOPSOIL
1.0	24.0	SAND
24.0	40.0	CLAY
40.0	43.0	SAND

43.0	47.0	CLAY
47.0	50.0	SAND

Comments
None

Record of Water Well
Indiana Department of Natural Resources

Reference Number 180339	Driving Direction to Well Not available	Date Completed 10/29/1956	
Owner-Contractor Owner Driller Operator	Name HERBERT FLYNN Not available RASH	Address 360 W ROENA Not available License Not available	Telephone Not available Not available
Construction Details			
Well	Use: Home Depth: 44.0	Drilling Method: Cable Tool Pump Setting Depth: Not available	Pump Type: Not available Water Quality: Not available
Casing	Length: 41.0	Material: Not available	Diameter: 4.0
Screen	Length: 4.3 Slot Size: Not available	Material: Not available	Diameter: Not available
Well Capacity Test	Type of Test: Not available Drawdown: Not available	Test Rate: 10.0 gpm Static Water Level: Not available	Bail Test Rate: Not available Bailer Drawdown: Not available
Grouting Information	Material: Not available Installation Method: Not available	Depth: From (not available) To (not available) Number of Bags Used: Not available	
Well Abandonment	Sealing Material: Not available Installation Method: Not available	Depth: From (not available) To (not available) Number of Bags Used: Not available	
Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: WJS Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available	Township: 15N Section: NE of the NE of the SW of Section 6 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: 10/17/1957 Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available	

Well Log

Top	Bottom	Formation
0.0	37.0	TOPSOIL & CLAY
37.0	44.0	SAND

Comments
None

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
180344	5020 W VERMONT N 400	10/12/1984

Owner-Contractor	Name	Address	Telephone
Owner	Not available	Not available	Not available
Driller	HAMILTON BROS INC	PO BOX 24181,4025 ROCKVILLE ROAD,INDIANAPOLIS,IND	Not available
Operator	WARREN HARNESS	License Not available	

Construction Details			
Well	Use: Home	Drilling Method: Rotary	Pump Type: Not available
	Depth: 81.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: 77.0	Material: Not available	Diameter: 4.0
Screen	Length: 4.0	Material: Not available	Diameter: 4.0
	Slot Size: 60		

Well Capacity Test	Type of Test: Not available	Test Rate: 10.0 gpm for 1.0 hrs.	Bail Test Rate: Not available
	Drawdown: 30.0 ft.	Static Water Level: 30.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: TCS Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available	Township: 15N Section: SE of the NW of Section 6 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available
-----------------------	--	--

Well Log

Top	Bottom	Formation
0.0	70.0	TOPSOIL & CLAY
70.0	81.0	GRAV

Comments
None

Record of Water Well
Indiana Department of Natural Resources

Reference Number 180345	Driving Direction to Well 349 N. COLE ST. E. SIDE ST.	Date Completed 3/30/1960	
Owner-Contractor Owner Driller Operator	Name O.E. DAVIS CONTR. HARLAN MILLER A. BOWEN	Address 350 W. 16TH STREET 1726 W. HAMBREN DR. License Not available	Telephone Not available Not available
Construction Details			
Well	Use: Home Depth: 54.0	Drilling Method: Cable Tool Pump Setting Depth: Not available	Pump Type: Not available Water Quality: Not available
Casing	Length: 51.0	Material: Not available	Diameter: 4.0
Screen	Length: 5.0 Slot Size: 6	Material: Not available	Diameter: 3.5
Well Capacity Test	Type of Test: Not available Drawdown: Not available	Test Rate: Not available Static Water Level: 7.0 ft.	Bail Test Rate: 10.0 gpm for 1.0 hrs. Bailer Drawdown: 3.0 ft.
Grouting Information	Material: Not available Installation Method: Not available		
	Depth: From (not available) To (not available) Number of Bags Used: Not available		
Well Abandonment	Sealing Material: Not available Installation Method: Not available		
	Depth: From (not available) To (not available) Number of Bags Used: Not available		
Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available		
	Township: 15N Section: SE of Section 6 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available		

Well Log

Top	Bottom	Formation
0.0	44.0	CLAY
44.0	54.0	GRAV

Comments
None

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
180349	Not available	9/21/1970

Owner-Contractor	Name	Address	Telephone
Owner	CURTIS CRUMP	4933 W VERMONT	Not available
Driller	HAMILTON BROS INC	Not available	Not available
Operator	WOODROW BURKHART	License Not available	

Construction Details	Use: Home	Drilling Method: Cable Tool	Pump Type: Not available
Well	Depth: 74.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: 71.0	Material: Not available	Diameter: 4.0
Screen	Length: 5.0	Material: Not available	Diameter: 3.0
	Slot Size: 40		

Well Capacity Test	Type of Test: Not available	Test Rate: 10.0 gpm for 2.0 hrs.	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: Not available	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available	Township: 15N Section: SW of the SW of the NE of Section 6 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available
-----------------------	--	--

Well Log

Top	Bottom	Formation
0.0	51.0	CLAY
51.0	56.0	SAND
56.0	64.0	CLAY
64.0	74.0	S & G

Comments

None

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
180354	W. MICHIGAN TO EAGLE CREEK PARK S. TO VERMONT , W. AGAIN TO COLE .5 MI. , GOES S. COLE ST.	8/1/1981

Owner-Contractor	Name	Address	Telephone
Owner	CARL MERKLE	279 COLE ST.	Not available
Driller	CURLEE DRILLING	2746 E. EDGEWOOD	Not available
Operator	RAY CURLEE	License Not available	

Construction Details	Use: Home	Drilling Method: Cable Tool	Pump Type: Not available
Well	Depth: 70.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: 67.0	Material: Not available	Diameter: 4.0
Screen	Length: 5.0	Material: Not available	Diameter: 3.8
	Slot Size: 40		

Well Capacity Test	Type of Test: Pumping	Test Rate: 10.0 gpm for 1.0 hrs.	Bail Test Rate: Not available
	Drawdown: 4.0 ft.	Static Water Level: 27.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: BRUNS Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available	Township: 15N Section: NW of the SE of Section 6 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: 12/21/1982 Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available
-----------------------	--	---

Well Log

Top	Bottom	Formation
0.0	20.0	YEL CLAY
20.0	44.0	SANDY CLAY
44.0	65.0	SANDY CLAY
65.0	70.0	GRAV

Comments

None

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
180355	329 N VINE E ON VERMONT OFF LYNHURST TO VINE S	5/28/1968

Owner-Contractor	Name	Address	Telephone
Owner	SHEFFER	329 VINE N	Not available
Driller	MERRITT WELL DRILLING CO INC	2998 WESTLANE RD INDIANAPOLIS, INDIANA	Not available
Operator	DON KENNEDY	License Not available	

Construction Details	Use: Home	Drilling Method: Cable Tool	Pump Type: Not available
Well	Depth: 35.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: Not available	Material: Not available	Diameter: 4.3
Screen	Length: 4.5	Material: Not available	Diameter: Not available
	Slot Size: 8		

Well Capacity Test	Type of Test: Not available	Test Rate: 30.0 gpm	Bail Test Rate: Not available
	Drawdown: 6.0 ft.	Static Water Level: 15.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available	Township: 15N Section: NW of the NE of the SE of Section 6 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available
-----------------------	--	--

Well Log

Top	Bottom	Formation
0.0	16.0	TOPSOIL & CLAY
16.0	20.0	BRN GRAV
20.0	32.0	GRAY GRAVELY CLAY
32.0	35.0	GRAY S & G

Comments

None

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
180360	5005 N. VERMONT	Not available

Owner-Contractor	Name	Address	Telephone
Owner	HARDMAN	5005 N. VERMONT	Not available
Driller	HAMILTON BROS, INC.	4025 ROCKVILLE RD.	Not available
Operator	WHEELER	License Not available	

Construction Details	Well	Use: Not available	Drilling Method: Not available	Pump Type: Not available
		Depth: 80.0	Pump Setting Depth: Not available	Water Quality: Not available
	Casing	Length: Not available	Material: Not available	Diameter: 4.0
	Screen	Length: 3.0	Material: Not available	Diameter: 4.3
		Slot Size: Not available		

Well Capacity Test	Type of Test: Not available	Test Rate: Not available	Bail Test Rate: 15.0 gpm for 1.0 hrs.
	Drawdown: Not available	Static Water Level: Not available	Bailer Drawdown: 43.0 ft.

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available	Township: 15N Section: 6 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available
-----------------------	--	--

Well Log

Top	Bottom	Formation
0.0	23.0	CLAY
23.0	25.0	SAND
25.0	72.0	CLAY
72.0	80.0	SAND

Comments

None

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
180365	4948 W VERMONT N 400 PERMIT 0255	10/19/1981

Owner-Contractor	Name	Address	Telephone
Owner	HAROLD STELINER	Not available	Not available
Driller	HAMILTON BROS INC	PO BOX 24181,4025 ROCKVILLE ROAD,INDIANAPOLIS,IND	Not available
Operator	DESTER HARNESS	License Not available	

Construction Details	Use: Home	Drilling Method: Rotary	Pump Type: Not available
Well	Depth: 78.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: 74.0	Material: Not available	Diameter: 4.0
Screen	Length: 4.0	Material: Not available	Diameter: 4.0
	Slot Size: 60		

Well Capacity Test	Type of Test: Not available	Test Rate: 10.0 gpm for 1.0 hrs.	Bail Test Rate: Not available
	Drawdown: 15.0 ft.	Static Water Level: 35.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: DSH 6/15/82 Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available	Township: 15N Section: SE of the NW of Section 6 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available
-----------------------	--	--

Well Log

Top	Bottom	Formation
0.0	70.0	TOPSOIL & CLAY
70.0	78.0	GRAV

Comments
None

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
180368	Not available	8/22/1957

Owner-Contractor	Name	Address	Telephone
Owner	RONALD GALES MACHINERY	4400 W MICHIGAN	Not available
Driller	Not available	Not available	Not available
Operator	WOODIE	License Not available	

Construction Details	Use: Home	Drilling Method: Cable Tool	Pump Type: Not available
Well	Depth: 60.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: Not available	Material: Not available	Diameter: 4.0
Screen	Length: Not available	Material: Not available	Diameter: Not available
	Slot Size: Not available		

Well Capacity Test	Type of Test: Pumping	Test Rate: 10.0 gpm	Bail Test Rate: Not available
	Drawdown: 30.0 ft.	Static Water Level: Not available	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available	Township: 15N Section: SE of the NW of the NE of Section 6 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available
-----------------------	--	--

Well Log

Top	Bottom	Formation
0.0	34.0	GRAV
34.0	54.0	CLAY
54.0	60.0	GRAV

Comments

None

Record of Water Well
Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
180370	4717 W. VERMONT	3/4/1980

Owner-Contractor	Name	Address	Telephone
Owner	Not available	Not available	Not available
Driller	HAMILTON BROS, INC.	4025 ROCKVILLE RD. INDPLS, IN.	Not available
Operator	DESTER HARNESS	License Not available	

Construction Details			
Well	Use: Public Supply	Drilling Method: Rotary	Pump Type: Not available
	Depth: 92.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: 89.0	Material: Not available	Diameter: 4.0
Screen	Length: 3.0	Material: Not available	Diameter: 4.0
	Slot Size: 60		

Well Capacity Test	Type of Test: Pumping	Test Rate: 10.0 gpm for 1.0 hrs.	Bail Test Rate: Not available
	Drawdown: 25.0 ft.	Static Water Level: 30.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Administrative	County: MARION	Township: 15N
	Range: 3E	Section: NW of the SE of Section 6
	Topo Map: INDIANAPOLIS WEST	Grant: Not available
	Field Located By: Not available	Field Located On: Not available
	Courthouse Location By: Not available	Courthouse Location On: Not available
	Location Accepted w/o Verification By: JR 7/11/80	Location Accepted w/o Verification On: Not available
	Subdivision Name: Not available	Lot Number: Not available
	Ft W of EL: Not available	Ft N of SL: Not available
	Ft E of WL: Not available	Ft S of NL: Not available
	Ground Elevation: Not available	Depth of Bedrock: Not available
	Bedrock Elevation: Not available	Aquifer Elevation: Not available
	UTM Easting: Not available	UTM Northing: Not available

Well Log

Top	Bottom	Formation
0.0	55.0	TOPSOIL & CLAY
55.0	60.0	SAND
60.0	92.0	CLAY

Comments
None

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
180373	Not available	8/11/1952

Owner-Contractor	Name	Address	Telephone
Owner	RONALD GALES MACHINE CO	4400 W MICHIGAN, INDPLS	Not available
Driller	FOX & SONS	R6, SHELBYVILLE	Not available
Operator	THOMPSON	License Not available	

Construction Details	Use: Not available	Drilling Method: Cable Tool	Pump Type: Not available
Well	Depth: 46.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: Not available	Material: Not available	Diameter: 4.0
Screen	Length: 3.0	Material: Not available	Diameter: 3.8
	Slot Size: #30		

Well Capacity Test	Type of Test: Pumping	Test Rate: 12.0 gpm	Bail Test Rate: Not available
	Drawdown: 6.0 ft.	Static Water Level: 26.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: DON JORDAN Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: 2,900.0 Ground Elevation: 720.0 Bedrock Elevation: Not available UTM Easting: 564822	Township: 15N Section: SE of the NW of the NE of Section 6 Grant: Not available Field Located On: 2/1/1962 Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: 4,200.0 Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: 674.0 UTM Northing: 4402940
-----------------------	--	---

Well Log

Top	Bottom	Formation
0.0	1.0	FILL GRAV
1.0	5.0	CLAY
5.0	30.0	DRY GRAV
30.0	37.0	GRAV & SAND
37.0	43.0	SANDY CLAY

Comments

None

43.0	46.0	S&G WB
------	------	--------

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
180375	Not available	5/11/1961

Owner-Contractor	Name	Address	Telephone
Owner	BEST CONST. CO	345 COLE	Not available
Driller	HARLAN MILLER WELL & PUMP CO	1726 HAMBLIN W. DR. INDIANAPOLIS, IN	Not available
Operator	AC BOWEN	License Not available	

Construction Details	Use: Home	Drilling Method: Cable Tool	Pump Type: Not available
Well	Depth: 53.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: 49.0	Material: Not available	Diameter: 4.0
Screen	Length: 5.0	Material: Not available	Diameter: 3.0
	Slot Size: #6		

Well Capacity Test	Type of Test: Bailing	Test Rate: 14.0 gpm for 1.0 hrs.	Bail Test Rate: Not available
	Drawdown: 4.0 ft.	Static Water Level: 7.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: DRILLER Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: 2,450.0 Ground Elevation: 715.0 Bedrock Elevation: Not available UTM Easting: 564696	Township: 15N Section: SW of the NW of the SE of Section 6 Grant: Not available Field Located On: 2/1/1962 Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: 2,150.0 Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: 662.0 UTM Northing: 4402351
-----------------------	---	---

Well Log

Top	Bottom	Formation
0.0	32.0	CLAY
32.0	39.0	SAND
39.0	47.0	CLAY
47.0	49.0	SAND -WATER

Comments
None

49.0	53.0	SAND & GRAVEL & WATER
------	------	-----------------------

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
180380	115 N COLE ST W 4850 400N	10/31/1983

Owner-Contractor	Name	Address	Telephone
Owner	Not available	Not available	Not available
Driller	HAMILTON BROS INC	PO BOX24181,4025 ROCKVILLE ROAD,INDIANAPOLIS, IND	Not available
Operator	LESTER HARNESS	License Not available	

Construction Details	Use: Home	Drilling Method: Rotary	Pump Type: Not available
Well	Depth: 78.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: 75.0	Material: Not available	Diameter: 4.0
Screen	Length: 4.0	Material: Not available	Diameter: 4.0
	Slot Size: 60		

Well Capacity Test	Type of Test: Not available	Test Rate: 10.0 gpm for 1.0 hrs.	Bail Test Rate: Not available
	Drawdown: 10.0 ft.	Static Water Level: 40.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: TCS Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available	Township: 15N Section: SW of the SE of Section 6 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available
-----------------------	--	--

Well Log

Top	Bottom	Formation
0.0	25.0	TOPSOIL & CLAY
25.0	50.0	S & G
50.0	70.0	CLAY
70.0	78.0	S & G

Comments
None

Record of Water Well
Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
180385	Not available	6/15/1960

Owner-Contractor	Name	Address	Telephone
Owner	HAROLD SNAPP	111 N. COLE	Not available
Driller	ALLEN MATLOCK	4701 W. MORRIS	Not available
Operator	WOODROW GOODE	License Not available	

Construction Details			
Well	Use: Home	Drilling Method: Cable Tool	Pump Type: Not available
	Depth: 78.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: Not available	Material: Not available	Diameter: 4.0
Screen	Length: 4.0	Material: Not available	Diameter: 3.0
	Slot Size: 6		

Well Capacity Test	Type of Test: Pumping	Test Rate: 10.0 gpm for 1.0 hrs.	Bail Test Rate: Not available
	Drawdown: 15.0 ft.	Static Water Level: 15.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Administrative	County: MARION	Township: 15N
	Range: 3E	Section: NW of the SW of the SE of Section 6
	Topo Map: INDIANAPOLIS WEST	Grant: Not available
	Field Located By: Not available	Field Located On: Not available
	Courthouse Location By: Not available	Courthouse Location On: Not available
	Location Accepted w/o Verification By: Not available	Location Accepted w/o Verification On: Not available
	Subdivision Name: Not available	Lot Number: Not available
	Ft W of EL: Not available	Ft N of SL: Not available
	Ft E of WL: Not available	Ft S of NL: Not available
	Ground Elevation: Not available	Depth of Bedrock: Not available
	Bedrock Elevation: Not available	Aquifer Elevation: Not available
	UTM Easting: Not available	UTM Northing: Not available

Well Log

Top	Bottom	Formation
0.0	3.0	TOPSOIL
3.0	20.0	CLAY YEL
20.0	45.0	CLAY
45.0	78.0	S & G

Comments

None

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
180389	Not available	4/21/1965

Owner-Contractor	Name	Address	Telephone
Owner	GILLISPIE	4937 W. VERMONT	Not available
Driller	HAMILTON BROS, INC.	4025 ROCKVILLE RD.	Not available
Operator	JOHN GALLADAY	License Not available	

Construction Details			
Well	Use: Home	Drilling Method: Cable Tool	Pump Type: Not available
	Depth: 72.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: 69.0	Material: Not available	Diameter: 4.0
Screen	Length: 4.0	Material: Not available	Diameter: 3.0
	Slot Size: Not available		

Well Capacity Test	Type of Test: Pumping	Test Rate: 10.0 gpm	Bail Test Rate: Not available
	Drawdown: 35.0 ft.	Static Water Level: 31.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: U	Township: 15N Section: 6 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: 10/1/1965 Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available
	Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available	

Well Log

Top	Bottom	Formation
0.0	20.0	YEL ROCKY CLAY
20.0	64.0	GRAY CLAY
64.0	72.0	GRAV

Comments
None

Record of Water Well
Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
180390	4500W 320 N	3/28/1988

Owner-Contractor	Name	Address	Telephone
Owner	PAUL JOHNSON	322 N GINA ST.	Not available
Driller	MATLOCK WELL DRILLING	4701 W. MORRIS	Not available
Operator	TIM DAVIS	License Not available	

Construction Details			
Well	Use: Home	Drilling Method: Rotary	Pump Type: Submersible
	Depth: Not available	Pump Setting Depth: 40.0	Water Quality: Not available
Casing	Length: 46.0	Material: Not available	Diameter: 4.0
Screen	Length: 5.0	Material: Not available	Diameter: 4.0
	Slot Size: #6		

Well Capacity Test	Type of Test: Bailing	Test Rate: 10.0 gpm	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: 20.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Administrative	County: MARION	Township: 15N
	Range: 3E	Section: NE of the SE of Section 6
	Topo Map: INDIANAPOLIS WEST	Grant: Not available
	Field Located By: Not available	Field Located On: Not available
	Courthouse Location By: Not available	Courthouse Location On: Not available
	Location Accepted w/o Verification By: Not available	Location Accepted w/o Verification On: Not available
	Subdivision Name: Not available	Lot Number: Not available
	Ft W of EL: Not available	Ft N of SL: Not available
	Ft E of WL: Not available	Ft S of NL: Not available
	Ground Elevation: Not available	Depth of Bedrock: Not available
	Bedrock Elevation: Not available	Aquifer Elevation: Not available
	UTM Easting: Not available	UTM Northing: Not available

Well Log

Top	Bottom	Formation
0.0	3.0	TOP SOIL
3.0	42.0	CLAY
42.0	46.0	GRAVEL

Comments
None

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
180394	279 N COLE ST 4900 W	9/5/1978

Owner-Contractor	Name	Address	Telephone
Owner	Not available	Not available	Not available
Driller	HAMILTON BROS INC	PO BOX24181,4025 ROCKVILLE ROAD,INDIANAPOLIS, IND	Not available
Operator	CHARLES ARTHUR	License Not available	

Construction Details	Use: Home	Drilling Method: Rotary	Pump Type: Not available
Well	Depth: 61.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: 58.0	Material: Not available	Diameter: 4.0
Screen	Length: 3.0	Material: Not available	Diameter: 4.0
	Slot Size: 60		

Well Capacity Test	Type of Test: Not available	Test Rate: 10.0 gpm for 1.0 hrs.	Bail Test Rate: Not available
	Drawdown: 10.0 ft.	Static Water Level: 30.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: SAW SLP 5/16/79 Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available	Township: 15N Section: NW of the SE of Section 6 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available
-----------------------	--	--

Well Log

Top	Bottom	Formation
0.0	48.0	TOPSOIL & CLAY
48.0	50.0	GRAV
50.0	56.0	CLAY
56.0	61.0	GRAV

Comments

None

Record of Water Well
Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
180395	5000W	8/28/1965

Owner-Contractor	Name	Address	Telephone
Owner	WILLIAM DUZICH	240 N. AUBURN	Not available
Driller	H.R.	Not available	Not available
Operator	LES HARNESS	License Not available	

Construction Details			
Well	Use: Home	Drilling Method: Rotary	Pump Type: Not available
	Depth: 68.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: 66.0	Material: Not available	Diameter: 4.0
Screen	Length: 2.0	Material: Not available	Diameter: 4.0
	Slot Size: 60		

Well Capacity Test	Type of Test: Pumping	Test Rate: 10.0 gpm for 4.0 hrs.	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: Not available	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Administrative	County: MARION	Township: 15N
	Range: 3E	Section: 6
	Topo Map: INDIANAPOLIS WEST	Grant: Not available
	Field Located By: Not available	Field Located On: Not available
	Courthouse Location By: Not available	Courthouse Location On: Not available
	Location Accepted w/o Verification By: U	Location Accepted w/o Verification On: 10/1/1965
	Subdivision Name: Not available	Lot Number: Not available
	Ft W of EL: Not available	Ft N of SL: Not available
	Ft E of WL: Not available	Ft S of NL: Not available
	Ground Elevation: Not available	Depth of Bedrock: Not available
	Bedrock Elevation: Not available	Aquifer Elevation: Not available
	UTM Easting: Not available	UTM Northing: Not available

Well Log

Top	Bottom	Formation
0.0	60.0	CLAY
60.0	68.0	S & G

Comments
None

Record of Water Well
Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
180399	Not available	1/1/1958

Owner-Contractor	Name	Address	Telephone
Owner	BAUMAN	301 N COLE ST	Not available
Driller	HAMILTON BROS	Not available	Not available
Operator	Not available	License Not available	

Construction Details			
Well	Use: Home	Drilling Method: Not available	Pump Type: Not available
	Depth: 46.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: 53.0	Material: Not available	Diameter: 4.0
Screen	Length: Not available	Material: Not available	Diameter: Not available
	Slot Size: Not available		

Well Capacity Test	Type of Test: Not available	Test Rate: 10.0 gpm	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: Not available	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Administrative	County: MARION	Township: 15N
	Range: 3E	Section: NW of the SE of Section 6
	Topo Map: INDIANAPOLIS WEST	Grant: Not available
	Field Located By: Not available	Field Located On: Not available
	Courthouse Location By: Not available	Courthouse Location On: Not available
	Location Accepted w/o Verification By: Not available	Location Accepted w/o Verification On: Not available
	Subdivision Name: Not available	Lot Number: Not available
	Ft W of EL: Not available	Ft N of SL: Not available
	Ft E of WL: Not available	Ft S of NL: Not available
	Ground Elevation: Not available	Depth of Bedrock: Not available
	Bedrock Elevation: Not available	Aquifer Elevation: Not available
	UTM Easting: Not available	UTM Northing: Not available

Well Log

Top	Bottom	Formation
0.0	40.0	BLANK
40.0	46.0	GRAV

Comments
None

Record of Water Well
Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
180400	Not available	6/30/1970

Owner-Contractor	Name	Address	Telephone
Owner	CARL MERKLE	265 N COLE ST	Not available
Driller	HAMILTON BROS INC	Not available	Not available
Operator	BILL POWELL	License Not available	

Construction Details			
Well	Use: Home	Drilling Method: Rotary	Pump Type: Not available
	Depth: 60.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: 58.0	Material: Not available	Diameter: 4.0
Screen	Length: 2.0	Material: Not available	Diameter: 4.0
	Slot Size: 6		

Well Capacity Test	Type of Test: Not available	Test Rate: 10.0 gpm for 2.0 hrs.	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: Not available	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Administrative	County: MARION	Township: 15N
	Range: 3E	Section: SW of the NW of the SE of Section 6
	Topo Map: INDIANAPOLIS WEST	Grant: Not available
	Field Located By: Not available	Field Located On: 5/1/1974
	Courthouse Location By: Not available	Courthouse Location On: Not available
	Location Accepted w/o Verification By: UCH	Location Accepted w/o Verification On: 7/17/1970
	Subdivision Name: Not available	Lot Number: Not available
	Ft W of EL: 2,100.0	Ft N of SL: 1,400.0
	Ft E of WL: Not available	Ft S of NL: Not available
	Ground Elevation: 735.0	Depth of Bedrock: Not available
	Bedrock Elevation: Not available	Aquifer Elevation: 687.0
	UTM Easting: 564939.3	UTM Northing: 4402180.5

Well Log

Top	Bottom	Formation
0.0	48.0	CLAY
48.0	60.0	S & G

Comments
None

Record of Water Well
Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
180404	Not available	6/23/1955

Owner-Contractor	Name	Address	Telephone
Owner	EVERETT SHEFFER	300 N VINE ST	Not available
Driller	HAMILTON BROS	Not available	Not available
Operator	Not available	License Not available	

Construction Details			
Well	Use: Home	Drilling Method: Not available	Pump Type: Not available
	Depth: 43.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: Not available	Material: Not available	Diameter: 4.0
Screen	Length: Not available	Material: Not available	Diameter: Not available
	Slot Size: Not available		

Well Capacity Test	Type of Test: Not available	Test Rate: 10.0 gpm	Bail Test Rate: Not available
	Drawdown: 15.0 ft.	Static Water Level: Not available	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Administrative	County: MARION	Township: 15N
	Range: 3E	Section: NW of the SE of Section 6
	Topo Map: INDIANAPOLIS WEST	Grant: Not available
	Field Located By: Not available	Field Located On: Not available
	Courthouse Location By: Not available	Courthouse Location On: Not available
	Location Accepted w/o Verification By: Not available	Location Accepted w/o Verification On: Not available
	Subdivision Name: Not available	Lot Number: Not available
	Ft W of EL: Not available	Ft N of SL: Not available
	Ft E of WL: Not available	Ft S of NL: Not available
	Ground Elevation: Not available	Depth of Bedrock: Not available
	Bedrock Elevation: Not available	Aquifer Elevation: Not available
	UTM Easting: Not available	UTM Northing: Not available

Well Log

Top	Bottom	Formation
0.0	19.0	GRAV
19.0	24.0	CLAY
24.0	30.0	GRAV
30.0	36.0	CLAY

Comments

None

36.0	43.0	GRAV
------	------	------

Record of Water Well
Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
180405	Not available	7/27/1974

Owner-Contractor	Name	Address	Telephone
Owner	DAVID GURLEY	4925 W. VERMONT	Not available
Driller	MATLOCK WELL DRILLING	4701 W. MORRIS ST.	Not available
Operator	ALLEN MATLOCK	License Not available	

Construction Details			
Well	Use: Home	Drilling Method: Rotary	Pump Type: Not available
	Depth: 85.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: 85.0	Material: Not available	Diameter: 4.0
Screen	Length: 5.0	Material: Not available	Diameter: 4.0
	Slot Size: 6		

Well Capacity Test	Type of Test: Pumping	Test Rate: 15.0 gpm	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: 45.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Administrative	County: MARION	Township: 15N
	Range: 3E	Section: NE of the SW of Section 6
	Topo Map: INDIANAPOLIS WEST	Grant: Not available
	Field Located By: Not available	Field Located On: Not available
	Courthouse Location By: Not available	Courthouse Location On: Not available
	Location Accepted w/o Verification By: BRUNS	Location Accepted w/o Verification On: 7/21/1976
	Subdivision Name: Not available	Lot Number: Not available
	Ft W of EL: Not available	Ft N of SL: Not available
	Ft E of WL: Not available	Ft S of NL: Not available
	Ground Elevation: Not available	Depth of Bedrock: Not available
	Bedrock Elevation: Not available	Aquifer Elevation: Not available
	UTM Easting: Not available	UTM Northing: Not available

Well Log

Top	Bottom	Formation
0.0	3.0	TOPSOIL
3.0	79.0	CLAY
79.0	85.0	GRAV

Comments
None

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
180408	Not available	4/27/1954

Owner-Contractor	Name	Address	Telephone
Owner	SHEFFER	300 N FLEMING ST	Not available
Driller	HAMILTON BROS	Not available	Not available
Operator	Not available	License Not available	

Construction Details	Use: Home	Drilling Method: Not available	Pump Type: Not available
Well	Depth: 51.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: 58.0	Material: Not available	Diameter: 4.0
Screen	Length: Not available	Material: Not available	Diameter: Not available
	Slot Size: Not available		

Well Capacity Test	Type of Test: Pumping	Test Rate: 10.0 gpm	Bail Test Rate: Not available
	Drawdown: 2.0 ft.	Static Water Level: 16.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available	Township: 15N Section: SE of Section 6 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available
-----------------------	--	--

Well Log

Top	Bottom	Formation
0.0	7.0	FILL DIRT & CLAY
7.0	36.0	BLUE CLAY
36.0	42.0	SANDY CLAY
42.0	51.0	S&G

Comments

None

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
180409	Not available	6/25/1962

Owner-Contractor	Name	Address	Telephone
Owner	GES YOUNG	324 M FLEMING	Not available
Driller	Not available	Not available	Not available
Operator	RASH	License Not available	

Construction Details	Use: Not available	Drilling Method: Not available	Pump Type: Not available
Well	Depth: 35.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: 32.0	Material: Not available	Diameter: 4.0
Screen	Length: 4.8	Material: Not available	Diameter: Not available
	Slot Size: Not available		

Well Capacity Test	Type of Test: Not available	Test Rate: Not available	Bail Test Rate: 10.0 gpm for 0.5 hrs.
	Drawdown: Not available	Static Water Level: Not available	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available	Township: 15N Section: SE of Section 6 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available
-----------------------	--	--

Well Log

Top	Bottom	Formation
0.0	4.0	TOPSOIL & CLAY
4.0	14.0	SAND
14.0	28.0	CLAY
28.0	35.0	SAND

Comments

None

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
180410	310 N AUBURN 5500 W	Not available

Owner-Contractor	Name	Address	Telephone
Owner	PAUL WHITE	Not available	Not available
Driller	HAMILTON BROS INC	4025 ROCKVILLE RD	Not available
Operator	CLIFFORD	License Not available	

Construction Details	Use: Home	Drilling Method: Rotary	Pump Type: Not available
Well	Depth: 66.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: 64.0	Material: Not available	Diameter: 4.3
Screen	Length: 2.0	Material: Not available	Diameter: 4.0
	Slot Size: Not available		

Well Capacity Test	Type of Test: Not available	Test Rate: 10.0 gpm for 1.0 hrs.	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: 30.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available	Township: 15N Section: NE of the NE of the SW of Section 6 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available
-----------------------	--	--

Well Log

Top	Bottom	Formation
0.0	25.0	CLAY
25.0	27.0	SAND
27.0	60.0	CLAY
60.0	66.0	SAND

Comments

None

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
180413	OFF VERMONT E. OF LYNDHURST ON COLE ST.	5/13/1980

Owner-Contractor	Name	Address	Telephone
Owner	THOMAS STANFIELD	111 N. COLE ST.	Not available
Driller	MATLOCK WELL DRILLING	4801 W. MORRIS ST.	Not available
Operator	CHARLES WHITE	License Not available	

Construction Details	Use: Home	Drilling Method: Rotary	Pump Type: Not available
Well	Depth: 76.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: 76.0	Material: Not available	Diameter: 4.0
Screen	Length: 5.0	Material: Not available	Diameter: 4.0
	Slot Size: 6		

Well Capacity Test	Type of Test: Not available	Test Rate: Not available	Bail Test Rate: 20.0 gpm for 1.0 hrs.
	Drawdown: Not available	Static Water Level: 32.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: MCBH Courthouse Location By: Not available Location Accepted w/o Verification By: JR Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: 737.0 Bedrock Elevation: Not available UTM Easting: 564864.4	Township: 15N Section: SW of the SW of the SE of Section 6 Grant: Not available Field Located On: 1/1/1992 Courthouse Location On: Not available Location Accepted w/o Verification On: 7/11/1980 Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: 619.0 UTM Northing: 4401895
-----------------------	---	---

Well Log

Top	Bottom	Formation
0.0	3.0	TOPSOIL
3.0	31.0	CLAY
31.0	41.0	GRAV & SAND
41.0	107.0	CLAY
107.0	117.0	GRAV

Comments

MC 619 ;

117.0	118.0	SHALE
-------	-------	-------

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
180415	Not available	3/11/1971

Owner-Contractor	Name	Address	Telephone
Owner	JOE TRENTON	300N. COLE 4900 W.	Not available
Driller	HAMILTON BROS, INC.	Not available	Not available
Operator	RASH	License Not available	

Construction Details	Use: Home	Drilling Method: Cable Tool	Pump Type: Not available
Well	Depth: 60.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: 57.0	Material: Not available	Diameter: 4.0
Screen	Length: 5.0	Material: Not available	Diameter: 3.0
	Slot Size: 40		

Well Capacity Test	Type of Test: Not available	Test Rate: Not available	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: Not available	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: 2,300.0 Ft E of WL: Not available Ground Elevation: 722.0 Bedrock Elevation: Not available UTM Easting: 564911.3	Township: 15N Section: NW of the NW of the SE of Section 6 Grant: Not available Field Located On: 5/1/1974 Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: 1,800.0 Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: 662.0 UTM Northing: 4402291
-----------------------	---	---

Well Log

Top	Bottom	Formation
0.0	4.0	TOPSOIL & CLAY
4.0	8.0	SAND
8.0	18.0	CLAY
18.0	19.0	SAND

19.0	45.0	CLAY
45.0	60.0	SAND

Comments
None

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
180418	Not available	Not available

Owner-Contractor	Name	Address	Telephone
Owner	LITEMAN	3006 N COLE	Not available
Driller	ROBT EDWARDS	Not available	Not available
Operator	Not available	License Not available	

Construction Details	Use: Home	Drilling Method: Cable Tool	Pump Type: Not available
Well	Depth: 56.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: Not available	Material: Not available	Diameter: 4.0
Screen	Length: Not available	Material: Not available	Diameter: Not available
	Slot Size: Not available		

Well Capacity Test	Type of Test: Pumping	Test Rate: 10.0 gpm	Bail Test Rate: Not available
	Drawdown: 20.0 ft.	Static Water Level: Not available	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: WJS Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available	Township: 15N Section: SW of the NW of the SE of Section 6 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: 10/18/1957 Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available
-----------------------	--	---

Well Log

Top	Bottom	Formation
0.0	10.0	CLAY
10.0	14.0	SAND
14.0	35.0	CLAY
35.0	39.0	SAND GRAV

Comments
None

39.0	45.0	CLAY
45.0	56.0	S&G

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
180419	Not available	8/20/1953

Owner-Contractor	Name	Address	Telephone
Owner	RISTOW	RD 36	Not available
Driller	HAMILTON BROS	Not available	Not available
Operator	JOHN GOLLODAY	License Not available	

Construction Details	Use: Home	Drilling Method: Not available	Pump Type: Not available
Well	Depth: 90.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: Not available	Material: Not available	Diameter: 4.0
Screen	Length: Not available	Material: Not available	Diameter: Not available
	Slot Size: Not available		

Well Capacity Test	Type of Test: Pumping	Test Rate: 10.0 gpm	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: Not available	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available	Township: 15N Section: NW of the SE of the SE of Section 6 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available
-----------------------	--	--

Well Log

Top	Bottom	Formation
0.0	15.0	CLAY
15.0	25.0	SAND
25.0	84.0	CLAY
84.0	90.0	GRAV

Comments

None

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
180420	16TH ST WEST TO LYNTHURST DR & GO S TO VERMONT ST & GO EAST TO FLEMING & GO N	12/21/1978

Owner-Contractor	Name	Address	Telephone
Owner	MARY WOOD	302 N, FLEMING	Not available
Driller	MATLOCK WELL DRILLING	4701 WEST MORRIS ST	Not available
Operator	JERRY OAKLEY	License Not available	

Construction Details	Use: Home	Drilling Method: Rotary	Pump Type: Not available
Well	Depth: 70.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: Not available	Material: Not available	Diameter: 4.0
Screen	Length: 5.0	Material: Not available	Diameter: 4.0
	Slot Size: #6		

Well Capacity Test	Type of Test: Not available	Test Rate: Not available	Bail Test Rate: 10.0 gpm for 1.0 hrs.
	Drawdown: Not available	Static Water Level: 18.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: BRUNS Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available	Township: 15N Section: SE of Section 6 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: 3/7/1979 Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available
-----------------------	--	---

Well Log

Top	Bottom	Formation
0.0	3.0	TOPSOIL
3.0	8.0	CLAY
8.0	15.0	GRAV
15.0	54.0	CLAY

54.0	57.0	S & G
57.0	64.0	CLAY
64.0	70.0	S & G

Comments
None

Record of Water Well
Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
180423	320 N AUBURN 5000W	8/30/1973

Owner-Contractor	Name	Address	Telephone
Owner	CURT DAVIS	Not available	Not available
Driller	HAMILTON BROS	Not available	Not available
Operator	WARREN HARNESS	License Not available	

Construction Details			
Well	Use: Home	Drilling Method: Rotary	Pump Type: Not available
	Depth: 62.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: 60.0	Material: Not available	Diameter: 4.0
Screen	Length: 2.0	Material: Not available	Diameter: 4.0
	Slot Size: .060		

Well Capacity Test	Type of Test: Not available	Test Rate: 10.0 gpm for 1.0 hrs.	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: Not available	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Administrative	County: MARION	Township: 15N
	Range: 3E	Section: NE of the SW of Section 6
	Topo Map: INDIANAPOLIS WEST	Grant: Not available
	Field Located By: Not available	Field Located On: Not available
	Courthouse Location By: Not available	Courthouse Location On: Not available
	Location Accepted w/o Verification By: Not available	Location Accepted w/o Verification On: Not available
	Subdivision Name: Not available	Lot Number: Not available
	Ft W of EL: Not available	Ft N of SL: Not available
	Ft E of WL: Not available	Ft S of NL: Not available
	Ground Elevation: Not available	Depth of Bedrock: Not available
	Bedrock Elevation: Not available	Aquifer Elevation: Not available
	UTM Easting: Not available	UTM Northing: Not available

Well Log

Top	Bottom	Formation
0.0	56.0	CLAY
56.0	62.0	S & G

Comments
None

Record of Water Well
Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
180424	CENTURY BLOCK CO	1/31/1961

Owner-Contractor	Name	Address	Telephone
Owner	C T BRINLEY	4511 W VERMONT	Not available
Driller	Not available	Not available	Not available
Operator	WOODIE	License Not available	

Construction Details			
Well	Use: Not available	Drilling Method: Cable Tool	Pump Type: Not available
	Depth: 51.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: Not available	Material: Not available	Diameter: 4.0
Screen	Length: Not available	Material: Not available	Diameter: Not available
	Slot Size: Not available		

Well Capacity Test	Type of Test: Not available	Test Rate: 10.0 gpm	Bail Test Rate: Not available
	Drawdown: 19.0 ft.	Static Water Level: Not available	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Administrative	County: MARION	Township: 15N
	Range: 3E	Section: SE of Section 6
	Topo Map: INDIANAPOLIS WEST	Grant: Not available
	Field Located By: Not available	Field Located On: Not available
	Courthouse Location By: Not available	Courthouse Location On: Not available
	Location Accepted w/o Verification By: Not available	Location Accepted w/o Verification On: Not available
	Subdivision Name: Not available	Lot Number: Not available
	Ft W of EL: Not available	Ft N of SL: Not available
	Ft E of WL: Not available	Ft S of NL: Not available
	Ground Elevation: Not available	Depth of Bedrock: Not available
	Bedrock Elevation: Not available	Aquifer Elevation: Not available
	UTM Easting: Not available	UTM Northing: Not available

Well Log

Top	Bottom	Formation
0.0	15.0	SANDY CLAY
15.0	51.0	GRAV

Comments
None

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
180425	Not available	3/20/1939

Owner-Contractor	Name	Address	Telephone
Owner	ALLISON ENGINEERING DIVISION	Not available	Not available
Driller	LAYNE-NORTHERN COMPANY	MISHAWAKA, INDIANA	Not available
Operator	C. POOLE & C. KIMBLE	License Not available	

Construction Details	Use: Test	Drilling Method: Not available	Pump Type: Not available
Well	Depth: Not available	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: Not available	Material: Not available	Diameter: Not available
Screen	Length: Not available	Material: Not available	Diameter: Not available
	Slot Size: Not available		

Well Capacity Test	Type of Test: Not available	Test Rate: Not available	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: 15.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: 1,250.0 Ft E of WL: Not available Ground Elevation: 725.0 Bedrock Elevation: 617.0 UTM Easting: 565178.1	Township: 15N Section: SW of the NE of the NE of Section 6 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: 1,400.0 Depth of Bedrock: 108.0 Aquifer Elevation: Not available UTM Northing: 4403000
-----------------------	---	--

Well Log

Top	Bottom	Formation
0.0	4.0	TOPSOIL
4.0	31.0	S&G
31.0	39.0	BLUE CLAY
39.0	40.0	GRAV
40.0	54.0	BLUE CLAY

54.0	60.0	S&G
60.0	108.0	BLUE CLAY
108.0	111.0	SH

Comments

TEST #2 ONE
OF SEVERAL
TEST WELLS

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
180428	305 COSSELL DR.	Not available

Owner-Contractor	Name	Address	Telephone
Owner	MRS E COSSELL DR	Not available	Not available
Driller	HARLAN MILLER WELL & PUMP CO	Not available	Not available
Operator	JOHN HARLAN SR	License Not available	

Construction Details	Use: Home	Drilling Method: Cable Tool	Pump Type: Not available
Well	Depth: 80.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: Not available	Material: Not available	Diameter: 4.5
Screen	Length: Not available	Material: Not available	Diameter: Not available
	Slot Size: Not available		

Well Capacity Test	Type of Test: Not available	Test Rate: Not available	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: Not available	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available	Township: 15N Section: 6 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available
-----------------------	--	--

Well Log

Top	Bottom	Formation
0.0	72.0	CLAY
72.0	80.0	GRAV

Comments

None

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
180429	100'S. OF N. FENCE , 100 E. OF W. FENCE , 75' S. OF #11 PERMANENT WELL	5/20/1975

Owner-Contractor	Name	Address	Telephone
Owner	DETROIT DIESEL	ALLISON DIV. PLANT #3	Not available
Driller	LAYNE-NORTHERN CO.	MISHAWAKA,IN.	Not available
Operator	E. ALLEN	License Not available	

Construction Details	Use: Not available	Drilling Method: Rotary	Pump Type: Not available
Well	Depth: 124.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: Not available	Material: Not available	Diameter: Not available
Screen	Length: Not available	Material: Not available	Diameter: Not available
	Slot Size: Not available		

Well Capacity Test	Type of Test: Not available	Test Rate: Not available	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: Not available	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available	Township: 15N Section: NE of Section 6 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available
-----------------------	--	--

Well Log

Top	Bottom	Formation
0.0	4.0	BR CLAY
4.0	25.0	CRS MD & FN GRAV
25.0	27.0	MD TO FN GRAV

27.0	34.0	MD HARD GREY CLAY
34.0	38.0	CRS SAND & FN GRAV
38.0	43.0	MD HARD GREY CLAY
43.0	47.0	SOFT SANDY GREY CLAY
47.0	58.0	FN GRAV W/ CRS SAND
58.0	106.0	MD HARD GRAY CLAY
106.0	124.0	MD&FN GRAV W/CRS SAND
124.0		DARK BR SHALE

Comments

TEST WELL 75 I;

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
180430	PLANT #3	5/23/1939

Owner-Contractor	Name	Address	Telephone
Owner	ALLISON ENGINEERING DIVISION	Not available	Not available
Driller	LAYNE-NORTHERN COMPANY	MISHAWAKA, INDIANA	Not available
Operator	JAMES NESS	License Not available	

Construction Details	Use: Test	Drilling Method: Not available	Pump Type: Not available
Well	Depth: Not available	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: Not available	Material: Not available	Diameter: Not available
Screen	Length: Not available	Material: Not available	Diameter: Not available
	Slot Size: Not available		

Well Capacity Test	Type of Test: Not available	Test Rate: Not available	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: 15.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: 600.0 Ft E of WL: Not available Ground Elevation: 716.0 Bedrock Elevation: 613.0 UTM Easting: 565397.6	Township: 15N Section: SE of the NE of the NE of Section 6 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: 1,400.0 Depth of Bedrock: 103.0 Aquifer Elevation: Not available UTM Northing: 4403011
-----------------------	---	--

Well Log

Top	Bottom	Formation
0.0	5.0	SOIL
5.0	37.0	S&G
37.0	48.0	GRITTY CLAY
48.0	57.0	S&G
57.0	103.0	GRITTY CLAY

Comments
TEST #1 ONE
OF SEVERAL
TEST WELLS

103.0	105.0	SH
-------	-------	----

Record of Water Well
Indiana Department of Natural Resources

Reference Number 180433	Driving Direction to Well COSSELL DR 300 BLOCK NORTH	Date Completed 2/27/1960										
Owner-Contractor Owner Driller Operator	Name C&B BUILDERS HARLAN MILLER ARTHUR BOWEN	Address 300 COSSELL DR 1726 HAMBLER DR. License Not available	Telephone Not available Not available									
Construction Details												
Well	Use: Home Depth: 65.0	Drilling Method: Cable Tool Pump Setting Depth: Not available	Pump Type: Not available Water Quality: Not available									
Casing	Length: 62.0	Material: Not available	Diameter: 4.0									
Screen	Length: 5.0 Slot Size: 60 GAUZE	Material: Not available	Diameter: 3.0									
Well Capacity Test	Type of Test: Not available Drawdown: Not available	Test Rate: Not available Static Water Level: 40.0 ft.	Bail Test Rate: 1.0 gpm for 1.0 hrs. Bailer Drawdown: 0.0 ft.									
Grouting Information	Material: Not available Installation Method: Not available											
	Depth: From (not available) To (not available) Number of Bags Used: Not available											
Well Abandonment	Sealing Material: Not available Installation Method: Not available											
	Depth: From (not available) To (not available) Number of Bags Used: Not available											
Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available											
	Township: 15N Section: 6 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available											
Well Log	<table><tr><td>Top</td><td>Bottom</td><td>Formation</td></tr><tr><td>0.0</td><td>59.0</td><td>CLAY</td></tr><tr><td>59.0</td><td>65.0</td><td>S & G</td></tr></table>			Top	Bottom	Formation	0.0	59.0	CLAY	59.0	65.0	S & G
Top	Bottom	Formation										
0.0	59.0	CLAY										
59.0	65.0	S & G										
Comments None												

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
180434	115' S. OF FENCE , 115' W. OF CASSELL RD. S.W. OF PLANT #3 , 15' S. OF #12 PERMANENT WELL	5/20/1975

Owner-Contractor	Name	Address	Telephone
Owner	DETROIT DIESEL ALLISON DIV.	Not available	Not available
Driller	LAYNE-NORTHERN CO.	MISHAWAKA,IN.	Not available
Operator	C. FREEMAN	License Not available	

Construction Details	Well	Use: Not available	Drilling Method: Not available	Pump Type: Not available
		Depth: 118.0	Pump Setting Depth: Not available	Water Quality: Not available
	Casing	Length: Not available	Material: Not available	Diameter: Not available
	Screen	Length: Not available	Material: Not available	Diameter: Not available
		Slot Size: Not available		

Well Capacity Test	Type of Test: Not available	Test Rate: Not available	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: Not available	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: BRUNS Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: 720.0 Bedrock Elevation: Not available UTM Easting: Not available	Township: 15N Section: NE of Section 6 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: 3/18/1976 Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available
-----------------------	--	--

Well Log

Top	Bottom	Formation
0.0	8.0	TOPSOIL,CLAY & FILL
8.0	12.0	S & G
12.0	18.0	CLAY

18.0	33.0	S & G & BOULDERS
33.0	47.0	GREY CLAY
47.0	48.0	GRAV STRIP
48.0	54.0	CLAY
54.0	64.0	S & G
64.0	100.0	CLAY
100.0	110.0	FN S AND & CLAY
110.0	118.0	S & G
118.0		SHALE

Comments

TEST WELL 75
H;

Record of Water Well
Indiana Department of Natural Resources

Reference Number 180439	Driving Direction to Well 347 N COLE ST E SIDE ST 4800W	Date Completed 3/31/1960	
Owner-Contractor Owner Driller Operator	Name O E DAVIS HARLAN MILLER A BOWEN	Address 350 W 16TH ST 1726 W HAMBLEN DR License Not available	Telephone Not available Not available
Construction Details			
Well	Use: Home Depth: 55.0	Drilling Method: Cable Tool Pump Setting Depth: Not available	Pump Type: Not available Water Quality: Not available
Casing	Length: 52.0	Material: Not available	Diameter: 4.0
Screen	Length: 5.0 Slot Size: 6	Material: Not available	Diameter: 3.5
Well Capacity Test	Type of Test: Not available Drawdown: Not available	Test Rate: Not available Static Water Level: 10.0 ft.	Bail Test Rate: 10.0 gpm for 1.0 hrs. Bailer Drawdown: 0.0 ft.
Grouting Information	Material: Not available Installation Method: Not available		
	Depth: From (not available) To (not available) Number of Bags Used: Not available		
Well Abandonment	Sealing Material: Not available Installation Method: Not available		
	Depth: From (not available) To (not available) Number of Bags Used: Not available		
Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available		
	Township: 15N Section: SE of Section 6 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available		

Well Log

Top	Bottom	Formation
0.0	44.0	CLAY
44.0	55.0	GRAV

Comments
None

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
180443	104 COSSELL (5100W) DR. N. FROM 36 HI-WAY	9/26/1960

Owner-Contractor	Name	Address	Telephone
Owner	C & B BUILDERS	3508 ROCKVILLE RD.	Not available
Driller	HAMILTON BROS.INC.	4025 ROCKVILLE RD.	Not available
Operator	WHEELER	License Not available	

Construction Details	Use: Home	Drilling Method: Rotary	Pump Type: Not available
Well	Depth: 91.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: Not available	Material: Not available	Diameter: 4.3
Screen	Length: 3.0	Material: Not available	Diameter: 4.3
	Slot Size: Not available		

Well Capacity Test	Type of Test: Not available	Test Rate: Not available	Bail Test Rate: 10.0 gpm for 1.0 hrs.
	Drawdown: Not available	Static Water Level: Not available	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available	Township: 15N Section: 6 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available
-----------------------	--	--

Well Log

Top	Bottom	Formation
0.0	55.0	CLAY
55.0	58.0	SAND
58.0	77.0	CLAY W/ SMALL SAND STREAKS
77.0	91.0	SAND/ SMALL CLAY STREAKS

Comments

None

Record of Water Well
Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
180448	5020 W VERMONT 400N	1/22/1974

Owner-Contractor	Name	Address	Telephone
Owner	CARL ADAMS	Not available	Not available
Driller	HAMILTON BROS INC	4025 ROCKVILLE RD	Not available
Operator	LESTER HARNESS	License Not available	

Construction Details			
Well	Use: Home	Drilling Method: Rotary	Pump Type: Not available
	Depth: 76.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: 74.0	Material: Not available	Diameter: 4.0
Screen	Length: 2.0	Material: Not available	Diameter: 4.0
	Slot Size: .060		

Well Capacity Test	Type of Test: Not available	Test Rate: 10.0 gpm for 1.0 hrs.	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: Not available	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Administrative	County: MARION	Township: 15N
	Range: 3E	Section: SE of the NW of Section 6
	Topo Map: INDIANAPOLIS WEST	Grant: Not available
	Field Located By: Not available	Field Located On: Not available
	Courthouse Location By: Not available	Courthouse Location On: Not available
	Location Accepted w/o Verification By: SF	Location Accepted w/o Verification On: Not available
	Subdivision Name: Not available	Lot Number: Not available
	Ft W of EL: Not available	Ft N of SL: Not available
	Ft E of WL: Not available	Ft S of NL: Not available
	Ground Elevation: Not available	Depth of Bedrock: Not available
	Bedrock Elevation: Not available	Aquifer Elevation: Not available
	UTM Easting: Not available	UTM Northing: Not available

Well Log

Top	Bottom	Formation
0.0	66.0	CLAY
66.0	76.0	S & G

Comments
None

Record of Water Well
Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
180449	325 N. FLEMING W4400 400N	11/20/1985

Owner-Contractor	Name	Address	Telephone
Owner	Not available	Not available	Not available
Driller	HAMILTON BROS, INC.	4025 ROCKVILLE RD. INDPLS, IN.	Not available
Operator	JAMES HERMAN	License Not available	

Construction Details			
Well	Use: Home	Drilling Method: Rotary	Pump Type: Not available
	Depth: 55.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: 51.0	Material: Not available	Diameter: 4.0
Screen	Length: 4.0	Material: Not available	Diameter: 4.0
	Slot Size: 60		

Well Capacity Test	Type of Test: Pumping	Test Rate: 10.0 gpm for 1.0 hrs.	Bail Test Rate: Not available
	Drawdown: 20.0 ft.	Static Water Level: 10.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Administrative	County: MARION	Township: 15N
	Range: 3E	Section: NE of the SW of Section 6
	Topo Map: INDIANAPOLIS WEST	Grant: Not available
	Field Located By: Not available	Field Located On: Not available
	Courthouse Location By: Not available	Courthouse Location On: Not available
	Location Accepted w/o Verification By: 1/87	Location Accepted w/o Verification On: Not available
	Subdivision Name: Not available	Lot Number: Not available
	Ft W of EL: Not available	Ft N of SL: Not available
	Ft E of WL: Not available	Ft S of NL: Not available
	Ground Elevation: Not available	Depth of Bedrock: Not available
	Bedrock Elevation: Not available	Aquifer Elevation: Not available
	UTM Easting: Not available	UTM Northing: Not available

Well Log

Top	Bottom	Formation
0.0	40.0	TOPSOIL & CLAY
40.0	55.0	GRAV

Comments
None

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed	
180585	Not available	Not available	

Owner-Contractor	Name	Address	Telephone
Owner	IND. CENT. STATE HOSPITAL	TIBBS & WASH.	Not available
Driller	Not available	Not available	Not available
Operator	Not available	License Not available	

Construction Details			
Well	Use: Not available Depth: 400.0	Drilling Method: Not available Pump Setting Depth: Not available	Pump Type: Not available Water Quality: Not available
Casing	Length: Not available	Material: Not available	Diameter: 10.0
Screen	Length: Not available Slot Size: Not available	Material: Not available	Diameter: Not available

Well Capacity Test	Type of Test: Not available Drawdown: Not available	Test Rate: Not available Static Water Level: 15.3 ft.	Bail Test Rate: Not available Bailer Drawdown: Not available
---------------------------	--	--	---

Grouting Information	Material: Not available Installation Method: Not available	Depth: From (not available) To (not available) Number of Bags Used: Not available
-----------------------------	---	--

Well Abandonment	Sealing Material: Not available Installation Method: Not available	Depth: From (not available) To (not available) Number of Bags Used: Not available
-------------------------	---	--

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available	Township: 15N Section: SW of Section 4 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available
-----------------------	--	--

Well Log Comments	None
--------------------------	------

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
180590	BETWEEN REONA & HOLT RD. OFF MICHIGAN	10/28/1979

Owner-Contractor	Name	Address	Telephone
Owner	CLARENCE GREGORY	4239 W. COSSELL	Not available
Driller	Not available	Not available	Not available
Operator	JOHN AUFDERHEIDE	License Not available	

Construction Details			
Well	Use: Home	Drilling Method: Cable Tool	Pump Type: Not available
	Depth: Not available	Pump Setting Depth: 40.0	Water Quality: CLEAR
Casing	Length: 50.0	Material: Not available	Diameter: 4.0
Screen	Length: 5.0	Material: Not available	Diameter: 3.0
	Slot Size: 30		

Well Capacity Test	Type of Test: Bailing	Test Rate: 10.0 gpm for 1.0 hrs.	Bail Test Rate: Not available
	Drawdown: 12.0 ft.	Static Water Level: 23.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: TCS Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available	Township: 15N Section: SE of the NW of Section 5 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available
-----------------------	--	--

Well Log

Top	Bottom	Formation
0.0	10.0	CLAY
10.0	35.0	SAND & GRAVEL
35.0	45.0	CLAY
45.0	49.0	SOUPY SAND
49.0	52.0	SAND & GRAVEL

Comments

None

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
180595	4200 W 400N	12/27/1960

Owner-Contractor	Name	Address	Telephone
Owner	SWALLEY	4200 W VERMONT	Not available
Driller	HAMILTON BROS INC	4025 ROCKVILLE RD	Not available
Operator	JOHN GOLLODAY	License Not available	

Construction Details	Use: Home	Drilling Method: Cable Tool	Pump Type: Not available
Well	Depth: 150.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: 97.0	Material: Not available	Diameter: 4.0
Screen	Length: 5.0	Material: Not available	Diameter: 2.0
	Slot Size: Not available		

Well Capacity Test	Type of Test: Not available	Test Rate: 10.0 gpm	Bail Test Rate: Not available
	Drawdown: 60.0 ft.	Static Water Level: Not available	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available	Township: 15N Section: 5 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available
-----------------------	--	--

Well Log

Top	Bottom	Formation
0.0	6.0	CLAY
6.0	34.0	GRAV
34.0	96.0	CLAY
96.0	100.0	GRAV

Comments

None

Record of Water Well
Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
180600	Not available	1/1/1936

Owner-Contractor	Name	Address	Telephone
Owner	Not available	Not available	Not available
Driller	Not available	Not available	Not available
Operator	MERRITT	License Not available	

Construction Details			
Well	Use: Not available	Drilling Method: Not available	Pump Type: Not available
	Depth: 36.8	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: Not available	Material: Not available	Diameter: 4.0
Screen	Length: Not available	Material: Not available	Diameter: Not available
	Slot Size: Not available		

Well Capacity Test	Type of Test: Not available	Test Rate: Not available	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: Not available	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Administrative	County: MARION	Township: 15N
	Range: 3E	Section: SE of the SE of Section 5
	Topo Map: INDIANAPOLIS WEST	Grant: Not available
	Field Located By: Not available	Field Located On: Not available
	Courthouse Location By: Not available	Courthouse Location On: Not available
	Location Accepted w/o Verification By: Not available	Location Accepted w/o Verification On: Not available
	Subdivision Name: Not available	Lot Number: Not available
	Ft W of EL: Not available	Ft N of SL: Not available
	Ft E of WL: Not available	Ft S of NL: Not available
	Ground Elevation: Not available	Depth of Bedrock: Not available
	Bedrock Elevation: Not available	Aquifer Elevation: Not available
	UTM Easting: Not available	UTM Northing: Not available

Well Log

Top	Bottom	Formation
0.0	35.0	DRIFT
35.0	36.8	GRAVEL

Comments
None

Record of Water Well
Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
180605	SEE MAP	Not available

Owner-Contractor	Name	Address	Telephone
Owner	Not available	3248 MCCLURE	Not available
Driller	WATER WELLS BY WILHITE	7453 N DOBSON	Not available
Operator	CHARLIE SULLIVAN	License: 843	

Construction Details			
Well	Use: Home	Drilling Method: Rotary	Pump Type: Not available
	Depth: 30.0	Pump Setting Depth: Not available	Water Quality: CLEAR
Casing	Length: 25.0	Material: PVC	Diameter: 4.0
Screen	Length: 5.0	Material: PVC	Diameter: 4.0
	Slot Size: .060		

Well Capacity Test	Type of Test: Air	Test Rate: 7.0 gpm for 6.0 hrs.	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: 13.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: WYO-BEN	Depth: From 0.0 To 20.0
	Installation Method: PUMP	Number of Bags Used: 3.0

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Administrative	County: MARION	Township: 15N
	Range: 3E	Section: NE of the NE of the NW of Section 5
	Topo Map: INDIANAPOLIS WEST	Grant: Not available
	Field Located By: Not available	Field Located On: Not available
	Courthouse Location By: Not available	Courthouse Location On: Not available
	Location Accepted w/o Verification By: Not available	Location Accepted w/o Verification On: Not available
	Subdivision Name: Not available	Lot Number: Not available
	Ft W of EL: Not available	Ft N of SL: Not available
	Ft E of WL: Not available	Ft S of NL: Not available
	Ground Elevation: Not available	Depth of Bedrock: Not available
	Bedrock Elevation: Not available	Aquifer Elevation: Not available
	UTM Easting: Not available	UTM Northing: Not available

Well Log

Top	Bottom	Formation
0.0	4.0	CLAY
4.0	30.0	GRAV

Comments
None

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
180610	Not available	2/1/1943

Owner-Contractor	Name	Address	Telephone
Owner	SPEEDWAY WATER CO	Not available	Not available
Driller	Not available	Not available	Not available
Operator	NESS	License Not available	

Construction Details	Use: Home	Drilling Method: Not available	Pump Type: Not available
Well	Depth: 76.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: Not available	Material: Not available	Diameter: Not available
Screen	Length: Not available	Material: Not available	Diameter: Not available
	Slot Size: Not available		

Well Capacity Test	Type of Test: Not available	Test Rate: Not available	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: 8.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: JMH Courthouse Location By: Not available Location Accepted w/o Verification By: JMH Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available	Township: 15N Section: SE of the SW of Section 5 Grant: Not available Field Located On: 3/1/1961 Courthouse Location On: Not available Location Accepted w/o Verification On: 3/1/1961 Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available
-----------------------	--	--

Well Log

Top	Bottom	Formation
0.0	5.0	SOIL DIRT
5.0	9.0	GRAV
9.0	20.0	HARDCLAY
20.0	45.0	S&G
45.0	74.0	HARDPAN

74.0	76.0	SH
------	------	----

Comments

TEST WELL #20

Record of Water Well
Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
180615	Not available	11/22/1973

Owner-Contractor	Name	Address	Telephone
Owner	GERALD PEACOCK	4060 W VERMONT	Not available
Driller	HAMILTON BROS INC.	4025 ROCKVILLE RD	Not available
Operator	JOHN OSBORNE	License Not available	

Construction Details			
Well	Use: Home	Drilling Method: Rotary	Pump Type: Not available
	Depth: 57.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: 55.0	Material: Not available	Diameter: 4.0
Screen	Length: 2.0	Material: Not available	Diameter: 4.0
	Slot Size: .060		

Well Capacity Test	Type of Test: Pumping	Test Rate: 10.0 gpm for 1.0 hrs.	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: Not available	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Administrative	County: MARION	Township: 15N
	Range: 3E	Section: SW of the NW of Section 5
	Topo Map: INDIANAPOLIS WEST	Grant: Not available
	Field Located By: Not available	Field Located On: Not available
	Courthouse Location By: Not available	Courthouse Location On: Not available
	Location Accepted w/o Verification By: SL	Location Accepted w/o Verification On: Not available
	Subdivision Name: Not available	Lot Number: Not available
	Ft W of EL: Not available	Ft N of SL: Not available
	Ft E of WL: Not available	Ft S of NL: Not available
	Ground Elevation: Not available	Depth of Bedrock: Not available
	Bedrock Elevation: Not available	Aquifer Elevation: Not available
	UTM Easting: Not available	UTM Northing: Not available

Well Log

Top	Bottom	Formation
0.0	6.0	CLAY
6.0	40.0	S&G
40.0	57.0	CLAY

Comments

None

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
180620	SW 1/4 SEC 5; 180' W OF E PROPERTY LINE 660' S OF VERMONT ST; TEST #21	2/5/1943

Owner-Contractor	Name	Address	Telephone
Owner	SPEEDWAY WATER CO	Not available	Not available
Driller	NESS	Not available	Not available
Operator	Not available	License Not available	

Construction Details	Use: Other	Drilling Method: Not available	Pump Type: Not available
Well	Depth: 73.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: Not available	Material: Not available	Diameter: Not available
Screen	Length: Not available	Material: Not available	Diameter: Not available
	Slot Size: Not available		

Well Capacity Test	Type of Test: Not available	Test Rate: Not available	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: 12.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: 710.0 Bedrock Elevation: 637.0 UTM Easting: Not available	Township: 15N Section: SW of Section 5 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: 73.0 Aquifer Elevation: Not available UTM Northing: Not available
-----------------------	--	---

Well Log

Top	Bottom	Formation
0.0	4.0	SOIL DIRT
4.0	31.0	MED GRAV
31.0	40.0	HARD CLAY
40.0	43.0	GRAV

Comments
TEST #21

43.0	73.0	HARDPAN
73.0		SH

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
180625	Not available	Not available

Owner-Contractor	Name	Address	Telephone
Owner	INDPLS. PARK BOARD	LITTLE EAGLE CREEK PARK	Not available
Driller	Not available	Not available	Not available
Operator	Not available	License Not available	

Construction Details			
Well	Use: Not available Depth: 65.0	Drilling Method: Not available Pump Setting Depth: Not available	Pump Type: Not available Water Quality: Not available
Casing	Length: Not available	Material: Not available	Diameter: 2.0
Screen	Length: Not available Slot Size: Not available	Material: Not available	Diameter: Not available

Well Capacity Test	Type of Test: Not available Drawdown: Not available	Test Rate: Not available Static Water Level: Not available	Bail Test Rate: Not available Bailer Drawdown: Not available
---------------------------	--	---	---

Grouting Information	Material: Not available Installation Method: Not available	Depth: From (not available) To (not available) Number of Bags Used: Not available
-----------------------------	---	--

Well Abandonment	Sealing Material: Not available Installation Method: Not available	Depth: From (not available) To (not available) Number of Bags Used: Not available
-------------------------	---	--

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available	Township: 15N Section: NW of the NW of Section 5 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available
-----------------------	--	--

Well Log Comments	None
--------------------------	------

Record of Water Well
Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
180630	SPEEDWAY	9/22/1961

Owner-Contractor	Name	Address	Telephone
Owner	CHAS GREEN	4042 W VERMONT	Not available
Driller	MANFORD DILAN	841 W SUMNER AVE	Not available
Operator	NOLES CREED	License Not available	

Construction Details			
Well	Use: Home	Drilling Method: Cable Tool	Pump Type: Not available
	Depth: 35.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: 35.0	Material: Not available	Diameter: 4.5
Screen	Length: 0.5	Material: Not available	Diameter: 3.0
	Slot Size: 6		

Well Capacity Test	Type of Test: Pumping	Test Rate: 10.0 gpm for 1.5 hrs.	Bail Test Rate: Not available
	Drawdown: 0.0 ft.	Static Water Level: 20.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Administrative	County: MARION	Township: 15N
	Range: 3E	Section: SE of the SW of the NW of Section 5
	Topo Map: INDIANAPOLIS WEST	Grant: Not available
	Field Located By: Not available	Field Located On: Not available
	Courthouse Location By: Not available	Courthouse Location On: Not available
	Location Accepted w/o Verification By: Not available	Location Accepted w/o Verification On: Not available
	Subdivision Name: Not available	Lot Number: Not available
	Ft W of EL: Not available	Ft N of SL: Not available
	Ft E of WL: Not available	Ft S of NL: Not available
	Ground Elevation: Not available	Depth of Bedrock: Not available
	Bedrock Elevation: Not available	Aquifer Elevation: Not available
	UTM Easting: Not available	UTM Northing: Not available

Well Log

Top	Bottom	Formation
0.0	5.0	YEL CLAY
5.0	18.0	SANDY HARDPAN
18.0	25.0	DRY SAND
25.0	35.0	S&G

Comments

None

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed	
180645	Not available	1/1/1940	

Owner-Contractor	Name	Address	Telephone
Owner	IND. CENT. STATE HOSPITAL	COLONY, TIBBS AVE	Not available
Driller	KRAUSS	INDPLS.	Not available
Operator	Not available	License Not available	

Construction Details			
Well	Use: Home	Drilling Method: Not available	Pump Type: Not available
	Depth: 100.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: Not available	Material: Not available	Diameter: 12.0
Screen	Length: Not available	Material: Not available	Diameter: Not available
	Slot Size: Not available		

Well Capacity Test	Type of Test: Not available	Test Rate: Not available	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: Not available	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available	Township: 15N Section: SW of Section 4 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available
-----------------------	--	--

Well Log Comments	None
--------------------------	------

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
180690	15 FEET W OF PUMP HOUSE	7/30/1955

Owner-Contractor	Name	Address	Telephone
Owner	CENTRAL STATE HOSPITAL	Not available	Not available
Driller	LAYNE NORTHERN CO., INC.	MISHAWAKA	Not available
Operator	A.D. HALL	License Not available	

Construction Details	Use: Test	Drilling Method: Not available	Pump Type: Not available
Well	Depth: Not available	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: Not available	Material: Not available	Diameter: Not available
Screen	Length: Not available	Material: Not available	Diameter: Not available
	Slot Size: Not available		

Well Capacity Test	Type of Test: Not available	Test Rate: Not available	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: Not available	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available	Township: 15N Section: SW of the NW of the SW of Section 4 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available
-----------------------	--	--

Well Log

Top	Bottom	Formation
0.0	1.0	SANDY FILL
1.0	5.0	SOFT BR GRITTY CLAY
5.0	34.0	BR S&G
34.0	47.0	GREY S&G

47.0	51.0	S&G W/BOULDERS
51.0	56.0	CLAY BALLS
56.0	59.0	SAND & CRS GRAV
59.0	61.0	BR SH

Comments
COPIED FROM
DRILLER'S LOG
3/21/95

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
183217	9046 W WALTON LANE 100S	6/21/1982

Owner-Contractor	Name	Address	Telephone
Owner	Not available	Not available	Not available
Driller	HAMILTON BROS INC	PO BOX24181,4025 ROCKVILLE ROAD,INDIANAPOLIS, IND	Not available
Operator	DESTER HARNESS	License Not available	

Construction Details	Use: Home	Drilling Method: Rotary	Pump Type: Not available
Well	Depth: 103.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: 99.0	Material: Not available	Diameter: 4.0
Screen	Length: 4.0	Material: Not available	Diameter: 4.0
	Slot Size: 60		

Well Capacity Test	Type of Test: Not available	Test Rate: 10.0 gpm for 1.0 hrs.	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: 60.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: BRUNS 12/29/82 Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available	Township: 15N Section: NW of the NW of Section 9 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available
-----------------------	---	--

Well Log

Top	Bottom	Formation
0.0	96.0	TOPSOIL & CLAY
96.0	98.0	GRAV
98.0	103.0	CLAY

Comments

None

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
183285	2000' E & 5129' N OF SW CORNER OF SECTION 10' W OF NW CORNER OF ALLISON #5 WELL HOUSE, 349' E OF COSSELL RD. 70' S OF 10TH ST.	Not available

Owner-Contractor	Name	Address	Telephone
Owner	ALLISON DIV GMC	PLANT #3	Not available
Driller	LAYNE NORTHERN CO INC.	MISHAWAKA	Not available
Operator	ALLEN MATLOCK	License Not available	

Construction Details			
Well	Use: Test	Drilling Method: Rotary	Pump Type: Not available
	Depth: 127.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: Not available	Material: Not available	Diameter: 4.0
Screen	Length: Not available	Material: Not available	Diameter: Not available
	Slot Size: Not available		

Well Capacity Test	Type of Test: Not available	Test Rate: Not available	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: Not available	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: 2,400.0 Ft E of WL: Not available Ground Elevation: 724.0 Bedrock Elevation: 597.0 UTM Easting: 564844.1	Township: 15N Section: NW of the NW of the NE of Section 6 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: 50.0 Depth of Bedrock: 127.0 Aquifer Elevation: 597.0 UTM Northing: 4403394.5
----------------	---	---

Well Log

Top	Bottom	Formation
0.0	14.0	TOPGRAV
14.0	35.0	BLUE CLAY

35.0	46.0	BLUE CLAY & SAND
46.0	55.0	GRAV
55.0	57.0	BLUE CLAY & SAND
57.0	62.0	GRAV
62.0	80.0	CLAY & SAND BLUE
80.0	87.0	GRAV
87.0	94.5	CLAY & SAND
94.5	96.5	SAND
96.5	107.5	SOFT BLUE CLAY
107.5	122.0	FN GRAV
122.0	127.0	HARD PACK SANDY CLAY
127.0		BEDROCK

Comments

None

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
183300	2000' E AND 5129' N OF SW CORNER OF SECT. 10' W OF NW CORNER OF ALLISON #5 WELL HOUSE 340' E OF COSSELL RD 70' S OF 10TH ST	Not available

Owner-Contractor	Name	Address	Telephone
Owner	ALLISON DIV. GM CORP. PLANT #3	Not available	Not available
Driller	LAYNE NORTHERN	MISHAWAKA IN	Not available
Operator	ALLEN MATLOCK	License Not available	

Construction Details	Well	Use: Test	Drilling Method: Not available	Pump Type: Not available
		Depth: Not available	Pump Setting Depth: Not available	Water Quality: Not available
	Casing	Length: Not available	Material: Not available	Diameter: 4.0
	Screen	Length: Not available	Material: Not available	Diameter: Not available
		Slot Size: Not available		

Well Capacity Test	Type of Test: Not available	Test Rate: Not available	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: Not available	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available	Township: 15N Section: 6 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available
-----------------------	--	--

Well Log

Top	Bottom	Formation
0.0	14.0	TOP GRAV
14.0	35.0	BLUE CLAY

35.0	46.0	BLUE CLAY & SAND
46.0	55.0	GRAV
55.0	57.0	BLUE CLAY & SAND
57.0	62.0	GRAV
62.0	80.0	CLAY & SAND BLUE
80.0	87.0	GRAV
87.0	94.5	CLAY & SAND
94.5	96.5	SAND
96.5	107.5	SOFT BLUE CLAY
107.5	122.0	FINE GRAV WATER BEARING
122.0	127.0	HARD PACK SANDY CLAY
127.0		BEDROCK

Comments

WELL LOG NO
66A

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
183400	Not available	1/1/1940

Owner-Contractor	Name	Address	Telephone
Owner	ALLISON ENGR CO	SPEEDWAY CITY	Not available
Driller	LAYNE NORTHERN	Not available	Not available
Operator	Not available	License Not available	

Construction Details	Use: Industry	Drilling Method: Not available	Pump Type: Not available
Well	Depth: 57.5	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: Not available	Material: Not available	Diameter: 18.0
Screen	Length: 10.0	Material: Not available	Diameter: 18.0
	Slot Size: #4		

Well Capacity Test	Type of Test: Not available	Test Rate: Not available	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: 19.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available	Township: 15N Section: NE of Section 6 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available
-----------------------	--	--

Well Log

Top	Bottom	Formation
0.0	5.0	SOIL
5.0	32.0	S&G
32.0	35.0	BLUE CLAY
35.0	37.0	GRAV
37.0	46.0	BLUE CLAY

46.0	48.0	FINE GRAV
48.0	60.0	S&G
60.0	85.0	TOUGH BLUE CLAY

Comments
None

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
201638	707 N. LYNHURST	3/16/1995

Owner-Contractor	Name	Address	Telephone
Owner	Not available	Not available	Not available
Driller	HAMILTON BROS., INC.	4050 ROCKVILLE RD., INDPLS., IN	(000)241-2571
Operator	ROBERT D. SCHELLENBERG	License: 36	

Construction Details			
Well	Use: Industry	Drilling Method: Rotary	Pump Type: Submersible
	Depth: 78.0	Pump Setting Depth: 60.0	Water Quality: CLEAR
Casing	Length: 74.0	Material: PVC	Diameter: 4.0
Screen	Length: 4.0	Material: PVC	Diameter: 4.0
	Slot Size: .060		

Well Capacity Test	Type of Test: Bailing	Test Rate: 15.0 gpm for 1.0 hrs.	Bail Test Rate: Not available
	Drawdown: 30.0 ft.	Static Water Level: 30.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: ENVIROPLUG	Depth: From 0.0 To 58.0	
	Installation Method: TREM	Number of Bags Used: 5.0	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION	Township: 15N
	Range: 3E	Section: 6
	Topo Map: INDIANAPOLIS WEST	Grant: Not available
	Field Located By: Not available	Field Located On: Not available
	Courthouse Location By: Not available	Courthouse Location On: Not available
	Location Accepted w/o Verification By: Not available	Location Accepted w/o Verification On: Not available
	Subdivision Name: Not available	Lot Number: Not available
	Ft W of EL: Not available	Ft N of SL: Not available
	Ft E of WL: Not available	Ft S of NL: Not available
	Ground Elevation: Not available	Depth of Bedrock: Not available
	Bedrock Elevation: Not available	Aquifer Elevation: Not available
	UTM Easting: Not available	UTM Northing: Not available

Well Log

Top	Bottom	Formation
0.0	43.0	TOPSOIL & CLAY
43.0	47.0	GRAV
47.0	58.0	CLAY
58.0	78.0	GRAV

Comments
SEE MAP

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
252308	3125 W EPLER	7/15/1991

Owner-Contractor	Name	Address	Telephone
Owner	JOHN GAMMON	3125 W EPLER	Not available
Driller	HAMMS WELL DRILLING	RR 4 FRANKLIN	Not available
Operator	JERRY GLASSBURN	License Not available	

Construction Details			
Well	Use: Home	Drilling Method: Cable Tool	Pump Type: Submersible
	Depth: 66.0	Pump Setting Depth: 40.0	Water Quality: CLEAR
Casing	Length: 66.0	Material: Not available	Diameter: 4.0
Screen	Length: 5.0	Material: Not available	Diameter: 3.0
	Slot Size: .020		

Well Capacity Test	Type of Test: Not available	Test Rate: Not available	Bail Test Rate: 10.0 gpm for 1.0 hrs.
	Drawdown: Not available	Static Water Level: 15.0 ft.	Bailer Drawdown: 3.0 ft.

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available	Township: 15N Section: SE of the SW of the NW of Section 4 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available
-----------------------	--	--

Well Log Comments	None
--------------------------	------

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
265016	170' E OF W FENCE, 45' N OF S FENCE.	3/27/1975

Owner-Contractor	Name	Address	Telephone
Owner	DETROIT DIESEL ALLISON DIV.	Not available	Not available
Driller	LAYNE NORTHERN CO.	MISHAWAKA IN	Not available
Operator	E. ALLEN	License Not available	

Construction Details	Use: Test	Drilling Method: Rotary	Pump Type: Not available
Well	Depth: 106.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: Not available	Material: Not available	Diameter: 12.0
Screen	Length: 10.0	Material: Not available	Diameter: 12.0
	Slot Size: Not available		

Well Capacity Test	Type of Test: Pumping	Test Rate: 50.0 gpm	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: Not available	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: TMB	Township: 15N Section: NW of Section 5 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: 7/1/1975 Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available
	Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available	

Well Log

Top	Bottom	Formation
0.0	7.0	TOPSOIL & SAND
7.0	29.0	MD S&G W/BOULDER
29.0	45.0	CLAY
45.0	50.0	DIRTY S&G SOME CLAY

50.0	98.0	BLANK
98.0	106.0	CLAY

Comments

DETROIT
DIESEL 75-12-A
TEST;

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
264407	ALLISON PLANT #3 - TEST WELL 3 , 670 ' S. OF W. 10TH. ST.	5/22/1939

Owner-Contractor	Name	Address	Telephone
Owner	ALLISON ENGINEERING DIV,GMC.	W. 10TH. ST, INDPLS,IN. (SPEEDWAY IN.)	Not available
Driller	LAYNE-NORTHERN CO.	MISHAWAKA,IN.	Not available
Operator	C.E. POOLE & C. KIMBLE	License Not available	

Construction Details	Well	Use: Test	Drilling Method: Not available	Pump Type: Not available
		Depth: 100.0	Pump Setting Depth: Not available	Water Quality: Not available
	Casing	Length: Not available	Material: Not available	Diameter: Not available
	Screen	Length: Not available	Material: Not available	Diameter: Not available
		Slot Size: Not available		

Well Capacity Test	Type of Test: Not available	Test Rate: Not available	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: 15.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: 600.0 Ft E of WL: Not available Ground Elevation: 722.0 Bedrock Elevation: Not available UTM Easting: 565407.4	Township: 15N Section: NE of the NE of the NE of Section 6 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: 650.0 Depth of Bedrock: Not available Aquifer Elevation: 622.0 UTM Northing: 4403225.5
-----------------------	---	--

Well Log

Top	Bottom	Formation
0.0	5.0	TOPSOIL
5.0	6.0	BOULDERS
6.0	21.0	GRAV
21.0	49.0	BLUE CLAY

49.0	62.0	S & G
62.0	100.0	BLUE CLAY

Comments
None

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
264412	ALLISON PLANT #3 - TEST WELL #4	5/26/1939

Owner-Contractor	Name	Address	Telephone
Owner	ALLISON ENGINEERING DIV. GMC.	W. 10TH. ST. SPEEDWAY, IN. INDPLS.	Not available
Driller	LAYNE-NORTHERN CO.	MISHAWAKA, IN.	Not available
Operator	JAMES NESS	License Not available	

Construction Details	Well	Use: Test	Drilling Method: Not available	Pump Type: Not available
		Depth: 82.0	Pump Setting Depth: Not available	Water Quality: Not available
	Casing	Length: Not available	Material: Not available	Diameter: Not available
	Screen	Length: Not available	Material: Not available	Diameter: Not available
		Slot Size: Not available		

Well Capacity Test	Type of Test: Not available	Test Rate: Not available	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: Not available	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: 1,550.0 Ft E of WL: Not available Ground Elevation: 723.0 Bedrock Elevation: Not available UTM Easting: 565098.7	Township: 15N Section: NE of the NW of the NE of Section 6 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: 700.0 Depth of Bedrock: Not available Aquifer Elevation: 641.0 UTM Northing: 4403208.5
-----------------------	---	--

Well Log

Top	Bottom	Formation
0.0	6.0	SOIL
6.0	13.0	S & G
13.0	33.0	GRITTY CLAY

33.0	36.0	GRAV
36.0	37.0	SAND
37.0	53.0	GRITTY CLAY
53.0	57.0	MD GRAV
57.0	82.0	CLAY

Comments
None

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
264417	ALLISON PLANT #3 TEST WELL #5	5/25/1939

Owner-Contractor	Name	Address	Telephone
Owner	ALLISON ENGINEERING DIV, GMC	W. 10TH. ST, SPEEDWAY, IN.	INDPLS. Not available
Driller	LAYNE-NORTHERN CO.	MISHAWAKA, IN.	Not available
Operator	C. KIMBLE & C.E. POOLE	License	Not available

Construction Details	Well	Use: Test	Drilling Method: Not available	Pump Type: Not available
		Depth: 85.0	Pump Setting Depth: Not available	Water Quality: Not available
	Casing	Length: Not available	Material: Not available	Diameter: Not available
	Screen	Length: Not available	Material: Not available	Diameter: Not available
		Slot Size: Not available		

Well Capacity Test	Type of Test: Not available	Test Rate: Not available	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: 15.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: 2,000.0 Ft E of WL: Not available Ground Elevation: 723.0 Bedrock Elevation: Not available UTM Easting: 564959.7	Township: 15N Section: NW of the NW of the NE of Section 6 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: 600.0 Depth of Bedrock: Not available Aquifer Elevation: 638.0 UTM Northing: 4403233
-----------------------	---	--

Well Log

Top	Bottom	Formation
0.0	4.0	TOPSOIL
4.0	15.0	S & G
15.0	39.0	BLUE CLAY
39.0	43.0	S & G
43.0	52.0	BLUE CLAY

Comments
TEST #5 ;

52.0	61.0	MUDDY S & G
61.0	85.0	BLUE CLAY

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
264422	ALLISON PLANT #3 - TEST WELL #6	5/27/1939

Owner-Contractor	Name	Address	Telephone
Owner	ALLISON ENGINEERING DIV, GMC.	W. 10TH. ST. SPEEDWAY, IN. INDPLS.	Not available
Driller	LAYNE-NORTHERN CO.	MISHAWAKA, IN.	Not available
Operator	C. KIMBLE & C.E. POOLE	License Not available	

Construction Details	Well	Use: Test	Drilling Method: Not available	Pump Type: Not available
		Depth: 75.0	Pump Setting Depth: Not available	Water Quality: Not available
	Casing	Length: Not available	Material: Not available	Diameter: Not available
	Screen	Length: Not available	Material: Not available	Diameter: Not available
		Slot Size: Not available		

Well Capacity Test	Type of Test: Not available	Test Rate: Not available	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: 14.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: 2,400.0 Ft E of WL: Not available Ground Elevation: 721.0 Bedrock Elevation: Not available UTM Easting: 564844.6	Township: 15N Section: SW of the NW of the NE of Section 6 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: 900.0 Depth of Bedrock: Not available Aquifer Elevation: 646.0 UTM Northing: 4403136
-----------------------	---	--

Well Log Comments	None
--------------------------	------

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
264427	ALLISON PLANT #3 - TEST WELL #7	5/30/1939

Owner-Contractor	Name	Address	Telephone
Owner	ALLISON ENGINEERING DIV, GMC.	W. 10TH. ST. SPEEDWAY, IN. INDPLS.	Not available
Driller	LAYNE-NORTHERN CO.	MISHAWAKA, IN.	Not available
Operator	JAMES NESS	License Not available	

Construction Details	Use: Test	Drilling Method: Not available	Pump Type: Not available
Well	Depth: 85.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: Not available	Material: Not available	Diameter: Not available
Screen	Length: Not available	Material: Not available	Diameter: Not available
	Slot Size: Not available		

Well Capacity Test	Type of Test: Not available	Test Rate: Not available	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: 13.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available	Township: 15N Section: NW of the NW of the NE of Section 6 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available
-----------------------	--	--

Well Log

Top	Bottom	Formation
0.0	5.0	SOIL
5.0	32.0	S & G
32.0	35.0	CLAY
35.0	37.0	GRAV

Comments
None

37.0	46.0	CLAY
46.0	48.0	FN GRAV
48.0	60.0	S & G
60.0	85.0	TOUGH CLAY

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
264432	ALLISON PLANT #3 - TEST WELL #8	5/30/1939

Owner-Contractor	Name	Address	Telephone
Owner	ALLISON ENGINEERING DIV, GMC.	W. 10TH. ST. SPEEDWAY, IN. INDPLS.	Not available
Driller	LAYNE-NORTHERN CO.	MISHAWAKA, IN.	Not available
Operator	C.E. POOLE & C. CARTER	License Not available	

Construction Details	Well	Use: Test	Drilling Method: Not available	Pump Type: Not available
		Depth: 83.0	Pump Setting Depth: Not available	Water Quality: Not available
	Casing	Length: Not available	Material: Not available	Diameter: Not available
	Screen	Length: Not available	Material: Not available	Diameter: Not available
		Slot Size: Not available		

Well Capacity Test	Type of Test: Not available	Test Rate: Not available	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: 20.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: 1,800.0 Ft E of WL: Not available Ground Elevation: 725.0 Bedrock Elevation: Not available UTM Easting: 565041.5	Township: 15N Section: SE of the NW of the NE of Section 6 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: 1,300.0 Depth of Bedrock: Not available Aquifer Elevation: 642.0 UTM Northing: 4403024.5
-----------------------	---	--

Well Log

Top	Bottom	Formation
0.0	9.0	TOPSOIL
9.0	37.0	S & G
37.0	42.0	BLUE CLAY
42.0	43.0	S & G

43.0	53.0	BLUE CLAY
53.0	61.0	S & G
61.0	69.0	BLUE CLAY
69.0	71.0	S & G
71.0	83.0	BLUE CLAY

Comments
None

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
264437	ALLISON PLANT #3-TEST WELL 9.	6/21/1939

Owner-Contractor	Name	Address	Telephone
Owner	ALLISON ENGEERING DIV GMC	W 10TH ST, SPEEDWAY, INDPLS IN	Not available
Driller	LAYNE NORTHERN CO.	MISHAWAKA IN	Not available
Operator	C KIMBLE&CE POOLE	License Not available	

Construction Details	Use: Test	Drilling Method: Not available	Pump Type: Not available
Well	Depth: 90.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: Not available	Material: Not available	Diameter: Not available
Screen	Length: Not available	Material: Not available	Diameter: Not available
	Slot Size: Not available		

Well Capacity Test	Type of Test: Not available	Test Rate: Not available	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: 14.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: 100.0 Ft E of WL: Not available Ground Elevation: 715.0 Bedrock Elevation: Not available UTM Easting: 565551.6	Township: 15N Section: SE of the NE of the NE of Section 6 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: 1,400.0 Depth of Bedrock: Not available Aquifer Elevation: 625.0 UTM Northing: 4403021.5
-----------------------	---	--

Well Log

Top	Bottom	Formation
0.0	3.0	TOPSOIL
3.0	36.0	S&G
36.0	43.0	BLUE CLAY
43.0	58.0	S&G
58.0	90.0	BLUE CLAY

Comments

None

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
264442	ALLISON PLANT #3-TEST WELL 10.	6/9/1939

Owner-Contractor	Name	Address	Telephone
Owner	ALLISON ENGINEERING DIV	GMCW 10TH ST, SPEEDWAY, INDPLS IN	Not available
Driller	LAYNE NORTHERN CO.	MISHAWAKA IN	Not available
Operator	CHARLES KIMBLE	License Not available	

Construction Details	Use: Test	Drilling Method: Not available	Pump Type: Not available
Well	Depth: 80.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: Not available	Material: Not available	Diameter: Not available
Screen	Length: Not available	Material: Not available	Diameter: Not available
	Slot Size: Not available		

Well Capacity Test	Type of Test: Not available	Test Rate: Not available	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: Not available	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: 100.0 Ft E of WL: Not available Ground Elevation: 715.0 Bedrock Elevation: Not available UTM Easting: 565547.9	Township: 15N Section: NE of the NE of the NE of Section 6 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: 750.0 Depth of Bedrock: Not available Aquifer Elevation: 635.0 UTM Northing: 4403215.5
-----------------------	---	--

Well Log

Top	Bottom	Formation
0.0	5.0	SOIL
5.0	14.0	GRAV & SAND
14.0	40.0	BLUE CLAY
40.0	41.0	GRAV

Comments
None

41.0	48.0	CLAY
48.0	56.0	S&G
56.0	62.0	BLUE CLAY
62.0	80.0	BLUE CLAY

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
264447	ALLISON PLANT #3-TEST WELL 11. 180' S OF TEST #10.	7/7/1939

Owner-Contractor	Name	Address	Telephone
Owner	ALLISON ENGINEERING DIV GMC	Not available	Not available
Driller	LAYNE NORTHERN CO.	MISHAWAKA IN	Not available
Operator	CHARLES KIMBLE	License Not available	

Construction Details	Use: Test	Drilling Method: Not available	Pump Type: Not available
Well	Depth: 80.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: Not available	Material: Not available	Diameter: Not available
Screen	Length: Not available	Material: Not available	Diameter: Not available
	Slot Size: Not available		

Well Capacity Test	Type of Test: Not available	Test Rate: Not available	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: 11.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: 100.0 Ft E of WL: Not available Ground Elevation: 715.0 Bedrock Elevation: Not available UTM Easting: 565561.5	Township: 15N Section: SE of the NE of the NE of Section 6 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: 950.0 Depth of Bedrock: Not available Aquifer Elevation: 635.0 UTM Northing: 4403138.5
-----------------------	---	--

Well Log

Top	Bottom	Formation
0.0	2.0	TOPSOIL
2.0	12.0	GRAV & BOULDERS
12.0	44.0	BLUE CLAY
44.0	72.0	GRAV
72.0	80.0	BLUE CLAY

Comments

None

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
264452	ALLISON PLANT #3-TEST WELL 13. 25'W, 25'S FROM NE CORNER OF FENCE.	8/12/1939

Owner-Contractor	Name	Address	Telephone
Owner	ALLISON ENGINEERING DIV	GMCW 10TH ST, SPEEDWAY, INDPLS IN	Not available
Driller	LAYNE NORTHERN CO.	MISHAWAKA IN	Not available
Operator	JAMES NESS	License Not available	

Construction Details	Use: Test	Drilling Method: Not available	Pump Type: Not available
Well	Depth: 70.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: Not available	Material: Not available	Diameter: Not available
Screen	Length: Not available	Material: Not available	Diameter: Not available
	Slot Size: Not available		

Well Capacity Test	Type of Test: Not available	Test Rate: Not available	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: 15.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: 100.0 Ft E of WL: Not available Ground Elevation: 717.0 Bedrock Elevation: Not available UTM Easting: 565551.8	Township: 15N Section: NE of the NE of the NE of Section 6 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: 100.0 Depth of Bedrock: Not available Aquifer Elevation: 647.0 UTM Northing: 4403402
-----------------------	---	--

Well Log

Top	Bottom	Formation
0.0	14.0	SOIL CLAY
14.0	17.0	GRAV
17.0	27.0	CLAY
27.0	29.0	GRAV

29.0	33.0	CLAY
33.0	35.0	CLAY
35.0	49.0	CLAY
49.0	53.0	GRAV
53.0	55.0	CLAY
55.0	56.0	SAND FN
56.0	70.0	CLAY

Comments
None

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
264457	ALLISON PLANT NO 3-TEST WELL 14, 25'W & 125'S FROM SW CORNER OF BLDG.	8/15/1939

Owner-Contractor	Name	Address	Telephone
Owner	ALLISON ENGINEERING DIV	GMCW 10TH ST, SPEEDWAY INDPLS IN	Not available
Driller	LAYNE NORTHERN CO.	MISHAWAKA IN	Not available
Operator	JAMES NESS	License Not available	

Construction Details	Use: Test	Drilling Method: Not available	Pump Type: Not available
Well	Depth: 60.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: Not available	Material: Not available	Diameter: Not available
Screen	Length: Not available	Material: Not available	Diameter: Not available
	Slot Size: Not available		

Well Capacity Test	Type of Test: Not available	Test Rate: Not available	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: 11.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: 1,000.0 Ft E of WL: Not available Ground Elevation: 723.0 Bedrock Elevation: Not available UTM Easting: 565283.5	Township: 15N Section: NW of the NE of the NE of Section 6 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: 850.0 Depth of Bedrock: Not available Aquifer Elevation: 663.0 UTM Northing: 4403164
-----------------------	---	--

Well Log

Top	Bottom	Formation
0.0	11.0	SOIL GRAV
11.0	33.0	CLAY
33.0	35.0	BOULDERS
35.0	43.0	CLAY

Comments
None

43.0	54.0	GRAV FN
54.0	60.0	CLAY

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
264462	ALLISON PLANT #3-TEST WELL 18 HALFWAY BETWEEN #4 & #5 TEST.	6/1/1940

Owner-Contractor	Name	Address	Telephone
Owner	ALLISON ENGINEERING DIV	GMCW 10TH ST, SPEEDWAY, INDPLS IN	Not available
Driller	LAYNE NORTHERN CO.	MISHAWAKA IN	Not available
Operator	JAMES NESS	License Not available	

Construction Details	Use: Test	Drilling Method: Not available	Pump Type: Not available
Well	Depth: 60.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: Not available	Material: Not available	Diameter: Not available
Screen	Length: Not available	Material: Not available	Diameter: Not available
	Slot Size: Not available		

Well Capacity Test	Type of Test: Not available	Test Rate: Not available	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: 17.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: 1,700.0 Ft E of WL: Not available Ground Elevation: 723.0 Bedrock Elevation: Not available UTM Easting: 565079.3	Township: 15N Section: NE of the NW of the NE of Section 6 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: 650.0 Depth of Bedrock: Not available Aquifer Elevation: 663.0 UTM Northing: 4403223
-----------------------	---	--

Well Log

Top	Bottom	Formation
0.0	8.0	SOIL DIRT
8.0	12.0	GRAV
12.0	37.0	HARDPAN
37.0	38.0	GRAV
38.0	49.0	HARDPAN

49.0	54.0	GRAV
54.0	60.0	HARDPAN

Comments
None

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
264467	ALLISON PLANT #3-TEST WELL 19, 10TH ST. 350' E OF NW CORNER OF GROUND.	6/11/1940

Owner-Contractor	Name	Address	Telephone
Owner	ALLISON ENGINEERING DIV	GMCW 10TH ST, SPEEDWAY INDPLS IN	Not available
Driller	LAYNE NORTHERN CO.	MISHAWAKA IN	Not available
Operator	HARRY NESS	License Not available	

Construction Details	Use: Test	Drilling Method: Not available	Pump Type: Not available
Well	Depth: 66.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: Not available	Material: Not available	Diameter: Not available
Screen	Length: Not available	Material: Not available	Diameter: Not available
	Slot Size: Not available		

Well Capacity Test	Type of Test: Not available	Test Rate: Not available	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: 18.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: 2,300.0 Ft E of WL: Not available Ground Elevation: 725.0 Bedrock Elevation: Not available UTM Easting: 564861.8	Township: 15N Section: NW of the NW of the NE of Section 6 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: 50.0 Depth of Bedrock: Not available Aquifer Elevation: 659.0 UTM Northing: 4403401
-----------------------	---	---

Well Log

Top	Bottom	Formation
0.0	3.0	TOPSOIL
3.0	12.0	CLAY & GRAV
12.0	38.0	CLAY
38.0	46.0	S&G

46.0	48.0	CLAY
48.0	61.0	GRAV & SAND
61.0	66.0	CLAY

Comments

SHOULD DO 30
GAL PER FOOT;
MERRIDE
AGREED TO
DRILL #5 WELL
HERE 6/12/40;

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
264472	ALLISON PLANT #3-TEST WELL 20.	7/9/1940

Owner-Contractor	Name	Address	Telephone
Owner	ALLISON ENGINEERING DIV GMC	Not available	Not available
Driller	LAYNE NORTHERN CO.	MISHAWAKA IN	Not available
Operator	JAMES NESS	License Not available	

Construction Details	Use: Test	Drilling Method: Not available	Pump Type: Not available
Well	Depth: 60.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: Not available	Material: Not available	Diameter: Not available
Screen	Length: Not available	Material: Not available	Diameter: Not available
	Slot Size: Not available		

Well Capacity Test	Type of Test: Not available	Test Rate: Not available	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: 16.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: 2,300.0 Ft E of WL: Not available Ground Elevation: 725.0 Bedrock Elevation: Not available UTM Easting: 564886.2	Township: 15N Section: NW of the NW of the NE of Section 6 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: 100.0 Depth of Bedrock: Not available Aquifer Elevation: 665.0 UTM Northing: 4403401
-----------------------	---	--

Well Log

Top	Bottom	Formation
0.0	9.0	SOIL & CLAY
5.0	12.0	GRAV/DRY
12.0	28.5	HARDPAN
28.5	30.0	GRAV
30.0	37.0	HARDPAN

37.0	44.0	GRAV
44.0	48.0	HARDPAN/VERY HARD
48.0	60.0	MD GRAV & SAND

Comments

WELL #5 WILL
BE LOCATED
HERE;

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
264477	ALLISON PLANT #3-TEST WELL 21 600'S OF #6 WELL.	8/29/1940

Owner-Contractor	Name	Address	Telephone
Owner	ALLISON ENGINEERING DIV	GMCW 10TH ST, SPEEDWAY, INDPLS IN	Not available
Driller	LAYNE NORTHERN CO.	MISHAWAKA IN	Not available
Operator	JAMES YOUNG	License Not available	

Construction Details	Use: Test	Drilling Method: Not available	Pump Type: Not available
Well	Depth: 59.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: Not available	Material: Not available	Diameter: Not available
Screen	Length: Not available	Material: Not available	Diameter: Not available
	Slot Size: Not available		

Well Capacity Test	Type of Test: Not available	Test Rate: Not available	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: 16.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: 2,650.0 Ft E of WL: Not available Ground Elevation: 717.0 Bedrock Elevation: Not available UTM Easting: 564762.1	Township: 15N Section: NW of the NW of the NE of Section 6 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: 600.0 Depth of Bedrock: Not available Aquifer Elevation: 658.0 UTM Northing: 4403223
-----------------------	---	--

Well Log

Top	Bottom	Formation
0.0	6.0	TOPSOIL
6.0	25.0	S&G
25.0	30.0	S&G MD
30.0	35.0	SAND & LOOSE GRAV
35.0	39.0	SAND & LOOSE GRAV

Comments
SITE OF #7
WELL;

39.0	46.0	CLAY
46.0	56.0	MD CRS S&G
56.0	59.0	CRS S&G

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
264482	ALLISON PLANT #3-TEST WELL 22, 9' S OF #8 WELL.	8/26/1940

Owner-Contractor	Name	Address	Telephone
Owner	ALLISON ENGINEERING DIV	GMCW 10TH ST, SPEEDWAY INDPLS IN	Not available
Driller	LAYNE NORTHERN CO.	MISHAWAKA IN	Not available
Operator	JAMES NESS	License Not available	

Construction Details	Use: Test	Drilling Method: Not available	Pump Type: Not available
Well	Depth: 60.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: Not available	Material: Not available	Diameter: Not available
Screen	Length: Not available	Material: Not available	Diameter: Not available
	Slot Size: Not available		

Well Capacity Test	Type of Test: Not available	Test Rate: Not available	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: 16.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: 2,300.0 Ft E of WL: Not available Ground Elevation: 716.0 Bedrock Elevation: Not available UTM Easting: 564870.4	Township: 15N Section: NW of the NW of the NE of Section 6 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: 1,000.0 Depth of Bedrock: Not available Aquifer Elevation: 656.0 UTM Northing: 4403107.5
-----------------------	---	--

Well Log

Top	Bottom	Formation
0.0	3.0	SOIL & CLAY
3.0	20.0	GRAV
20.0	32.0	MD GRAV
32.0	44.0	MUDDY GRAV
44.0	47.0	CLAY

Comments
None

47.0	59.0	FN GRAV
59.0	60.0	TOUGH CLAY

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
264487	ALLISON PLANT #3-TEST WELL 23. 430' W OF E PROPERTY LINE, 10' N OF S BOUNDARY LINE.	10/17/1940

Owner-Contractor	Name	Address	Telephone
Owner	ALLISON ENGINEERING DIV GMC	Not available	Not available
Driller	LAYNE NORTHERN CO.	MISHAWAKA IN	Not available
Operator	WILLIAM WAGNER	License Not available	

Construction Details	Use: Test	Drilling Method: Not available	Pump Type: Not available
Well	Depth: 75.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: Not available	Material: Not available	Diameter: Not available
Screen	Length: Not available	Material: Not available	Diameter: Not available
	Slot Size: Not available		

Well Capacity Test	Type of Test: Not available	Test Rate: Not available	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: 25.5 ft.	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: 450.0 Ft E of WL: Not available Ground Elevation: 715.0 Bedrock Elevation: Not available UTM Easting: 565452.8	Township: 15N Section: SE of the NE of the NE of Section 6 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: 1,400.0 Depth of Bedrock: Not available Aquifer Elevation: 640.0 UTM Northing: 4403007.5
-----------------------	---	--

Well Log

Top	Bottom	Formation
0.0	3.0	GRAV FILL
3.0	4.0	TOPSOIL
4.0	31.0	S&G
31.0	33.0	SANDY CLAY

33.0	34.0	S&G
34.0	38.0	GRITTY CLAY
38.0	39.0	SAND
39.0	46.0	GRITTY CLAY
46.0	47.0	SAND
47.0	50.0	SANDY CLAY
50.0	58.0	SAND W/STRIPS OF CLAY
58.0	60.0	GRITTY CLAY
60.0	65.0	SAND W/STRIPS OF CLAY
65.0	71.0	GRITTY CLAY
71.0	74.0	S&G
74.0	75.0	CLAY

Comments

TEST #23;PILOT
WELL #1;

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
264492	ALLISON PLANT #3-TEST WELL 25.	11/14/1940

Owner-Contractor	Name	Address	Telephone
Owner	ALLISON ENGINEERING DIV	GMCW 10TH ST, SPEEDWAY INDPLS IN	Not available
Driller	LAYNE NORTHERN CO.	MISHAWAKA IN	Not available
Operator	BILL WAGNER & CE DODE	License Not available	

Construction Details	Use: Test	Drilling Method: Not available	Pump Type: Not available
Well	Depth: 102.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: Not available	Material: Not available	Diameter: Not available
Screen	Length: Not available	Material: Not available	Diameter: Not available
	Slot Size: Not available		

Well Capacity Test	Type of Test: Not available	Test Rate: Not available	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: 2.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available	Township: 15N Section: 6 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available
-----------------------	--	--

Well Log

Top	Bottom	Formation
0.0	8.0	GRAV & BOULDERS
8.0	26.0	CRS GRAV
26.0	32.0	S&G
32.0	34.0	CLAY
34.0	44.0	SAND & CRS GRAV

Comments
DRILLED TO
BEDROCK;

44.0	101.0	CLAY
101.0	102.0	SHALE

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
264497	ALLISON PLANT #3-TEST WELL 26. 210' S OF #1 WELL, 25' W OF GRANDE AVE.	5/24/1941

Owner-Contractor	Name	Address	Telephone
Owner	ALLISON ENGINEERING DIV	GMCW 10TH ST, SPEEDWAY INDPLS IN	Not available
Driller	LAYNE NORTHERN CO.	MISHAWAKA IN	Not available
Operator	WILLIAM WAGNER	License Not available	

Construction Details	Use: Test	Drilling Method: Not available	Pump Type: Not available
Well	Depth: 80.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: Not available	Material: Not available	Diameter: Not available
Screen	Length: Not available	Material: Not available	Diameter: Not available
	Slot Size: Not available		

Well Capacity Test	Type of Test: Not available	Test Rate: Not available	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: 21.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: 50.0 Ft E of WL: Not available Ground Elevation: 715.0 Bedrock Elevation: Not available UTM Easting: 565559.3	Township: 15N Section: SE of the NE of the NE of Section 6 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: 1,150.0 Depth of Bedrock: Not available Aquifer Elevation: 635.0 UTM Northing: 4403081
-----------------------	--	--

Well Log

Top	Bottom	Formation
0.0	2.0	CLAY
2.0	8.0	HARD GRITTY CLAY
8.0	12.0	S&G/NO WATER
12.0	29.0	HARD GRITTY CLAY

29.0	35.0	S&G
35.0	42.0	HARD GRITTY CLAY
42.0	44.0	FN SALTY SILTY SAND
44.0	48.0	MD SAND
48.0	55.0	S&G
55.0	65.0	HARD CLAY
65.0	66.0	S&G
66.0	80.0	SANDY CLAY

Comments
None

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
264512	ALLISON PLANT #3-TEST WELL 29, 400' E OF TEST WELL #28.	8/29/1951

Owner-Contractor	Name	Address	Telephone
Owner	ALLISON ENGINEERING DIV	GMCW 10TH ST, SPEEDWAY INDPLS IN	Not available
Driller	LAYNE NORTHERN CO.	MISHAWAKA IN	Not available
Operator	JOHN SHEPHERD	License Not available	

Construction Details	Use: Test	Drilling Method: Cable Tool	Pump Type: Not available
Well	Depth: 65.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: Not available	Material: Not available	Diameter: Not available
Screen	Length: Not available	Material: Not available	Diameter: Not available
	Slot Size: Not available		

Well Capacity Test	Type of Test: Not available	Test Rate: Not available	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: 12.5 ft.	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: 875.0 Ground Elevation: 725.0 Bedrock Elevation: Not available UTM Easting: 565305.1	Township: 15N Section: SE of the NW of the NW of Section 6 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: 4,400.0 Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: 660.0 UTM Northing: 4403039
-----------------------	---	--

Well Log

Top	Bottom	Formation
7.0	30.0	HARD BLUE GRITTY CLAY
30.0	31.5	CLEAN FN S&G
31.5	32.0	CLAY STRIP
32.0	38.0	CLEAN S&G ACTIVE
38.0	42.0	HARD BLUE GRITTY CLAY

44.0	49.0	CRS S&G
49.0	52.0	CRS SAND
52.0	65.0	HARD BLUE GRITTY CLAY

Comments
None

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
264517	ALLISON PLANT #3-TEST WELL 30, 70' E OF CASSEL RD, 75' S OF 10TH ST.	9/17/1951

Owner-Contractor	Name	Address	Telephone
Owner	ALLISON ENGINEERING DIV	GMCW 10TH ST, SPEEDWAY INDPLS IN	Not available
Driller	LAYNE NORTHERN CO.	MISHAWAKA IN	Not available
Operator	JAMES NESS	License Not available	

Construction Details	Use: Test	Drilling Method: Cable Tool	Pump Type: Not available
Well	Depth: 80.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: Not available	Material: Not available	Diameter: Not available
Screen	Length: Not available	Material: Not available	Diameter: Not available
	Slot Size: Not available		

Well Capacity Test	Type of Test: Not available	Test Rate: Not available	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: 12.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available	Township: 15N Section: NW of the NW of the NE of Section 6 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available
-----------------------	--	--

Well Log

Top	Bottom	Formation
0.0	4.0	SOIL CLAY
4.0	20.0	MD GRAV
20.0	25.0	CRS S&G
25.0	33.0	HARD GRITTY CLAY

33.0	39.0	MD SAND
39.0	49.0	HARD GRITTY CLAY
49.0	57.0	FN TO MD GRAV
57.0	72.0	HARD GRITTY CLAY
72.0	80.0	BLUE SHALE

Comments
DRILLED BO
BEDROCK;

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
265011	E OF GRANDE ST, S OF 10TH ST, 5' N OF W WELL 75-13A.	4/7/1975

Owner-Contractor	Name	Address	Telephone
Owner	DETROIT DIESEL ALLISON DIV.	Not available	Not available
Driller	LAYNE NORTHERN CO.	MISHAWAKA IN	Not available
Operator	E. ALLEN	License Not available	

Construction Details	Use: Test	Drilling Method: Rotary	Pump Type: Not available
Well	Depth: 50.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: 51.0	Material: Not available	Diameter: 4.0
Screen	Length: 5.0	Material: Not available	Diameter: 4.0
	Slot Size: Not available		

Well Capacity Test	Type of Test: Not available	Test Rate: Not available	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: Not available	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: TMB Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: 715.0 Bedrock Elevation: Not available UTM Easting: Not available	Township: 15N Section: NW of Section 5 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: 7/1/1975 Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available
-----------------------	--	---

Well Log

Top	Bottom	Formation
0.0	7.0	TOPSOIL & SAND
7.0	29.0	MD S&G W/BOULDER
29.0	45.0	BLANK
45.0	50.0	CLAY

Comments

DETROIT

DIESEL 75-4-A

TEST;

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
265021	E OF GRANDE ST, S OF 10TH ST, 65' N OF LINE & 12' W OF E FENCE.	4/11/1975

Owner-Contractor	Name	Address	Telephone
Owner	DETROIT DIESEL ALLISON DIV	Not available	Not available
Driller	LAYNE NORTHERN CO.	MISHAWAKA IN	Not available
Operator	E. ALLEN	License Not available	

Construction Details	Use: Not available	Drilling Method: Not available	Pump Type: Not available
Well	Depth: 24.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: 25.0	Material: Not available	Diameter: 12.0
Screen	Length: 10.0	Material: Not available	Diameter: 12.0
	Slot Size: Not available		

Well Capacity Test	Type of Test: Not available	Test Rate: Not available	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: Not available	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available	Township: 15N Section: NW of Section 5 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available
-----------------------	--	--

Well Log

Top	Bottom	Formation
0.0	10.0	BR CLAY & LT TRACE MD GRAV
10.0	11.5	CRS MD TO FN GRAV
11.5	15.0	SOFT GRAY CLAY NO GRAV
15.0	24.0	CRS MD TO FN GRAV

Comments

DETROIT

DIESEL TEST

75-12-B;

TENTATIVE LOC

BY TMB;

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
265023	FROM WHITE RIVER BRIDGE AT HARDING ST, 900' N FROM N END OF BRIDGE. 500' E FROM HARDING ST.	7/30/1948

Owner-Contractor	Name	Address	Telephone
Owner	AMERICAN AGGREGATE CORP.	Not available	Not available
Driller	LAYNE NORTHERN CO INC.	MISHAWAKA	Not available
Operator	JAMES NESS	License Not available	

Construction Details	Well	Use: Test	Drilling Method: Cable Tool	Pump Type: Not available
		Depth: 75.0	Pump Setting Depth: Not available	Water Quality: Not available
	Casing	Length: Not available	Material: Not available	Diameter: Not available
	Screen	Length: Not available	Material: Not available	Diameter: Not available
		Slot Size: Not available		

Well Capacity Test	Type of Test: Not available	Test Rate: Not available	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: Not available	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: 723.0 Bedrock Elevation: Not available UTM Easting: Not available	Township: 15N Section: NW of the NW of the NE of Section 6 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available
-----------------------	--	--

Well Log

Top	Bottom	Formation
0.0	4.0	SOIL
4.0	15.0	MD GRAV
15.0	20.0	FN GRAV

20.0	30.0	CRS SAND
30.0	35.0	MD GRAV
35.0	45.0	FN GRAV
45.0	50.0	MUDDY SAND
50.0	60.0	FN GRAV
60.0	70.0	MD GRAV
70.0	75.0	FN GRAV

Comments
None

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
265026	E OF GRANDE ST, S OF 10TH ST, 150' N OF S FENCE, 12' W OF E FENCE.	3/27/1975

Owner-Contractor	Name	Address	Telephone
Owner	DETROIT DIESEL ALLISON DIV	Not available	Not available
Driller	LAYNE NORTHERN CO.	MISHAWAKA IN	Not available
Operator	E. ALLEN	License Not available	

Construction Details	Use: Not available	Drilling Method: Not available	Pump Type: Not available
Well	Depth: 108.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: Not available	Material: Not available	Diameter: Not available
Screen	Length: Not available	Material: Not available	Diameter: Not available
	Slot Size: Not available		

Well Capacity Test	Type of Test: Not available	Test Rate: Not available	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: Not available	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: TMB	Township: 15N Section: NW of Section 5 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: 7/1/1975 Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available
	Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available	

Well Log

Top	Bottom	Formation
0.0	10.0	BR CLAY
10.0	13.0	GRAY CLAY
13.0	28.0	CRS MD TO FN GRAV

28.0	42.0	GRAY CLAY
42.0	50.0	DK GRAY CLAY W/S TRACE OF G
50.0	96.0	GRAY CLAY
96.0	106.0	LT GRAV W/GRAY CLAY
106.0	108.0	GRAY CLAY
108.0		BR SHALE

Comments

DETROIT
DIESEL 75-D;

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
265031	E OF GRANDE ST, S OF 10TH ST, 25' N OF 75B.	4/12/1975

Owner-Contractor	Name	Address	Telephone
Owner	DETROIT DIESEL ALLISON	Not available	Not available
Driller	LAYNE NORTHERN CO.	MISHAWAKA IN	Not available
Operator	E. ALLEN	License Not available	

Construction Details	Use: Test	Drilling Method: Rotary	Pump Type: Not available
Well	Depth: 100.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: 91.0	Material: Not available	Diameter: 12.0
Screen	Length: 10.0	Material: Not available	Diameter: 12.0
	Slot Size: .050		

Well Capacity Test	Type of Test: Not available	Test Rate: Not available	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: Not available	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available	Township: 15N Section: NW of Section 5 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available
-----------------------	--	--

Well Log

Top	Bottom	Formation
0.0	6.0	SOFT BR CLAY
6.0	41.0	CRS MD & FN GRAV
41.0	90.0	SOFT GRAY CLAY NO GRAV
90.0	100.0	CRS MD&FN GRAV W/GRAY CLAY

Comments

DETROIT

DIESEL 75-12-B;

TENTATIVE LOC

BY TMB 7-75;

Record of Water Well
Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
265036	E OF GRANDE ST, S OF 10TH ST, 65' N OF U LINE & 12' W OF E FENCE.	3/26/1975

Owner-Contractor	Name	Address	Telephone
Owner	DETROIT DIESEL ALLISON DIV	Not available	Not available
Driller	LAYNE NORTHERN CO.	MISHAWAKA IN	Not available
Operator	E. ALLEN	License Not available	

Construction Details			
Well	Use: Test	Drilling Method: Rotary	Pump Type: Not available
	Depth: 100.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: Not available	Material: Not available	Diameter: Not available
Screen	Length: Not available	Material: Not available	Diameter: Not available
	Slot Size: Not available		

Well Capacity Test	Type of Test: Not available	Test Rate: Not available	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: Not available	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Administrative	County: MARION	Township: 15N
	Range: 3E	Section: NW of Section 5
	Topo Map: INDIANAPOLIS WEST	Grant: Not available
	Field Located By: Not available	Field Located On: Not available
	Courthouse Location By: Not available	Courthouse Location On: Not available
	Location Accepted w/o Verification By: TMB	Location Accepted w/o Verification On: 7/1/1975
	Subdivision Name: Not available	Lot Number: Not available
	Ft W of EL: Not available	Ft N of SL: Not available
	Ft E of WL: Not available	Ft S of NL: Not available
	Ground Elevation: 715.0	Depth of Bedrock: Not available
	Bedrock Elevation: Not available	Aquifer Elevation: Not available
	UTM Easting: Not available	UTM Northing: Not available

Well Log

Top	Bottom	Formation
0.0	10.0	BR CLAY< TRACE MD GRAV
10.0	11.5	CRS TO FN GRAV
11.5	15.0	SOFT GRAY CLAY NO GRAV
15.0	24.0	CRS TO FN GRAV

24.0	34.0	SOFT GRAY CLAY
34.0	44.0	S&G W/CLAY GRAY
44.0	90.0	SOFT GRAY CLAY
90.0	100.0	S&G W/LT TRACE SOFT GR CLAY
100.0		DARK BR SHALE

Comments

DETROIT
DIESEL 75-B
TEST;

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
265041	E OF GEANDE ST, S OF 10TH ST. 12' E OF W FENCE, 10' OF N GATE.	3/25/1975

Owner-Contractor	Name	Address	Telephone
Owner	DETROIT DEISEL ALLISON DIV	Not available	Not available
Driller	LAYNE NORTHERN CO.	MISHAWAKA IN	Not available
Operator	E. ALLEN	License Not available	

Construction Details	Use: Test	Drilling Method: Rotary	Pump Type: Not available
Well	Depth: 136.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: 25.0	Material: Not available	Diameter: 8.8
Screen	Length: Not available	Material: Not available	Diameter: Not available
	Slot Size: Not available		

Well Capacity Test	Type of Test: Not available	Test Rate: Not available	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: Not available	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: TMB Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available	Township: 15N Section: NW of Section 5 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: 7/1/1975 Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available
-----------------------	--	---

Well Log Comments	DETROIT DIESEL 75-C TEST;
--------------------------	---------------------------------

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
265056	13' SW OF #6 WELL HOUSE, S OF 10TH ST, E OF COSSELL RD.	1/11/1969

Owner-Contractor	Name	Address	Telephone
Owner	ALLISON DIV GMC	Not available	Not available
Driller	LAYNE NORTHERN CO INC.	MISHAWAKA	Not available
Operator	LEON ENGLISH	License Not available	

Construction Details	Use: Test	Drilling Method: Rotary	Pump Type: Not available
Well	Depth: 126.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: 117.0	Material: Not available	Diameter: 8.0
Screen	Length: 10.0	Material: Not available	Diameter: 8.0
	Slot Size: Not available		

Well Capacity Test	Type of Test: Not available	Test Rate: Not available	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: 41.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: 724.0 Bedrock Elevation: 608.0 UTM Easting: Not available	Township: 15N Section: NW of the NW of the NE of Section 6 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: 116.0 Aquifer Elevation: Not available UTM Northing: Not available
-----------------------	--	--

Well Log

Top	Bottom	Formation
0.0	1.0	TOPSOIL & FILL
1.0	6.0	BR CLAY
6.0	29.0	SAND & CRS LARGE GRAV
29.0	34.0	GRAY CLAY
34.0	38.0	SAND & CRS MD GRAV

38.0	46.0	GRAY CLAY
46.0	58.0	MD S&G
58.0	101.0	GRAY CALY
101.0	103.0	VERY DIRTY SAND
103.0	116.0	SAND & CRS MD GRAV
116.0	126.0	BLUE SHALE

Comments

ALLISON GMC
 PLANT #3;
 PLOTTED ON
 MARION CO
 BEDROCK MAP
 BY UCH 1-12-71;

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
265061	ALISONS-2100' E & 4650 N OF SW CORNER OF SECTION, 40' E OF COSSELL RD, 800' S OF 10TH ST, 10' S OF #8 PUMP HOUSE.	11/13/1966

Owner-Contractor	Name	Address	Telephone
Owner	ALLISONS DIV OF GMC	PLANT #3	Not available
Driller	LAYNE NORTHERN CO INC.	MISHAWAKA	Not available
Operator	ALLEN MATLOCK	License Not available	

Construction Details	Use: Test	Drilling Method: Rotary	Pump Type: Not available
Well	Depth: 121.5	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: 120.0	Material: Not available	Diameter: 4.0
Screen	Length: Not available	Material: Not available	Diameter: Not available
	Slot Size: Not available		

Well Capacity Test	Type of Test: Not available	Test Rate: Not available	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: 55.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: 723.0 Bedrock Elevation: Not available UTM Easting: Not available	Township: 15N Section: NW of the NW of the NE of Section 6 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available
-----------------------	--	--

Well Log

Top	Bottom	Formation
0.0	2.5	TOPSOIL
2.5	9.0	SANDY CLAY
9.0	59.0	CRS GRAV
59.0	64.0	SANDY CLAY

64.0	68.0	GRITTY CLAY
68.0	69.0	FN GRAV
69.0	111.5	BLUE GRITTY CLAY
111.5	118.5	S&G WATER BEARING
118.5	121.5	SHALE & HARDPAN

Comments
None

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
276641	WASHINGTON ST W TO COLLIER GO S TO 870S COLLIER	8/7/1996

Owner-Contractor	Name	Address	Telephone
Owner	JACK HAWKINS	870 S COLLIER, INDPLS, IN	(000)244-4882
Driller	HAMILTON WELL & PUMP	2440 E FINLER, INDPLS, IN	(000)788-4607
Operator	VICTOR HAMILTON	License: 646	

Construction Details			
Well	Use: Home	Drilling Method: Cable Tool	Pump Type: Submersible
	Depth: Not available	Pump Setting Depth: 20.0	Water Quality: Not available
Casing	Length: 41.0	Material: SS	Diameter: 4.0
Screen	Length: 5.0	Material: PVC	Diameter: 3.0
	Slot Size: .025		

Well Capacity Test	Type of Test: Pumping	Test Rate: 20.0 gpm for 2.0 hrs.	Bail Test Rate: Not available
	Drawdown: 12.0 ft.	Static Water Level: 6.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: BENTONITE	Depth: From 0.0 To 46.0	
	Installation Method: POUR IN	Number of Bags Used: 3.0	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available	Township: 15N Section: NW of Section 8 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available
-----------------------	--	--

Well Log

Top	Bottom	Formation
0.0	3.0	TOPSOIL
3.0	12.0	CLAY
12.0	22.0	SAND
22.0	24.0	CLAY
24.0	46.0	GRAV

Comments

SEE MAP

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
276643	FROM HOLT RD & WASHINGTON ST, W ON WASHINGTON TO FOLTZ, S ON FOLTZ TO 1002	12/1/1995

Owner-Contractor	Name	Address	Telephone
Owner	M/M RICHARD STAMM	1002 S FOLTZ, INDPLS	(317)241-7823
Driller	J HUSER SERVICES INC	5728 S EMERSON AVE, INDPLS, IN	(317)784-4264
Operator	SHAWN R COREY	License: 436	

Construction Details	Use: Home	Drilling Method: Rotary	Pump Type: Submersible
Well	Depth: 40.0	Pump Setting Depth: Not available	Water Quality: OK
Casing	Length: 38.0	Material: PVC	Diameter: 4.0
Screen	Length: 3.0	Material: SS	Diameter: 4.0
	Slot Size: .035		

Well Capacity Test	Type of Test: Air	Test Rate: 20.0 gpm for 1.0 hrs.	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: 15.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: BENTONITE	Depth: From 4.0 To 30.0
	Installation Method: PUMP	Number of Bags Used: 1.5

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available	Township: 15N Section: NW of Section 8 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available
-----------------------	--	--

Well Log

Top	Bottom	Formation
0.0	6.0	CLAY
6.0	12.0	SAND
12.0	28.0	CLAY
28.0	40.0	S&G

Comments

None

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
290037	SW 1/4 SE 1/4	7/1/1938

Owner-Contractor	Name	Address	Telephone
Owner	ELECTRIC STEEL CASTINGS CO	SPEEDWAY	Not available
Driller	ROBERT L CLARK	2620 COLLEGE	Not available
Operator	Not available	License Not available	

Construction Details	Use: Industry	Drilling Method: Not available	Pump Type: Not available
Well	Depth: 124.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: 124.0	Material: Not available	Diameter: 10.0
Screen	Length: Not available	Material: Not available	Diameter: Not available
	Slot Size: Not available		

Well Capacity Test	Type of Test: Pumping	Test Rate: 20.0 gpm	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: 40.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: 725.0 Bedrock Elevation: 600.0 UTM Easting: Not available	Township: 16N Section: SW of the SE of Section 31 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: 125.0 Aquifer Elevation: Not available UTM Northing: Not available
-----------------------	--	---

Well Log

Top	Bottom	Formation
0.0	9.0	GRAV
9.0	20.0	CLAY GRAY
20.0	30.0	SAND SM WATER
30.0	34.0	HARDPAN
34.0	46.0	CLAY GRAY

46.0	48.0	SAND
48.0	53.0	GRAY CLAY
53.0	60.0	GRAV WATER
60.0	75.0	CLAY GRAY
75.0	76.0	GRAV
76.0	98.0	CLAY GRAY
98.0	102.0	SAND
102.0	109.0	SAND AND WATER
109.0	119.0	S&G CRS
119.0	122.0	GRAV
122.0	124.0	GRAV CRS

Comments

AIR LINE AND
ALT GAGE

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
290038	SW 1/4 SE 1/4	3/1/1945

Owner-Contractor	Name	Address	Telephone
Owner	ELECTRIC STEEL CASTINGS CO	Not available	Not available
Driller	R L CLARK	Not available	Not available
Operator	Not available	License Not available	

Construction Details	Use: Not available	Drilling Method: Not available	Pump Type: Not available
Well	Depth: 124.5	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: Not available	Material: Not available	Diameter: 6.0
Screen	Length: Not available	Material: Not available	Diameter: Not available
	Slot Size: Not available		

Well Capacity Test	Type of Test: Not available	Test Rate: Not available	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: Not available	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available	Township: 16N Section: SW of the SE of Section 31 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available
-----------------------	--	---

Well Log

Top	Bottom	Formation
0.0	2.0	CINDERS
2.0	4.5	CLAY YEL
4.5	19.0	CLAY YEL & GRAV
19.0	35.0	S&G

35.0	39.0	SAND SM WATER
39.0	48.0	S&G
45.5	49.0	CLAY GRAY
48.0	45.5	GRAV HARD
49.0	59.0	CLAY MUDDY
59.0	60.0	GRAV
60.0	102.5	MUD
102.5	106.0	SAND
106.0	117.0	SILT GRAY
117.0	122.5	GRAV WATER
122.5	124.5	SAND

Comments
SEE OTHER
DATA ON FILE

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
290042	SW 1/4 SE 1/4	1/1/1955

Owner-Contractor	Name	Address	Telephone
Owner	STOP & SHOP MARKET	1180 MAIN ST	Not available
Driller	HAMILTON BROS	Not available	Not available
Operator	Not available	License Not available	

Construction Details	Use: Domestic	Drilling Method: Not available	Pump Type: Not available
Well	Depth: 60.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: Not available	Material: Not available	Diameter: 8.0
Screen	Length: Not available	Material: Not available	Diameter: Not available
	Slot Size: Not available		

Well Capacity Test	Type of Test: Pumping	Test Rate: Not available	Bail Test Rate: Not available
	Drawdown: 30.0 ft.	Static Water Level: Not available	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available	Township: 16N Section: SW of the SE of Section 31 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available
-----------------------	--	---

Well Log

Top	Bottom	Formation
0.0	11.0	CLAY
11.0	30.0	DRY GRAV
30.0	53.0	SANDY CLAY
53.0	60.0	S&G

Comments

SCREEN COOK

40 6'

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
298818	Not available	10/1/1997

Owner-Contractor	Name	Address	Telephone
Owner	KEN BOGER	4110 W VERMONT, INDPLS., IN	(317)244-9707
Driller	DEAN WELL DRILLING INC.	841 W JUMNER AVE., INDPLS., IN	(317)787-4146
Operator	JOHN AUFDERHEIDE	License: 231	

Construction Details			
Well	Use: Home	Drilling Method: Rotary	Pump Type: Submersible
	Depth: 40.0	Pump Setting Depth: 35.0	Water Quality: CLEAR
Casing	Length: 38.0	Material: PVC	Diameter: 5.0
Screen	Length: 2.0	Material: SS	Diameter: 4.0
	Slot Size: .040		

Well Capacity Test	Type of Test: Air	Test Rate: 12.0 gpm for 2.0 hrs.	Bail Test Rate: Not available
	Drawdown: 10.0 ft.	Static Water Level: 24.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: BENT	Depth: From 0.0 To 35.0	
	Installation Method: TREMIE	Number of Bags Used: 3.0	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION	Township: 15N
	Range: 3E	Section: 5
	Topo Map: INDIANAPOLIS WEST	Grant: Not available
	Field Located By: Not available	Field Located On: Not available
	Courthouse Location By: Not available	Courthouse Location On: Not available
	Location Accepted w/o Verification By: Not available	Location Accepted w/o Verification On: Not available
	Subdivision Name: Not available	Lot Number: Not available
	Ft W of EL: Not available	Ft N of SL: Not available
	Ft E of WL: Not available	Ft S of NL: Not available
	Ground Elevation: Not available	Depth of Bedrock: Not available
	Bedrock Elevation: Not available	Aquifer Elevation: Not available
	UTM Easting: Not available	UTM Northing: Not available

Well Log

Top	Bottom	Formation
0.0	4.0	SILTY DK BRN CLAY
4.0	41.0	S&G
41.0		SANDY BRN CLAY

Comments
None

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
300765	VILLAGE PANTRY AT TIBBS & MICHIGAN	7/28/1997

Owner-Contractor	Name	Address	Telephone
Owner	VILLAGE PANTRY	TIBBS & MICHIGAN	Not available
Driller	AMERICAN ENVIRONMENTAL	8500 GEORGETOWN RD. INDPLS., IN.	(317)871-4090
Operator	RON MATTES	License: 294	

Construction Details			
Well	Use: Test	Drilling Method: Not available	Pump Type: Not available
	Depth: 50.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: 30.0	Material: PVC	Diameter: 2.0
Screen	Length: 20.0	Material: PVC	Diameter: 2.0
	Slot Size: .010		

Well Capacity Test	Type of Test: Not available	Test Rate: Not available	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: Not available	Bailer Drawdown: Not available

Grouting Information	Material: BENTONITE	Depth: From 0.0 To 25.0
	Installation Method: TREMIE	Number of Bags Used: 4.0

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available	Township: 15N Section: NW of Section 4 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available
-----------------------	--	--

Well Log

Top	Bottom	Formation
0.0	1.0	ASPHALT, CONCRETE, STONE
1.0	10.0	BR SANDY SILTY CLAY
10.0	25.0	BR S & G
25.0	50.0	BR WET S & G

Comments

SEE MAP ;

Record of Water Well
Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
307448	6332 SHAKERWOOD DR	9/20/1991

Owner-Contractor	Name	Address	Telephone
Owner	SCOTT	Not available	Not available
Driller	HAMILTON BROS INC	4050 ROCKVILLE RD, INDPLS, IN	(000)241-2571
Operator	MARK A MYERS	License: 726	

Construction Details			
Well	Use: Home	Drilling Method: Rotary	Pump Type: Submersible
	Depth: 81.0	Pump Setting Depth: 60.0	Water Quality: CLEAR
Casing	Length: 45.0	Material: PVC	Diameter: 5.0
Screen	Length: Not available	Material: Not available	Diameter: Not available
	Slot Size: Not available		

Well Capacity Test	Type of Test: Bailing	Test Rate: 10.0 gpm for 1.0 hrs.	Bail Test Rate: Not available
	Drawdown: 40.0 ft.	Static Water Level: 20.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: ENVIROPLUG	Depth: From 0.0 To 45.0
	Installation Method: TREMIE	Number of Bags Used: 2.0

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Administrative	County: MARION	Township: 15N
	Range: 3E	Section: 5
	Topo Map: INDIANAPOLIS WEST	Grant: Not available
	Field Located By: Not available	Field Located On: Not available
	Courthouse Location By: Not available	Courthouse Location On: Not available
	Location Accepted w/o Verification By: Not available	Location Accepted w/o Verification On: Not available
	Subdivision Name: Not available	Lot Number: Not available
	Ft W of EL: Not available	Ft N of SL: Not available
	Ft E of WL: Not available	Ft S of NL: Not available
	Ground Elevation: Not available	Depth of Bedrock: Not available
	Bedrock Elevation: Not available	Aquifer Elevation: Not available
	UTM Easting: Not available	UTM Northing: Not available

Well Log

Top	Bottom	Formation
0.0	45.0	TOPSOIL & CLAY
45.0	81.0	SH

Comments
?LOC

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
307449	6432 SHAKERWOOD DR; IS THIS IN A NEW SUB?	9/20/1991

Owner-Contractor	Name	Address	Telephone
Owner	ELLIOTT	1421 S HOLD RD, INDPLS, IN	(317)241-9903
Driller	HAMILTON BROS INC	4050 ROCKVILLE RD, INDPLS, IN	(000)241-2571
Operator	MARK A MYERS	License: 726	

Construction Details			
Well	Use: Home	Drilling Method: Rotary	Pump Type: Submersible
	Depth: 110.0	Pump Setting Depth: 65.0	Water Quality: CLEAR
Casing	Length: 58.0	Material: PVC	Diameter: 5.0
Screen	Length: Not available	Material: Not available	Diameter: Not available
	Slot Size: Not available		

Well Capacity Test	Type of Test: Bailing	Test Rate: 5.0 gpm for 1.0 hrs.	Bail Test Rate: Not available
	Drawdown: 40.0 ft.	Static Water Level: 25.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: ENVIROPLUG	Depth: From 0.0 To 58.0	
	Installation Method: TREMIE	Number of Bags Used: 4.0	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION	Township: 15N
	Range: 3E	Section: 5
	Topo Map: INDIANAPOLIS WEST	Grant: Not available
	Field Located By: Not available	Field Located On: Not available
	Courthouse Location By: Not available	Courthouse Location On: Not available
	Location Accepted w/o Verification By: Not available	Location Accepted w/o Verification On: Not available
	Subdivision Name: Not available	Lot Number: Not available
	Ft W of EL: Not available	Ft N of SL: Not available
	Ft E of WL: Not available	Ft S of NL: Not available
	Ground Elevation: Not available	Depth of Bedrock: Not available
	Bedrock Elevation: Not available	Aquifer Elevation: Not available
	UTM Easting: Not available	UTM Northing: Not available

Well Log

Top	Bottom	Formation
0.0	20.0	TOPSOIL & CLAY
20.0	22.0	SAND
22.0	31.0	CLAY
31.0	34.0	GRAV
34.0	58.0	CLAY
58.0	110.0	SH

Comments

?LOC

Record of Water Well
Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
309165	619 S LYONS DR	5/21/1998

Owner-Contractor	Name	Address	Telephone
Owner	Not available	Not available	Not available
Driller	HAMILTON BROS INC	4050 ROCKVILLE RD, INDPLS, IN	(317)241-2571
Operator	ROBERT D SCHELLENBERG	License: 36	

Construction Details			
Well	Use: Home	Drilling Method: Rotary	Pump Type: Submersible
	Depth: 56.0	Pump Setting Depth: 40.0	Water Quality: CLEAR
Casing	Length: 52.0	Material: PVC	Diameter: 4.0
Screen	Length: 4.0	Material: PVC	Diameter: 4.0
	Slot Size: .060		

Well Capacity Test	Type of Test: Bailing	Test Rate: 10.0 gpm for 1.0 hrs.	Bail Test Rate: Not available
	Drawdown: 20.0 ft.	Static Water Level: 20.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: ENVIROPLUG	Depth: From 0.0 To 45.0
	Installation Method: TREMIE	Number of Bags Used: 4.0

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Administrative	County: MARION	Township: 15N
	Range: 3E	Section: NW of Section 8
	Topo Map: INDIANAPOLIS WEST	Grant: Not available
	Field Located By: Not available	Field Located On: Not available
	Courthouse Location By: Not available	Courthouse Location On: Not available
	Location Accepted w/o Verification By: Not available	Location Accepted w/o Verification On: Not available
	Subdivision Name: Not available	Lot Number: Not available
	Ft W of EL: Not available	Ft N of SL: Not available
	Ft E of WL: Not available	Ft S of NL: Not available
	Ground Elevation: Not available	Depth of Bedrock: Not available
	Bedrock Elevation: Not available	Aquifer Elevation: Not available
	UTM Easting: Not available	UTM Northing: Not available

Well Log

Top	Bottom	Formation
0.0	5.0	TOPSOIL & CLAY
5.0	25.0	GRAV
25.0	45.0	CLAY
45.0	56.0	GRAV

Comments
SEE MAP

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
310337	Not available	4/26/1954

Owner-Contractor	Name	Address	Telephone
Owner	HEWSON	300 N. COLE (4800W)	Not available
Driller	HAMILTON BROS.	Not available	Not available
Operator	Not available	License Not available	

Construction Details			
Well	Use: Home	Drilling Method: Not available	Pump Type: Not available
	Depth: 77.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: 75.0	Material: Not available	Diameter: 4.0
Screen	Length: Not available	Material: Not available	Diameter: Not available
	Slot Size: Not available		

Well Capacity Test	Type of Test: Not available	Test Rate: 10.0 gpm	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: Not available	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available	Township: 15N Section: 6 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available
-----------------------	--	--

Well Log

Top	Bottom	Formation
0.0	48.0	OLD WELL
48.0	70.0	SAND CLAY
70.0	77.0	S&G

Comments

None

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
310363	WELL #7	Not available

Owner-Contractor	Name	Address	Telephone
Owner	ALLISON ENGR. CO.	SPEEDWAY CITY	Not available
Driller	LAYNE NORTHERN	Not available	Not available
Operator	Not available	License Not available	

Construction Details	Well	Use: Not available	Drilling Method: Not available	Pump Type: Not available
		Depth: Not available	Pump Setting Depth: Not available	Water Quality: Not available
	Casing	Length: Not available	Material: Not available	Diameter: Not available
	Screen	Length: Not available	Material: Not available	Diameter: Not available
		Slot Size: Not available		

Well Capacity Test	Type of Test: Not available	Test Rate: Not available	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: Not available	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available	Township: 15N Section: NE of Section 6 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available
-----------------------	--	--

Well Log

Top	Bottom	Formation
0.0	5.0	SOIL
5.0	32.0	S&G
32.0	35.0	BLUE CLAY
35.0	37.0	GRAVEL

Comments
LOGS FOR
WELLS 8-11
AVAIL.

37.0	46.0	BLUE CLAY
46.0	48.0	FN GRAV
48.0	60.0	S&G
60.0	85.0	TOUGH BLUE CLAY

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed	
310364	Not available	Not available	

Owner-Contractor	Name	Address	Telephone
Owner	ALLISON ENGR. CO.	SPEEDWAY CITY	Not available
Driller	LAYNE NORTHERN	Not available	Not available
Operator	JAS. YOUNG	License Not available	

Construction Details			
Well	Use: Not available Depth: 52.0	Drilling Method: Not available Pump Setting Depth: Not available	Pump Type: Not available Water Quality: Not available
Casing	Length: Not available	Material: Not available	Diameter: 18.0
Screen	Length: Not available Slot Size: Not available	Material: Not available	Diameter: Not available

Well Capacity Test	Type of Test: Not available Drawdown: Not available	Test Rate: Not available Static Water Level: 10.0 ft.	Bail Test Rate: Not available Bailer Drawdown: Not available
---------------------------	--	--	---

Grouting Information	Material: Not available Installation Method: Not available	Depth: From (not available) To (not available) Number of Bags Used: Not available
-----------------------------	---	--

Well Abandonment	Sealing Material: Not available Installation Method: Not available	Depth: From (not available) To (not available) Number of Bags Used: Not available
-------------------------	---	--

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available	Township: 15N Section: NE of Section 6 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available
-----------------------	--	--

Well Log Comments	None
--------------------------	------

Record of Water Well
Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
323909	Not available	9/24/1998

Owner-Contractor	Name	Address	Telephone
Owner	BILL THURMAN	818 S. RYBOLT INDPLS, IN	Not available
Driller	HARNESS WELL DRILLING	2139 W. CR350S DANVILLE	(317)539-6848
Operator	DESTER HARNESS	License: 137	

Construction Details			
Well	Use: Home	Drilling Method: Not available	Pump Type: Submersible
	Depth: 54.0	Pump Setting Depth: 40.0	Water Quality: CLEAR
Casing	Length: 50.0	Material: PVC	Diameter: 4.0
Screen	Length: 4.0	Material: PVC	Diameter: 4.0
	Slot Size: .040		

Well Capacity Test	Type of Test: Air	Test Rate: 10.0 gpm for 1.0 hrs.	Bail Test Rate: Not available
	Drawdown: 0.0 ft.	Static Water Level: 20.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: BENTONITE	Depth: From 45.0 To 3.0
	Installation Method: GROUTER	Number of Bags Used: 2.0

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Administrative	County: MARION	Township: 15N
	Range: 3E	Section: NW of Section 5
	Topo Map: INDIANAPOLIS WEST	Grant: Not available
	Field Located By: Not available	Field Located On: Not available
	Courthouse Location By: Not available	Courthouse Location On: Not available
	Location Accepted w/o Verification By: Not available	Location Accepted w/o Verification On: Not available
	Subdivision Name: Not available	Lot Number: Not available
	Ft W of EL: Not available	Ft N of SL: Not available
	Ft E of WL: Not available	Ft S of NL: Not available
	Ground Elevation: Not available	Depth of Bedrock: Not available
	Bedrock Elevation: Not available	Aquifer Elevation: Not available
	UTM Easting: Not available	UTM Northing: Not available

Well Log

Top	Bottom	Formation
0.0	1.0	BLANK
1.0	45.0	CLAY GREY
45.0	54.0	GRAVEL

Comments
SEE MAP

Record of Water Well
Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
323917	328 N FLEMING	9/30/1998

Owner-Contractor	Name	Address	Telephone
Owner	SAMUEL WERTH	7349 W. ROGERS INDPLS, IN	(000)273-8196
Driller	HAMILTON BROS, INC	4050 ROCKVILLE RD INDPLS, IN	(000)241-2571
Operator	ROBERT D. SCHELLENBERG	License: 36	

Construction Details			
Well	Use: Home	Drilling Method: Rotary	Pump Type: Submersible
	Depth: 55.0	Pump Setting Depth: 40.0	Water Quality: CLEAR
Casing	Length: 51.0	Material: PVC	Diameter: 4.0
Screen	Length: 4.0	Material: PVC	Diameter: 4.0
	Slot Size: .060		

Well Capacity Test	Type of Test: Bailing	Test Rate: 10.0 gpm for 1.0 hrs.	Bail Test Rate: Not available
	Drawdown: 20.0 ft.	Static Water Level: 20.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: ENVIROPLUG	Depth: From 45.0 To 0.0
	Installation Method: TREMIE	Number of Bags Used: 4.0

Well Abandonment	Sealing Material: HOLE PLUG	Depth: From 52 To 0
	Installation Method: POUR	Number of Bags Used: 3.0

Administrative	County: MARION	Township: 15N
	Range: 3E	Section: SE of Section 6
	Topo Map: INDIANAPOLIS WEST	Grant: Not available
	Field Located By: Not available	Field Located On: Not available
	Courthouse Location By: Not available	Courthouse Location On: Not available
	Location Accepted w/o Verification By: Not available	Location Accepted w/o Verification On: Not available
	Subdivision Name: Not available	Lot Number: Not available
	Ft W of EL: Not available	Ft N of SL: Not available
	Ft E of WL: Not available	Ft S of NL: Not available
	Ground Elevation: Not available	Depth of Bedrock: Not available
	Bedrock Elevation: Not available	Aquifer Elevation: Not available
	UTM Easting: Not available	UTM Northing: Not available

Well Log

Top	Bottom	Formation
0.0	10.0	TOPSOIL & CLAY
10.0	25.0	GRAVEL
25.0	45.0	CLAY
45.0	55.0	GRAVEL

Comments
SEE MAP

Record of Water Well
Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
323918	3301 S. LOCKBURN	9/19/1998

Owner-Contractor	Name	Address	Telephone
Owner	Not available	Not available	Not available
Driller	HAMILTON BROS, INC	4050 ROCKVILLE RD INDPLS, IN	(000)241-2571
Operator	ROBERT D. SCHELLENBERG	License: 36	

Construction Details			
Well	Use: Home	Drilling Method: Rotary	Pump Type: Submersible
	Depth: 51.0	Pump Setting Depth: 35.0	Water Quality: CLEAR
Casing	Length: 47.0	Material: PVC	Diameter: 4.0
Screen	Length: 4.0	Material: PVC	Diameter: 4.0
	Slot Size: .060		

Well Capacity Test	Type of Test: Bailing	Test Rate: 10.0 gpm for 1.0 hrs.	Bail Test Rate: Not available
	Drawdown: 20.0 ft.	Static Water Level: 15.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: ENVIROPLUG	Depth: From 45.0 To 0.0
	Installation Method: TREMIE	Number of Bags Used: 4.0

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Administrative	County: MARION	Township: 15N
	Range: 3E	Section: NW of Section 5
	Topo Map: INDIANAPOLIS WEST	Grant: Not available
	Field Located By: Not available	Field Located On: Not available
	Courthouse Location By: Not available	Courthouse Location On: Not available
	Location Accepted w/o Verification By: Not available	Location Accepted w/o Verification On: Not available
	Subdivision Name: Not available	Lot Number: Not available
	Ft W of EL: Not available	Ft N of SL: Not available
	Ft E of WL: Not available	Ft S of NL: Not available
	Ground Elevation: Not available	Depth of Bedrock: Not available
	Bedrock Elevation: Not available	Aquifer Elevation: Not available
	UTM Easting: Not available	UTM Northing: Not available

Well Log

Top	Bottom	Formation
0.0	10.0	TOPSOIL & CLAY
10.0	25.0	GRAVEL
25.0	45.0	CLAY
45.0	51.0	GRAVEL

Comments
SEE MAP

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
323957	10TH STREET EAST OT COSSELL, COSSELL TO GASOLINE ALLEY STEET, TURN RIGHT TO Y IN RD - STAY LEFT TO SPEEDWAY WASTE WATER TREATMENT PLANT	11/12/1998

Owner-Contractor	Name	Address	Telephone
Owner	SPEEDWAY WASTE WATER	4251 WEST VERMONT STREET	Not available
Driller	AMERICAN ENVIRONMENTAL	8500 GEORGETOWN RD	(317)871-4090
Operator	RON MATHES	License: 294	

Construction Details			
Well	Use: Other	Drilling Method: HSA	Pump Type: Submersible
	Depth: 34.0	Pump Setting Depth: 33.0	Water Quality: CLEAR
Casing	Length: 20.0	Material: GALV	Diameter: 8.0
Screen	Length: 15.0	Material: SS	Diameter: 8.0
	Slot Size: .030		

Well Capacity Test	Type of Test: Pumping	Test Rate: Not available	Bail Test Rate: Not available
	Drawdown: 25.2 ft.	Static Water Level: 20.3 ft.	Bailer Drawdown: Not available

Grouting Information	Material: BENTONITE	Depth: From 17.0 To 5.0	
	Installation Method: DROPPED	Number of Bags Used: 20.0	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available	Township: 15N Section: NW of Section 5 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available
-----------------------	--	--

Well Log

Top	Bottom	Formation
0.0	5.0	SANDY SILTY CLAY
5.0	20.0	BR MED SAND
20.0	34.0	WET GRAY S & G W/ COBBLES
34.0	35.0	GRAY SANDY SILTY CLAY

Comments

SEE MAP

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
323962	I70 TO HOLT RD, NORTH TO 1ST STOP LIGHT, OLIVER ST, LEFT TO LYONS & 3RD ST.	11/1/1998

Owner-Contractor	Name	Address	Telephone
Owner	DON & MAXINE WARD	634 S. LYON	Not available
Driller	BRATAGER DRILLING CO.	8810 KNOTTY PINE CT INDIANAPOLIS, IN	(317)881-8060
Operator	CHARLES BRATAGER	License: 1469	

Construction Details			
Well	Use: Home	Drilling Method: Rotary	Pump Type: Submersible
	Depth: 46.0	Pump Setting Depth: 35.0	Water Quality: CLEAR
Casing	Length: 41.0	Material: PVC	Diameter: 5.0
Screen	Length: 5.0	Material: PVC	Diameter: 5.0
	Slot Size: .040		

Well Capacity Test	Type of Test: Air	Test Rate: 25.0 gpm for 2.0 hrs.	Bail Test Rate: Not available
	Drawdown: 20.0 ft.	Static Water Level: 15.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: BNSL	Depth: From 30.0 To 0.0	
	Installation Method: TREMIE	Number of Bags Used: 2.0	

Well Abandonment	Sealing Material: BNSL	Depth: From 30 To 0	
	Installation Method: TOPLOAD	Number of Bags Used: 1.0	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available	Township: 15N Section: NW of Section 8 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available
-----------------------	--	--

Well Log

Top	Bottom	Formation
0.0	12.0	CLAY
12.0	16.0	SAND
16.0	26.0	CLAY
26.0	46.0	SAND & GRAVEL

Comments

SEE MAP

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
340771	Not available	4/21/2000

Owner-Contractor	Name	Address	Telephone
Owner	WILL ROULSTON	335 N FLEMMING ST INDPLS	Not available
Driller	CC HAMILTON WELL DRLG	3930 S EMERSON	(000)284-5810
Operator	CHARLES HAMILTON	License: 1680	

Construction Details			
Well	Use: Home	Drilling Method: Rotary	Pump Type: Submersible
	Depth: 52.0	Pump Setting Depth: 35.0	Water Quality: Not available
Casing	Length: 48.0	Material: PVC	Diameter: 5.0
Screen	Length: 4.0	Material: PVC	Diameter: 5.0
	Slot Size: .030		

Well Capacity Test	Type of Test: Air	Test Rate: 10.0 gpm for 2.0 hrs.	Bail Test Rate: Not available
	Drawdown: 0.0 ft.	Static Water Level: 12.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: BENSEAL	Depth: From 0.0 To 42.0	
	Installation Method: P	Number of Bags Used: 2.0	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available	Township: 15N Section: SE of Section 6 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available
-----------------------	--	--

Well Log

Top	Bottom	Formation
0.0	8.0	CLAY
8.0	52.0	S&G

Comments
SEE MAP

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
347546	Not available	11/9/2000

Owner-Contractor	Name	Address	Telephone
Owner	DON FAUCETT	1003 S RYBOLT INDPLS., IN	(000)248-9406
Driller	CC HAMILTON	3930 S EMERSON, INDPLS., IN	(000)784-5810
Operator	CHARLES HAMILTON	License: 1680	

Construction Details			
Well	Use: Home	Drilling Method: Rotary	Pump Type: Submersible
	Depth: 45.0	Pump Setting Depth: 30.0	Water Quality: CLEAR
Casing	Length: 41.0	Material: PVC	Diameter: 4.0
Screen	Length: 4.0	Material: PVC	Diameter: 4.0
	Slot Size: 30		

Well Capacity Test	Type of Test: Air	Test Rate: 10.0 gpm for 2.0 hrs.	Bail Test Rate: Not available
	Drawdown: 0.0 ft.	Static Water Level: 10.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: BNSL	Depth: From 4.0 To 20.0	
	Installation Method: P	Number of Bags Used: 1.0	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available	Township: 15N Section: NW of Section 5 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available
-----------------------	--	--

Well Log

Top	Bottom	Formation
0.0	6.0	CLAY
6.0	19.0	SAND
19.0	22.0	CLAY
22.0	45.0	SAND

Comments
SEE MAP

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
356686	VERMONT & VINE	7/23/2001

Owner-Contractor	Name	Address	Telephone
Owner	LOUIS ANDRONIA	345 N VINE ST INDPLS IN	(000)244-8132
Driller	C&J W D CO	PO BOX 747 BROWNSBURG IN	(317)257-2393
Operator	JOSH ABDNOUR	License: 1437	

Construction Details			
Well	Use: Home	Drilling Method: Rotary	Pump Type: Submersible
	Depth: 55.0	Pump Setting Depth: 40.0	Water Quality: CLEAR
Casing	Length: 51.0	Material: PVC	Diameter: 4.0
Screen	Length: 4.0	Material: PVC	Diameter: 4.0
	Slot Size: .050		

Well Capacity Test	Type of Test: Air	Test Rate: 25.0 gpm for 1.0 hrs.	Bail Test Rate: Not available
	Drawdown: 40.0 ft.	Static Water Level: 15.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: BENT	Depth: From 0.0 To (not available)	
	Installation Method: PRESS	Number of Bags Used: 2.0	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available	Township: 15N Section: SE of Section 6 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available
-----------------------	--	--

Well Log

Top	Bottom	Formation
0.0	2.0	TOPSOI
2.0	19.0	S7G
19.0	48.0	CLAY
48.0	55.0	GRAVEL

Comments
None

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
363476	GASOLINE ALLY TO W VERMONT GO E ON W VERMONT TO 4130 WHICH IS ONN N SIDE OF ST; WELL IS LOCATED IN FRONT YARD	8/11/2002

Owner-Contractor	Name	Address	Telephone
Owner	JIMMY L PARSONS JR	7214 PARSONS WAY MOORESVILLE IN	(317)834-9189
Driller	JIMMY L PARSONS JR	7214 PARSONS WAY MOORESVILLE IN	(317)834-9189
Operator	JIMMY L PARSONS JR	License: 1639	

Construction Details			
Well	Use: Home	Drilling Method: Cable Tool	Pump Type: Not available
	Depth: 70.0	Pump Setting Depth: Not available	Water Quality: CLEAR
Casing	Length: 70.0	Material: SS	Diameter: 4.0
Screen	Length: 4.0	Material: SS	Diameter: 4.0
	Slot Size: .40		

Well Capacity Test	Type of Test: Bailing	Test Rate: 5.0 gpm for 2.0 hrs.	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: 28.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: BENTONITE	Depth: From 0.0 To 70.0	
	Installation Method: POUR IN	Number of Bags Used: 1.0	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available	Township: 15N Section: 6 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available
-----------------------	--	--

Well Log

Top	Bottom	Formation
0.0	20.0	BR CLAY
20.0	30.0	S&G

30.0	36.0	GRAY CLAY
36.0	55.0	SAND
55.0	70.0	GREY CLAY

Comments
None

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
400228	TAKE I-70 TO HOLT RD GO NORTH TO WASHINGTON ST. GO WEST TO RYBOLT AVE. GO SOUTH ABOUT 5 BLOCKS, OLDER WHITE HOME ON WEST SIDE	8/15/2006

Owner-Contractor	Name	Address	Telephone
Owner	ROBERT BROWN	840 S RYBOLT AVE INDIANAPOLIS, IN	(317)243-2819
Driller	JACKSON WELL DRILLING	246 MAIN ST PO BOX 45 MAXWELL, IN	(317)326-3675
Operator	GUS JACKSON	License: 385	

Construction Details			
Well	Use: Home	Drilling Method: Rotary	Pump Type: Submersible
	Depth: 55.0	Pump Setting Depth: 40.0	Water Quality: CLEAR
Casing	Length: 50.0	Material: PVC	Diameter: 4.0
Screen	Length: 5.0	Material: PVC	Diameter: 4.0
	Slot Size: .040		

Well Capacity Test	Type of Test: Air	Test Rate: 30.0 gpm for 1.0 hrs.	Bail Test Rate: Not available
	Drawdown: 25.0 ft.	Static Water Level: 20.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: GROUT WELL	Depth: From 0.0 To 45.0	
	Installation Method: WILDEN AIR PUMP	Number of Bags Used: 2.0	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: MAYWOOD Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available	Township: 15N Section: NW of Section 5 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available
-----------------------	--	--

Well Log

Top	Bottom	Formation
0.0	10.0	BROWN CLAY
10.0	20.0	SAND
20.0	35.0	GREY CLAY

35.0	55.0	GOOD GRAVEL
------	------	-------------

Comments

SEE MAP C;
C.REPLACEMENT
WELL

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
410194	Not available	9/18/2007

Owner-Contractor	Name	Address	Telephone
Owner	FLORAL PARK FUNERAL CENTER	3940 COSSELL RD INDIANAPOLIS, IN	Not available
Driller	C & J WELL DRILLING CO	PO BOX 747 BROWNSBURG, IN	(317)892-2100
Operator	WALTER ANDERSON	License: 2081	

Construction Details			
Well	Use: Irrigation	Drilling Method: Rotary	Pump Type: Submersible
	Depth: 33.0	Pump Setting Depth: 31.0	Water Quality: CLEAR
Casing	Length: 31.0	Material: PVC	Diameter: 5.0
Screen	Length: 2.0	Material: STAINLESS ST	Diameter: 5.0
	Slot Size: .050		

Well Capacity Test	Type of Test: Air	Test Rate: 25.0 gpm for 1.0 hrs.	Bail Test Rate: Not available
	Drawdown: 0.0 ft.	Static Water Level: 30.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: BENTONITE	Depth: From 0.0 To 12.0	
	Installation Method: PRESSURE	Number of Bags Used: 3.0	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: DRILLER Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: 1,300.0 Ground Elevation: 725.0 Bedrock Elevation: Not available UTM Easting: 566286	Township: 15N Section: NE of the NW of the SW of Section 5 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: 2,600.0 Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: 692.0 UTM Northing: 4402510
-----------------------	---	--

Well Log

Top	Bottom	Formation
0.0	3.0	TOP SOIL
3.0	12.0	CLAY
12.0	33.0	GRAVEL

Comments
None

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
410206	Not available	10/10/2007

Owner-Contractor	Name	Address	Telephone
Owner	JOE CIRILLO	4130 W VERMONT INDIANAPOLIS, IN	Not available
Driller	C & J WELL DRILLING CO	PO BOX 747 BROWNSBURG, IN	(317)892-2100
Operator	DON BAUGHMAN	License: 178	

Construction Details			
Well	Use: Home	Drilling Method: Rotary	Pump Type: Submersible
	Depth: 37.0	Pump Setting Depth: 0.0	Water Quality: CLEAR
Casing	Length: 35.0	Material: PVC	Diameter: 5.0
Screen	Length: 2.0	Material: STAINLESS ST	Diameter: 5.0
	Slot Size: .050		

Well Capacity Test	Type of Test: Air	Test Rate: 30.0 gpm for 1.0 hrs.	Bail Test Rate: Not available
	Drawdown: 0.0 ft.	Static Water Level: 20.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: BENTONITE	Depth: From 0.0 To 20.0	
	Installation Method: PRESSURE	Number of Bags Used: 5.0	

Well Abandonment	Sealing Material: HOLEPLUG	Depth: From 0 To 60	
	Installation Method: HAND	Number of Bags Used: 8.0	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: DRILLER Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: 900.0 Ground Elevation: 718.0 Bedrock Elevation: Not available UTM Easting: 565893	Township: 15N Section: NE of the NW of the SW of Section 5 Grant: Not available Field Located On: 10/10/2007 Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: 1,800.0 Depth of Bedrock: Not available Aquifer Elevation: 681.0 UTM Northing: 4402521
-----------------------	---	---

Well Log

Top	Bottom	Formation
0.0	15.0	CLAY
15.0	37.0	SAND & GRAVEL

Comments
None

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
344563	Not available	9/25/2000

Owner-Contractor	Name	Address	Telephone
Owner	RON MARTIN	3201 S. FOLTZ ST., INDPLS., IN	(000)858-3721
Driller	CC HAMILTON WELL DRLNG	3930 S. EMERSON, INDPLS., IN	(000)784-5810
Operator	CHARLES HAMILTON	License: 1680	

Construction Details			
Well	Use: Home	Drilling Method: Rotary	Pump Type: Submersible
	Depth: 42.0	Pump Setting Depth: 30.0	Water Quality: CLEAR
Casing	Length: 38.0	Material: PVC	Diameter: 4.0
Screen	Length: 4.0	Material: PVC	Diameter: 4.0
	Slot Size: .030		

Well Capacity Test	Type of Test: Air	Test Rate: 10.0 gpm for 2.0 hrs.	Bail Test Rate: Not available
	Drawdown: 0.0 ft.	Static Water Level: 12.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: BNSL	Depth: From 4.0 To 30.0	
	Installation Method: P	Number of Bags Used: 2.0	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available	Township: 15N Section: NW of Section 8 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available
-----------------------	--	--

Well Log

Top	Bottom	Formation
0.0	12.0	CLAY
12.0	21.0	SAND
21.0	25.0	CLAY
25.0	42.0	S&G

Comments
SEE MAP

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed	
355650	4020 ROCKVILLE RD	4/18/2001	

Owner-Contractor	Name	Address	Telephone
Owner	B&K	4020 ROCKVILLE RD., INDPLS., IN	(000)243-6100
Driller	HAMILTON BROS. INC.	4050 ROCKVILLE RD., INDPLS., IN	(000)241-2571
Operator	CLINTON C. STEVENS JR	License: 1653	

Construction Details			
Well	Use: Not available	Drilling Method: Not available	Pump Type: Not available
	Depth: Not available	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: Not available	Material: Not available	Diameter: Not available
Screen	Length: Not available	Material: Not available	Diameter: Not available
	Slot Size: Not available		

Well Capacity Test	Type of Test: Not available	Test Rate: Not available	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: Not available	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: HOLE PLUG	Depth: From 0 To 54
	Installation Method: POUR IN	Number of Bags Used: 25.0

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available	Township: 15N Section: NW of Section 8 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available
-----------------------	--	--

Well Log Comments	None
--------------------------	------

Record of Water Well
Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
27627	4409 W MORRIS REAR	7/11/1993

Owner-Contractor	Name	Address	Telephone
Owner	Not available	Not available	Not available
Driller	HAMILTON BROS INC	4025 ROCKVILLE RD INDPLS IN	(317)241-2571
Operator	ROBERT D. SCHELLENBERG	License: 36	

Construction Details			
Well	Use: Other	Drilling Method: Rotary	Pump Type: Submersible
	Depth: 66.0	Pump Setting Depth: 50.0	Water Quality: CLEAR
Casing	Length: 56.0	Material: PVC	Diameter: 6.0
Screen	Length: 10.0	Material: SS	Diameter: 6.0
	Slot Size: .060		

Well Capacity Test	Type of Test: Bailing	Test Rate: 150.0 gpm for 1.0 hrs.	Bail Test Rate: Not available
	Drawdown: 30.0 ft.	Static Water Level: 20.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: ENVIROPLUG	Depth: From 31.0 To 56.0
	Installation Method: TREMIE	Number of Bags Used: 14.0

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Administrative	County: MARION	Township: 15N
	Range: 3E	Section: SE of Section 7
	Topo Map: INDIANAPOLIS WEST	Grant: Not available
	Field Located By: Not available	Field Located On: Not available
	Courthouse Location By: Not available	Courthouse Location On: Not available
	Location Accepted w/o Verification By: Not available	Location Accepted w/o Verification On: Not available
	Subdivision Name: Not available	Lot Number: Not available
	Ft W of EL: Not available	Ft N of SL: Not available
	Ft E of WL: Not available	Ft S of NL: Not available
	Ground Elevation: Not available	Depth of Bedrock: Not available
	Bedrock Elevation: Not available	Aquifer Elevation: Not available
	UTM Easting: Not available	UTM Northing: Not available

Well Log

Top	Bottom	Formation
0.0	56.0	TOPSOIL AND CLAY
56.0	66.0	GRAVEL

Comments
SKETCH MAP

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
54018	Not available	1/1/1936

Owner-Contractor	Name	Address	Telephone
Owner	NATIONAL MALLEABLE & STEEL	INDPLS	Not available
Driller	LAYNE NORTHERN	Not available	Not available
Operator	Not available	License Not available	

Construction Details	Use: Industry	Drilling Method: Not available	Pump Type: Not available
Well	Depth: 89.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: Not available	Material: Not available	Diameter: 18.0
Screen	Length: Not available	Material: Not available	Diameter: Not available
	Slot Size: Not available		

Well Capacity Test	Type of Test: Not available	Test Rate: 300.0 gpm	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: 23.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: MCBN Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: 708.0 Bedrock Elevation: Not available UTM Easting: 568037	Township: 15N Section: NW of the SW of the NE of Section 4 Grant: Not available Field Located On: 1/1/1992 Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: 607.0 UTM Northing: 4402957
-----------------------	--	---

Well Log

Top	Bottom	Formation
0.0	4.0	CINDER FILL
4.0	43.0	SOIL & GRAV
43.0	59.0	CLAY
59.0	62.0	CRS SAND
62.0	101.0	CRS GRAV

Comments

MC 607

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
54043	1320' W. OF GRANDE AVE. & 200' S. OF EAGLE CREEK	4/12/1962

Owner-Contractor	Name	Address	Telephone
Owner	CITY OF INDPLS.	BD. OF PK. COMM. 1426 W. 29TH. ST. INDPLS, IN.	Not available
Driller	CLARK DRILLING, CO.	1015 E. 28TH. ST. INDPLS 5, IN.	Not available
Operator	R. HANSEN	License Not available	

Construction Details	Well	Use: Public Supply	Drilling Method: Cable Tool	Pump Type: Not available
		Depth: 53.0	Pump Setting Depth: Not available	Water Quality: Not available
	Casing	Length: 43.7	Material: Not available	Diameter: 8.0
	Screen	Length: 10.0	Material: Not available	Diameter: 8.0
		Slot Size: 60		

Well Capacity Test	Type of Test: Pumping	Test Rate: 153.0 gpm for 4.0 hrs.	Bail Test Rate: Not available
	Drawdown: 18.5 ft.	Static Water Level: 9.5 ft.	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: MCBN Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: 714.0 Bedrock Elevation: Not available UTM Easting: 565135	Township: 15N Section: SE of the SW of the NE of Section 6 Grant: Not available Field Located On: 1/1/1992 Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: 644.0 UTM Northing: 4402710
-----------------------	--	---

Well Log

Top	Bottom	Formation
0.0	1.0	TOP SOIL
1.0	6.0	SANDY BR CLAY
6.0	13.0	MUD SAND
13.0	20.0	SANDY BR CLAY

20.0	22.0	S & G
22.0	28.0	BLUE CLAY
28.0	34.0	S & G
34.0	37.0	GRAY CLAY
37.0	41.0	MD CRS SAND
41.0	48.0	CLEAN MD S & G
48.0	52.5	CRS S&G ACTIVE, CLEAN 37'-52'.6"
52.5	67.0	CLAY
67.0	70.0	HARD GREY CLAY

Comments

MC 644 ;
BACKFILLED
HOLE 70 ' TO 53
' W/ SAND &
GRAV;

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
54071	Not available	10/2/1968

Owner-Contractor	Name	Address	Telephone
Owner	C & B BUILDERS	3508 ROCKVILLE RD	Not available
Driller	HAMILTON BROS	Not available	Not available
Operator	Not available	License Not available	

Construction Details			
Well	Use: Industry	Drilling Method: Cable Tool	Pump Type: Not available
	Depth: 275.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: Not available	Material: Not available	Diameter: 8.0
Screen	Length: Not available	Material: Not available	Diameter: Not available
	Slot Size: Not available		

Well Capacity Test	Type of Test: Not available	Test Rate: 150.0 gpm for 4.0 hrs.	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: Not available	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: 705.0 Bedrock Elevation: 635.0 UTM Easting: Not available	Township: 15N Section: 8 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: 70.0 Aquifer Elevation: Not available UTM Northing: Not available
-----------------------	--	---

Well Log

Top	Bottom	Formation
0.0	35.0	CLAY
35.0	70.0	CLAY
70.0	275.0	LS

Comments

None

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
54073	AT SHOP	4/8/1964

Owner-Contractor	Name	Address	Telephone
Owner	HAMILTON BROS INC	4025 ROCKVILLE RD	Not available
Driller	HAMILTON BROS	4025 ROCKVILLE RD	Not available
Operator	ED RANDOLPH	License Not available	

Construction Details	Use: Home	Drilling Method: Cable Tool	Pump Type: Not available
Well	Depth: 60.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: 45.0	Material: Not available	Diameter: 8.6
Screen	Length: 21.0	Material: Not available	Diameter: 7.0
	Slot Size: 60		

Well Capacity Test	Type of Test: Not available	Test Rate: 100.0 gpm for 2.0 hrs.	Bail Test Rate: Not available
	Drawdown: 30.0 ft.	Static Water Level: 28.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: MCBH Courthouse Location By: Not available Location Accepted w/o Verification By: U	Township: 15N Section: NE of the NE of the NW of Section 8 Grant: Not available Field Located On: 1/1/1992 Courthouse Location On: Not available Location Accepted w/o Verification On: 7/1/1964 Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: 627.0 UTM Northing: 4401525
	Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: 717.0 Bedrock Elevation: Not available UTM Easting: 565970	

Well Log

Top	Bottom	Formation
0.0	4.0	CLAY
4.0	26.0	YEL S & G
26.0	35.0	BRN CLAY
35.0	38.0	SAND
38.0	45.0	CLAY

45.0	53.0	S & G
53.0	56.0	CLAY
56.0	60.0	S & G
60.0	75.0	SAND
75.0	90.0	CLAY

Comments
MC 627

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
54074	4151 WEST WASHINGTON ST BETWEEN LYON AND RYBOTT AVE ON S SIDE OF WASHINGTON	11/30/1967

Owner-Contractor	Name	Address	Telephone
Owner	WRIGHT TOOL & DIO CO	4151 WASHINGTON ST	Not available
Driller	HAMILTON BROS	Not available	Not available
Operator	WOODY BURKHARD	License Not available	

Construction Details	Use: Industry	Drilling Method: Cable Tool	Pump Type: Not available
Well	Depth: 65.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: 55.0	Material: Not available	Diameter: 10.0
Screen	Length: 10.0	Material: Not available	Diameter: 10.0
	Slot Size: 50		

Well Capacity Test	Type of Test: Not available	Test Rate: 200.0 gpm for 6.0 hrs.	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: 25.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: MCBH Courthouse Location By: Not available Location Accepted w/o Verification By: HCK Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: 718.0 Bedrock Elevation: Not available UTM Easting: 565685	Township: 15N Section: SW of the SW of the NW of Section 8 Grant: Not available Field Located On: 1/1/1992 Courthouse Location On: Not available Location Accepted w/o Verification On: 1/1/1968 Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: 653.0 UTM Northing: 4400943
-----------------------	--	--

Well Log

Top	Bottom	Formation
0.0	30.0	CLAY
30.0	42.0	SAND
42.0	43.0	CLAY
43.0	65.0	S & G

Comments

MC 653

Record of Water Well
Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
54086	3602 W. WASHINGTON	4/3/1988

Owner-Contractor	Name	Address	Telephone
Owner	Not available	Not available	Not available
Driller	HAMILTON BROS, INC.	4025 ROCKVILLE RD., INDPLS, IN.	Not available
Operator	DAVID HARNESS	License Not available	

Construction Details			
Well	Use: Other	Drilling Method: Rotary	Pump Type: Not available
	Depth: 45.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: 30.0	Material: Not available	Diameter: 6.0
Screen	Length: 15.0	Material: Not available	Diameter: 6.0
	Slot Size: .060		

Well Capacity Test	Type of Test: Pumping	Test Rate: 100.0 gpm for 1.0 hrs.	Bail Test Rate: Not available
	Drawdown: 19.0 ft.	Static Water Level: 15.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Administrative	County: MARION	Township: 15N
	Range: 3E	Section: SE of the NW of the NE of Section 8
	Topo Map: INDIANAPOLIS WEST	Grant: Not available
	Field Located By: MCBN	Field Located On: 1/1/1992
	Courthouse Location By: Not available	Courthouse Location On: Not available
	Location Accepted w/o Verification By: Not available	Location Accepted w/o Verification On: Not available
	Subdivision Name: Not available	Lot Number: Not available
	Ft W of EL: Not available	Ft N of SL: Not available
	Ft E of WL: Not available	Ft S of NL: Not available
	Ground Elevation: 701.0	Depth of Bedrock: Not available
	Bedrock Elevation: Not available	Aquifer Elevation: 656.0
	UTM Easting: 566658.1	UTM Northing: 4401386

Well Log

Top	Bottom	Formation
0.0	7.0	TOPSOIL & CLAY
7.0	45.0	GRAV

Comments
MC 656 ;

Record of Water Well
Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
54087	3602 W. WASHINGTON ST.	5/24/1982

Owner-Contractor	Name	Address	Telephone
Owner	Not available	Not available	Not available
Driller	HAMILTON BROS, INC.	4025 ROCKVILLE RD., INDPLS, IN.	Not available
Operator	LESTER HARNESS	License Not available	

Construction Details			
Well	Use: Other	Drilling Method: Rotary	Pump Type: Not available
	Depth: 42.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: 32.0	Material: Not available	Diameter: 6.0
Screen	Length: 10.0	Material: Not available	Diameter: 6.0
	Slot Size: 60		

Well Capacity Test	Type of Test: Pumping	Test Rate: 70.0 gpm for 1.0 hrs.	Bail Test Rate: Not available
	Drawdown: 25.0 ft.	Static Water Level: 15.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Administrative	County: MARION	Township: 15N
	Range: 3E	Section: SE of the NW of the NE of Section 8
	Topo Map: INDIANAPOLIS WEST	Grant: Not available
	Field Located By: Not available	Field Located On: Not available
	Courthouse Location By: Not available	Courthouse Location On: Not available
	Location Accepted w/o Verification By: Not available	Location Accepted w/o Verification On: Not available
	Subdivision Name: Not available	Lot Number: Not available
	Ft W of EL: Not available	Ft N of SL: Not available
	Ft E of WL: Not available	Ft S of NL: Not available
	Ground Elevation: Not available	Depth of Bedrock: Not available
	Bedrock Elevation: Not available	Aquifer Elevation: Not available
	UTM Easting: Not available	UTM Northing: Not available

Well Log

Top	Bottom	Formation
0.0	20.0	TOPSOIL & CLAY
20.0	42.0	GRAV

Comments
None

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
54100	220 S BELMONT.	5/15/1980

Owner-Contractor	Name	Address	Telephone
Owner	FMC CHAIN DIV (LINK BELT)	INDPLS IN	Not available
Driller	PEERLESS-MIDWEST INC	51255 BITTERSWEET RD, PO BOX 26, GRANGER IN	Not available
Operator	MIKE GARRAGE	License Not available	

Construction Details	Use: Industry	Drilling Method: Rotary	Pump Type: Not available
Well	Depth: 120.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: 100.0	Material: Not available	Diameter: 12.0
Screen	Length: 20.0 Slot Size: .030	Material: Not available	Diameter: 10.0

Well Capacity Test	Type of Test: Pumping	Test Rate: 798.0 gpm	Bail Test Rate: Not available
	Drawdown: 19.0 ft.	Static Water Level: 31.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: RB Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: 1,400.0 Ft E of WL: Not available Ground Elevation: 702.0 Bedrock Elevation: 581.0 UTM Easting: 568375	Township: 15N Section: NE of the SW of the NE of Section 9 Grant: Not available Field Located On: 7/1/1981 Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: 1,500.0 Depth of Bedrock: 121.0 Aquifer Elevation: 581.0 UTM Northing: 4401360
-----------------------	--	---

Well Log

Top	Bottom	Formation
0.0	4.0	FILL
4.0	84.0	S&G W/CLAY STRIP
84.0	121.0	S&G
121.0		SHALE

Comments

MC 581; WELL
#11; DIAGRAM
ATTACHED TO
ORIGINAL
RECORD;
FACILITIES
COORDINATOR
VERIFIED;

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
63777	NO INFO PROVIDED	Not available

Owner-Contractor	Name	Address	Telephone
Owner	SPEEDWAY MOTEL	Not available	Not available
Driller	HAMILTON BROS INC	4025 ROCKVILLE RD	Not available
Operator	Not available	License Not available	

Construction Details			
Well	Use: Not available	Drilling Method: Cable Tool	Pump Type: Not available
	Depth: 131.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: Not available	Material: Not available	Diameter: Not available
Screen	Length: 10.0	Material: Not available	Diameter: 8.0
	Slot Size: 60		

Well Capacity Test	Type of Test: Pumping	Test Rate: 350.0 gpm for 8.0 hrs.	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: 55.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: HCK Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available	Township: 16N Section: NW of the NW of the SW of Section 32 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: 2/22/1963 Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available
-----------------------	--	---

Well Log

Top	Bottom	Formation
0.0	28.0	GRAV
28.0	63.0	CLAY
63.0	81.0	SM GRAV
81.0	107.0	CLAY
107.0	117.0	SAND

Comments
None

117.0	131.0	GRAV
-------	-------	------

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
63784	4790 W. 16TH STREET, EAST OF MOTOR SPEEDWAY FENCE ON GOLF COURSE	5/14/1964

Owner-Contractor	Name	Address	Telephone
Owner	INDIANAPOLIS MOTOR SPEEDWAY	4790 W 16TH ST., INDIANAPOLIS IN	Not available
Driller	CLARK DRILLING CO.	1015 EAST 28TH STREET, INDIANAPOLIS IN	Not available
Operator	Not available	License Not available	

Construction Details			
Well	Use: Not available	Drilling Method: Cable Tool	Pump Type: Not available
	Depth: 120.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: 93.5	Material: Not available	Diameter: 12.0
Screen	Length: 30.0	Material: Not available	Diameter: 12.0
	Slot Size: 125		

Well Capacity Test	Type of Test: Not available	Test Rate: 800.0 gpm for 8.5 hrs.	Bail Test Rate: Not available
	Drawdown: 63.5 ft.	Static Water Level: 20.6 ft.	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available	Township: 16N Section: NW of Section 32 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available
-----------------------	--	---

Well Log

Top	Bottom	Formation
0.0	7.0	YEL CLAY
7.0	8.0	FINE SAND

8.0	15.0	YEL CLAY
15.0	17.0	FINE SAND
17.0	25.0	BRN CLAY
25.0	30.0	GRAV
30.0	58.0	BROWN SANDY CLAY
58.0	64.0	DRY GRAVEL
64.0	80.0	BROWN CLAY
80.0	105.0	MUDDY GRAVEL
105.0	120.0	S&G

Comments

WELL LOG
 PROCESSED
 BY A - U; LOC.
 ACCEPTED W/O
 VERIFICATION -
 YES

Record of Water Well
Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
173681	1500 PALCO STREET	7/13/1990

Owner-Contractor	Name	Address	Telephone
Owner	UNION CARLBIDE COATING SERV	1500 PALCO STREET INDPLS IN	Not available
Driller	HAMILTON BROS INC	4025 ROCKVILLE RD INDPLS IN	(000)244-2571
Operator	DAVID R HARNESS	License: #35	

Construction Details

Well	Use: Industry	Drilling Method: Rotary	Pump Type: Submersible
	Depth: 117.0	Pump Setting Depth: 80.0	Water Quality: CLEAR
Casing	Length: 107.0	Material: PVC	Diameter: 8.0
Screen	Length: 10.0	Material: SS	Diameter: 8.0
	Slot Size: .060		

Well Capacity Test	Type of Test: Bailing	Test Rate: 80.0 gpm for 1.0 hrs.	Bail Test Rate: Not available
	Drawdown: 35.0 ft.	Static Water Level: 45.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: ENVIROPLUG	Depth: From 0.0 To 110.0
	Installation Method: TREM	Number of Bags Used: 9.0

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Administrative	County: MARION	Township: 16N
	Range: 3E	Section: NE of the SE of Section 31
	Topo Map: INDIANAPOLIS WEST	Grant: Not available
	Field Located By: Not available	Field Located On: Not available
	Courthouse Location By: Not available	Courthouse Location On: Not available
	Location Accepted w/o Verification By: Not available	Location Accepted w/o Verification On: Not available
	Subdivision Name: Not available	Lot Number: Not available
	Ft W of EL: Not available	Ft N of SL: Not available
	Ft E of WL: Not available	Ft S of NL: Not available
	Ground Elevation: Not available	Depth of Bedrock: Not available
	Bedrock Elevation: Not available	Aquifer Elevation: Not available
	UTM Easting: Not available	UTM Northing: Not available

Well Log

Top	Bottom	Formation
0.0	110.0	TOP SOIL & CLAY
110.0	117.0	GRAVEL

Comments
None

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
173686	Not available	5/25/1972

Owner-Contractor	Name	Address	Telephone
Owner	SPEEDWAY HOLIDAY INN	4665 W 16TH ST	Not available
Driller	HAMILTON BROS	Not available	Not available
Operator	TERRY HAMILTON	License Not available	

Construction Details			
Well	Use: Industry	Drilling Method: Rotary	Pump Type: Not available
	Depth: 125.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: Not available	Material: Not available	Diameter: 6.0
Screen	Length: 10.0	Material: Not available	Diameter: 6.0
	Slot Size: 60		

Well Capacity Test	Type of Test: Pumping	Test Rate: 125.0 gpm for 10.0 hrs.	Bail Test Rate: Not available
	Drawdown: 30.0 ft.	Static Water Level: 65.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: MANAGER VER Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: 200.0 Ground Elevation: 720.0 Bedrock Elevation: Not available UTM Easting: 565458	Township: 16N Section: NW of the NE of the SW of Section 31 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: 2,300.0 Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: 595.0 UTM Northing: 4404143
-----------------------	---	---

Well Log

Top	Bottom	Formation
0.0	50.0	CLAY
50.0	55.0	SAND
55.0	106.0	CLAY
106.0	125.0	SAND

Comments

None

Record of Water Well
Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
173691	HOLIDAY MOTEL CROSS FROM SPEEDWAY	9/25/1959

Owner-Contractor	Name	Address	Telephone
Owner	BAKER AND MCHENRY	421 W ELEVENTH	Not available
Driller	HAMILTON BROS	Not available	Not available
Operator	BOB EDWARDS	License Not available	

Construction Details			
Well	Use: Not available	Drilling Method: Cable Tool	Pump Type: Not available
	Depth: 127.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: Not available	Material: Not available	Diameter: 8.0
Screen	Length: 15.0	Material: Not available	Diameter: 8.0
	Slot Size: 60		
Well Capacity Test	Type of Test: Pumping	Test Rate: 300.0 gpm for 8.0 hrs.	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: Not available	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Administrative	County: MARION	Township: 16N
	Range: 3E	Section: NE of the NE of the SE of Section 31
	Topo Map: INDIANAPOLIS WEST	Grant: Not available
	Field Located By: HCK	Field Located On: 1/1/1960
	Courthouse Location By: Not available	Courthouse Location On: Not available
	Location Accepted w/o Verification By: Not available	Location Accepted w/o Verification On: Not available
	Subdivision Name: Not available	Lot Number: Not available
	Ft W of EL: Not available	Ft N of SL: Not available
	Ft E of WL: Not available	Ft S of NL: Not available
	Ground Elevation: 727.0	Depth of Bedrock: Not available
	Bedrock Elevation: Not available	Aquifer Elevation: Not available
	UTM Easting: Not available	UTM Northing: Not available

Well Log

Top	Bottom	Formation
0.0	12.0	CLAY
12.0	24.0	S&G
24.0	34.0	CLAY
34.0	40.0	S. CLAY

40.0	49.0	CLAY
49.0	50.0	SAND
50.0	112.0	CLAY
112.0	127.0	GRAVEL

Comments

WELL LOG
PROCESSED
BY HCK - 11/59;

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
173756	PERMANENT #5 AT SITE OF #27 TEST WELL 750' S OF C/L OF 16TH ST	10/28/1944

Owner-Contractor	Name	Address	Telephone
Owner	SPEEDWAY WATER	Not available	Not available
Driller	LAYNE NORTHERN	Not available	Not available
Operator	JOHN MILLER	License Not available	

Construction Details			
Well	Use: Public Supply	Drilling Method: Not available	Pump Type: Not available
	Depth: 119.5	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: 50.0	Material: Not available	Diameter: 50.0
Screen	Length: 25.0	Material: Not available	Diameter: 18.0
	Slot Size: #6		

Well Capacity Test	Type of Test: Not available	Test Rate: 600.0 gpm	Bail Test Rate: Not available
	Drawdown: 31.0 ft.	Static Water Level: 14.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: 1,500.0 Ground Elevation: 718.0 Bedrock Elevation: Not available UTM Easting: 565980	Township: 16N Section: SW of the NE of the SW of Section 32 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: 1,900.0 Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: 598.0 UTM Northing: 4404040
-----------------------	---	---

Well Log Comments
 (WELL
 DIAGRAM
 AVAILABLE)

Record of Water Well
Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
180334	4048 W. VERMONT	7/26/1975

Owner-Contractor	Name	Address	Telephone
Owner	HAROLD STELZNER	Not available	Not available
Driller	HAMILTON BROS, INC.	PO BOX 24181 INDPLS, IN.	Not available
Operator	ED RANDOLPH	License Not available	

Construction Details			
Well	Use: Home	Drilling Method: Rotary	Pump Type: Not available
	Depth: 58.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: 56.0	Material: Not available	Diameter: 8.0
Screen	Length: 2.0	Material: Not available	Diameter: 8.0
	Slot Size: .060		

Well Capacity Test	Type of Test: Pumping	Test Rate: 75.0 gpm for 1.0 hrs.	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: Not available	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Administrative	County: MARION	Township: 15N
	Range: 3E	Section: 6
	Topo Map: INDIANAPOLIS WEST	Grant: Not available
	Field Located By: Not available	Field Located On: Not available
	Courthouse Location By: Not available	Courthouse Location On: Not available
	Location Accepted w/o Verification By: BRUNS	Location Accepted w/o Verification On: 2/3/1976
	Subdivision Name: Not available	Lot Number: Not available
	Ft W of EL: Not available	Ft N of SL: Not available
	Ft E of WL: Not available	Ft S of NL: Not available
	Ground Elevation: Not available	Depth of Bedrock: Not available
	Bedrock Elevation: Not available	Aquifer Elevation: Not available
	UTM Easting: Not available	UTM Northing: Not available

Well Log

Top	Bottom	Formation
0.0	10.0	TOPSOIL & CLAY
10.0	58.0	GRAV

Comments
None

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
180378	Not available	5/10/1962

Owner-Contractor	Name	Address	Telephone
Owner	CARL RISTOW	4500 W. VERMONT ST.	Not available
Driller	HAMILTON BROS, INC.	4025 ROCKVILLE RD. INDPLS, IN.	Not available
Operator	EDMOND RANDOLPH	License Not available	

Construction Details			
Well	Use: Not available	Drilling Method: Cable Tool	Pump Type: Not available
	Depth: 35.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: 22.0	Material: Not available	Diameter: 8.5
Screen	Length: 14.9	Material: Not available	Diameter: 7.5
	Slot Size: .010		

Well Capacity Test	Type of Test: Pumping	Test Rate: 150.0 gpm for 2.0 hrs.	Bail Test Rate: Not available
	Drawdown: 20.0 ft.	Static Water Level: 6.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: DRH Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: 875.0 Ft E of WL: Not available Ground Elevation: 710.0 Bedrock Elevation: Not available UTM Easting: 565305	Township: 15N Section: NW of the NE of the SE of Section 6 Grant: Not available Field Located On: 8/31/1970 Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: 2,250.0 Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: 675.0 UTM Northing: 4402468
-----------------------	---	--

Well Log

Top	Bottom	Formation
0.0	2.0	TOPSOIL
2.0	15.0	YEL SAND
15.0	35.0	S & G
35.0		CLAY

Comments

MC ;

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
180383	Not available	6/27/1966

Owner-Contractor	Name	Address	Telephone
Owner	HAROLD SEITZNER	4700W VERMONT	Not available
Driller	HAMILTON BROS, INC.	4025 ROCKVILLE RD..	Not available
Operator	Not available	License Not available	

Construction Details			
Well	Use: Irrigation	Drilling Method: Cable Tool	Pump Type: Not available
	Depth: 57.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: 47.0	Material: Not available	Diameter: 8.0
Screen	Length: 11.0	Material: Not available	Diameter: 7.9
	Slot Size: 60		

Well Capacity Test	Type of Test: Pumping	Test Rate: 200.0 gpm for 6.0 hrs.	Bail Test Rate: Not available
	Drawdown: 35.0 ft.	Static Water Level: 6.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: 3,250.0 Ft E of WL: Not available Ground Elevation: 715.0 Bedrock Elevation: Not available UTM Easting: 564587.9	Township: 15N Section: NE of the SE of the NW of Section 6 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: 3,750.0 Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: 658.0 UTM Northing: 4402804.5
-----------------------	---	--

Well Log

Top	Bottom	Formation
0.0	6.0	TOPSOIL
6.0	10.0	CLAY ROCKY
10.0	32.0	CLAY
32.0	41.0	S & G
41.0	45.0	CLAY

Comments

MC ;

45.0

57.0

S & G

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
180388	Not available	Not available

Owner-Contractor	Name	Address	Telephone
Owner	RISTOW	4910 ROCKVILLE RD	Not available
Driller	Not available	Not available	Not available
Operator	ROBT EDWARDS	License Not available	

Construction Details			
Well	Use: Home	Drilling Method: Cable Tool	Pump Type: Not available
	Depth: 89.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: Not available	Material: Not available	Diameter: 8.0
Screen	Length: 11.0	Material: Not available	Diameter: Not available
	Slot Size: 70#		

Well Capacity Test	Type of Test: Pumping	Test Rate: 200.0 gpm	Bail Test Rate: Not available
	Drawdown: 66.0 ft.	Static Water Level: Not available	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available	Township: 15N Section: SE of the SE of the SE of Section 6 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available
-----------------------	--	--

Well Log

Top	Bottom	Formation
0.0	10.0	CLAY
10.0	20.0	SANDY CLAY
20.0	76.0	CLAY
76.0	89.0	SAND GRAV

Comments
None

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
180393	Not available	8/20/1965

Owner-Contractor	Name	Address	Telephone
Owner	ED RISTOW	104 N. ROENA	Not available
Driller	H.B.	Not available	Not available
Operator	LARRY HAMILTON	License Not available	

Construction Details	Use: Industry	Drilling Method: Cable Tool	Pump Type: Not available
Well	Depth: 53.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: 43.0	Material: Not available	Diameter: 8.0
Screen	Length: 10.0	Material: Not available	Diameter: 7.9
	Slot Size: 60		

Well Capacity Test	Type of Test: Pumping	Test Rate: 250.0 gpm for 8.0 hrs.	Bail Test Rate: Not available
	Drawdown: 20.0 ft.	Static Water Level: 20.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: DRH Courthouse Location By: Not available Location Accepted w/o Verification By: U	Township: 15N Section: NE of the SE of the SE of Section 6 Grant: Not available Field Located On: 8/31/1970 Courthouse Location On: Not available Location Accepted w/o Verification On: 10/1/1965 Lot Number: Not available Ft N of SL: 900.0 Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: 657.0 UTM Northing: 4401974
	Subdivision Name: Not available Ft W of EL: 350.0 Ft E of WL: Not available Ground Elevation: 710.0 Bedrock Elevation: Not available UTM Easting: 565477.8	

Well Log

Top	Bottom	Formation
0.0	7.0	TOPSOIL
7.0	9.0	SAND
9.0	23.0	CLAY
23.0	30.0	SAND
30.0	32.0	CLAY

Comments
None

32.0	53.0	S & G
------	------	-------

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
180450	#2 WELL UNDER TANK	8/1/1939

Owner-Contractor	Name	Address	Telephone
Owner	LINK BELT CO.	220 S BELMONT, INDPLS.	Not available
Driller	Not available	Not available	Not available
Operator	KRAUSS	License Not available	

Construction Details	Use: Industry	Drilling Method: Not available	Pump Type: Not available
Well	Depth: 438.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: Not available	Material: Not available	Diameter: 12.0
Screen	Length: 12.0	Material: Not available	Diameter: Not available
	Slot Size: Not available		

Well Capacity Test	Type of Test: Pumping	Test Rate: 537.0 gpm	Bail Test Rate: Not available
	Drawdown: 24.0 ft.	Static Water Level: 26.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available	Township: 15N Section: 9 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available
-----------------------	--	--

Well Log

Top	Bottom	Formation
0.0	4.0	SOIL
4.0	20.0	GRAV
20.0	48.0	CLAY
48.0	68.0	MUCK GRAV
68.0	114.0	CLAY

Comments
WHEMICAL
DATA ON
ORIGINAL
RECORD

114.0	126.0	GRAV
126.0	438.0	LS

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
180575	Not available	Not available

Owner-Contractor	Name	Address	Telephone
Owner	IND. CENTRAL STATE HOSPITAL	TIBBS & WASH.	Not available
Driller	KRAUSS	Not available	Not available
Operator	Not available	License Not available	

Construction Details			
Well	Use: Industry	Drilling Method: Not available	Pump Type: Not available
	Depth: 360.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: Not available	Material: Not available	Diameter: 12.0
Screen	Length: Not available	Material: Not available	Diameter: Not available
	Slot Size: Not available		

Well Capacity Test	Type of Test: Not available	Test Rate: 300.0 gpm	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: 28.5 ft.	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available	Township: 15N Section: SW of Section 4 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available
-----------------------	--	--

Well Log Comments	None
--------------------------	------

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
180660	Not available	Not available

Owner-Contractor	Name	Address	Telephone
Owner	IND. CENTRAL STATE HOSPITAL	TIBBS & WASH.	Not available
Driller	KRAUSS	Not available	Not available
Operator	Not available	License Not available	

Construction Details			
Well	Use: Industry	Drilling Method: Not available	Pump Type: Not available
	Depth: Not available	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: Not available	Material: Not available	Diameter: Not available
Screen	Length: Not available	Material: Not available	Diameter: Not available
	Slot Size: Not available		

Well Capacity Test	Type of Test: Not available	Test Rate: 100.0 gpm	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: Not available	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available	Township: 15N Section: 4 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available
-----------------------	--	--

Well Log Comments	ADDITIONAL PUMPING INFORMATION ON ORIGINAL
--------------------------	--

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
180665	Not available	Not available

Owner-Contractor	Name	Address	Telephone
Owner	IND. CENTRAL STATE HOSPITAL	TIBBS & WASH.	Not available
Driller	Not available	Not available	Not available
Operator	Not available	License Not available	

Construction Details			
Well	Use: Industry Depth: 60.0	Drilling Method: Not available Pump Setting Depth: Not available	Pump Type: Not available Water Quality: Not available
Casing	Length: Not available	Material: Not available	Diameter: 14.0
Screen	Length: Not available Slot Size: Not available	Material: Not available	Diameter: Not available

Well Capacity Test	Type of Test: Not available Drawdown: Not available	Test Rate: 400.0 gpm Static Water Level: 29.2 ft.	Bail Test Rate: Not available Bailer Drawdown: Not available
---------------------------	--	--	---

Grouting Information	Material: Not available Installation Method: Not available	Depth: From (not available) To (not available) Number of Bags Used: Not available
-----------------------------	---	--

Well Abandonment	Sealing Material: Not available Installation Method: Not available	Depth: From (not available) To (not available) Number of Bags Used: Not available
-------------------------	---	--

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available	Township: 15N Section: SW of Section 4 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available
-----------------------	--	--

Well Log Comments	ADDITIONAL PUMPING INFORMATION ON ORIGINAL
--------------------------	--

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
180670	Not available	Not available

Owner-Contractor	Name	Address	Telephone
Owner	IND. CENTRAL STATE HOSPITAL	TIBBS & WASH.	Not available
Driller	Not available	Not available	Not available
Operator	Not available	License Not available	

Construction Details			
Well	Use: Industry	Drilling Method: Not available	Pump Type: Not available
	Depth: 60.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: Not available	Material: Not available	Diameter: 10.0
Screen	Length: Not available	Material: Not available	Diameter: Not available
	Slot Size: Not available		

Well Capacity Test	Type of Test: Not available	Test Rate: 300.0 gpm	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: Not available	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available	Township: 15N Section: 4 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available
-----------------------	--	--

Well Log Comments	None
--------------------------	------

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
180675	SPEEDWAY CITY, INDPLS. #2	1/1/1941

Owner-Contractor	Name	Address	Telephone
Owner	IND. CENTRAL STATE HOSPITAL	FARM COLONY, N. TIBBS AVE.	Not available
Driller	CHAS. KRAUSS	INDPLS	Not available
Operator	Not available	License Not available	

Construction Details			
Well	Use: Other	Drilling Method: Not available	Pump Type: Not available
	Depth: 100.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: Not available	Material: Not available	Diameter: 12.0
Screen	Length: Not available	Material: Not available	Diameter: Not available
	Slot Size: Not available		

Well Capacity Test	Type of Test: Not available	Test Rate: 300.0 gpm	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: Not available	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available	Township: 15N Section: 4 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available
-----------------------	--	--

Well Log Comments	None
--------------------------	------

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
180680	Not available	11/24/1944

Owner-Contractor	Name	Address	Telephone
Owner	NATL.MALLEABLE&STEEL CASTINGS	546 N. HOLMES,INDPLS.	Not available
Driller	LAYNE-NORTHERN CO.INC	MISHAWAKA,IN.	Not available
Operator	Not available	License Not available	

Construction Details			
Well	Use: Not available	Drilling Method: Not available	Pump Type: Not available
	Depth: 94.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: 49.0	Material: Not available	Diameter: 30.0
Screen	Length: 15.0	Material: Not available	Diameter: 12.0
	Slot Size: 6		

Well Capacity Test	Type of Test: Pumping	Test Rate: 600.0 gpm	Bail Test Rate: Not available
	Drawdown: 14.0 ft.	Static Water Level: 22.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available	Township: 15N Section: NW of the SW of the NE of Section 4 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available
-----------------------	--	--

Well Log Comments	None
--------------------------	------

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
180685	Not available	11/20/1951

Owner-Contractor	Name	Address	Telephone
Owner	NATL.MALLEABLE&STEEL CASING CO	546 N. HOLMES INDPLS.	Not available
Driller	LAYNE-NORTHERN CO.INC	MISHAWAKA,IN.	Not available
Operator	J.MILLER & D. SMITH	License Not available	

Construction Details			
Well	Use: Not available	Drilling Method: Not available	Pump Type: Not available
	Depth: 106.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: 65.5	Material: Not available	Diameter: 30.0
Screen	Length: 20.0	Material: Not available	Diameter: 12.0
	Slot Size: 6		

Well Capacity Test	Type of Test: Pumping	Test Rate: 576.0 gpm	Bail Test Rate: Not available
	Drawdown: 10.5 ft.	Static Water Level: 23.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available	Township: 15N Section: NW of the SW of the NE of Section 4 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available
-----------------------	--	--

Well Log Comments
LOCATED 100' S. & 10 ' W. OF WATER TOWER ; WELL #2 ;

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
183216	APPROX 50' S OF ABANDONED WELL #14.	9/19/1972

Owner-Contractor	Name	Address	Telephone
Owner	PT COMPONENTS LINK BELTS DIV	INDPLS IN	Not available
Driller	PEERLESS-MIDWEST INC	51255 BITTERSWEET RD, PO BOX 26, GRANGER IN	Not available
Operator	Not available	License Not available	

Construction Details

Well	Use: Not available Depth: 112.0	Drilling Method: Not available Pump Setting Depth: Not available	Pump Type: Not available Water Quality: Not available
Casing	Length: Not available	Material: Not available	Diameter: 18.0
Screen	Length: 18.0 Slot Size: .050	Material: Not available	Diameter: 12.0

Well Capacity Test	Type of Test: Pumping Drawdown: Not available	Test Rate: 1,001.0 gpm Static Water Level: 42.0 ft.	Bail Test Rate: Not available Bailer Drawdown: Not available
---------------------------	--	--	---

Grouting Information	Material: Not available Installation Method: Not available	Depth: From (not available) To (not available) Number of Bags Used: Not available
-----------------------------	---	--

Well Abandonment	Sealing Material: Not available Installation Method: Not available	Depth: From (not available) To (not available) Number of Bags Used: Not available
-------------------------	---	--

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available	Township: 15N Section: NE of Section 9 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available
-----------------------	--	--

Well Log

Top	Bottom	Formation
0.0	5.0	TOPSOIL OR FILL
5.0	63.0	CRS S7G
63.0	73.0	GRAY CLAY

73.0	100.0	CRS S&G
100.0	112.0	CRS TO MD S&G

Comments

WELL #9;
 DIAGRAM
 ATTACHED TO
 ORIGINAL
 RECORD;

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
183221	BELMONT ST PLANT.	11/5/1974

Owner-Contractor	Name	Address	Telephone
Owner	FMC LINK-BELT CHAIN DIV	Not available	Not available
Driller	LAYNE NORTHERN	MISHAWAKA IN	Not available
Operator	WILLIAM WELLS	License Not available	

Construction Details	Use: Not available	Drilling Method: Not available	Pump Type: Not available
Well	Depth: 123.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: 100.0	Material: Not available	Diameter: 18.0
Screen	Length: 13.0	Material: Not available	Diameter: 18.0
	Slot Size: #4		

Well Capacity Test	Type of Test: Pumping	Test Rate: 935.0 gpm for 4.0 hrs.	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: 33.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: WDH Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: 1,400.0 Ft E of WL: Not available Ground Elevation: 700.0 Bedrock Elevation: Not available UTM Easting: 568382.9	Township: 15N Section: NE of the SW of the NE of Section 9 Grant: Not available Field Located On: 7/26/1976 Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: 1,500.0 Depth of Bedrock: Not available Aquifer Elevation: 577.0 UTM Northing: 4401362
-----------------------	---	--

Well Log

Top	Bottom	Formation
0.0	1.0	CRUSHED STONE LOT FILL
1.0	8.0	BR CLAY SANDY
8.0	17.0	YEL CLAY BOULDERS
17.0	25.0	CRS S&G
25.0	45.0	CRS BLUE GRAV

45.0	58.0	CRS S&G & BOULDERS
58.0	60.0	BLUE CLAY
60.0	75.0	CRS S&G
75.0	85.0	MD S&G
85.0	87.0	BLUE CLAY
87.0	95.0	FN S&G
95.0	103.0	MD S&G
103.0	105.0	GRAY CLAY
105.0	111.0	FN SAND
111.0	123.0	MD S&G

Comments

MC;WELL
#10;DIAGRAM
ATTACHED TO
ORIGINAL
RECORD;VERIFICATION
BY EMPLOYEE
OF 10 WELLS
ONLY #6,8,9&10
STILL IN
OPERATION;CASING
EXTENDS 3'
ABOVE
GROUND;

Record of Water Well
Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
183246	560 S HARRIS	7/17/1974

Owner-Contractor	Name	Address	Telephone
Owner	OXIDE & CHEMICAL	Not available	Not available
Driller	HAMILTON BROS INC.	4025 ROCKVILLE RD	Not available
Operator	ED RANDOLPH	License Not available	

Construction Details			
Well	Use: Industry	Drilling Method: Cable Tool	Pump Type: Not available
	Depth: 56.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: Not available	Material: Not available	Diameter: 8.0
Screen	Length: 19.0	Material: Not available	Diameter: 8.0
	Slot Size: .050		

Well Capacity Test	Type of Test: Pumping	Test Rate: 100.0 gpm for 12.0 hrs.	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: Not available	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Administrative	County: MARION	Township: 15N
	Range: 3E	Section: NE of Section 9
	Topo Map: INDIANAPOLIS WEST	Grant: Not available
	Field Located By: Not available	Field Located On: Not available
	Courthouse Location By: Not available	Courthouse Location On: Not available
	Location Accepted w/o Verification By: TMB	Location Accepted w/o Verification On: 10/1/1974
	Subdivision Name: Not available	Lot Number: Not available
	Ft W of EL: Not available	Ft N of SL: Not available
	Ft E of WL: Not available	Ft S of NL: Not available
	Ground Elevation: Not available	Depth of Bedrock: Not available
	Bedrock Elevation: Not available	Aquifer Elevation: Not available
	UTM Easting: Not available	UTM Northing: Not available

Well Log

Top	Bottom	Formation
0.0	10.0	TOPSOIL & CLAY
10.0	56.0	GRAV

Comments
None

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
183247	481' W OF BELMONT STREET FENCE; 30' N OF FENCE WHICH IS THE S. PROP. LINE	3/11/1966

Owner-Contractor	Name	Address	Telephone
Owner	LINK BELT COMPANY	INDIANAPOLIS, IN	Not available
Driller	LAYNE - NORHTERN COMPANY	MISHAWAKA, IN	Not available
Operator	H. SMITH	License Not available	

Construction Details	Use: Not available	Drilling Method: Rotary	Pump Type: Not available
Well	Depth: Not available	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: 36.0	Material: Not available	Diameter: Not available
Screen	Length: Not available	Material: Not available	Diameter: Not available
	Slot Size: Not available		

Well Capacity Test	Type of Test: Pumping	Test Rate: 1,659.0 gpm	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: 36.5 ft.	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available	Township: 15N Section: NE of Section 9 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: 121.0 Aquifer Elevation: Not available UTM Northing: Not available
-----------------------	--	--

Well Log

Top	Bottom	Formation
0.0	10.0	FILL SAND & GRAVEL
10.0	35.0	COARSE SAND & GRAVEL
35.0	42.0	SAND, GRAEL, CLAY, BOULDERS
42.0	61.0	BLEU GRITTY CLAY

61.0	62.0	MED SAND & GRAVEL
62.0	69.0	HARD CLAY & BOULDERS
69.0	72.0	SOFT CLAY & BOULDERS
72.0	96.0	HARD CLAY & BOULDERS
96.0	98.0	SAND, GRAVEL, MIXED W/ CLAY
98.0	107.0	FINE SAND, HARD PACKED
107.0	113.0	COARSE SAND, ACTIVE
113.0	120.0	HARD GRITTY CLAY
120.0	121.0	S&G
121.0		BEDROCK

Comments

None

Record of Water Well
Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
183290	25' S OF FENCE, 100' E OF W FENCE. 30' S OF E 10TH ST, 75' N OF 75-I TWST WELL.	7/17/1975

Owner-Contractor	Name	Address	Telephone
Owner	DETROIT DIESEL ALLISON DIV	Not available	Not available
Driller	LAYNE NORTHERN	MISHAWAKA IN	Not available
Operator	ROBERT COLLINS	License Not available	

Construction Details

Well	Use: Industry	Drilling Method: REV CIRCULAR	Pump Type: Not available
	Depth: 121.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: 106.0	Material: Not available	Diameter: 16.0
Screen	Length: 15.0 Slot Size: #6	Material: Not available	Diameter: 16.0

Well Capacity Test	Type of Test: Pumping	Test Rate: 316.0 gpm for 24.0 hrs.	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: Not available	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Administrative	County: MARION	Township: 15N
	Range: 3E	Section: NE of Section 6
	Topo Map: INDIANAPOLIS WEST	Grant: Not available
	Field Located By: Not available	Field Located On: Not available
	Courthouse Location By: Not available	Courthouse Location On: Not available
	Location Accepted w/o Verification By: BRUNS 031876	Location Accepted w/o Verification On: Not available
	Subdivision Name: Not available	Lot Number: Not available
	Ft W of EL: Not available	Ft N of SL: Not available
	Ft E of WL: Not available	Ft S of NL: Not available
	Ground Elevation: Not available	Depth of Bedrock: Not available
	Bedrock Elevation: Not available	Aquifer Elevation: Not available
	UTM Easting: Not available	UTM Northing: Not available

Well Log

Top	Bottom	Formation
0.0	4.0	BR CLAY
4.0	16.0	FILL BOULDERS CRS YEL GRAV

16.0	23.0	CRS GRAV & MD SAND GREY
23.0	24.0	MD GRAV & FN SAND GREY
24.0	27.0	MD GRAV MD SAND CLAY STRIPS
27.0	28.0	CRS GRAV MD SAND GRAY CLAY
28.0	30.0	CRS YEL GRAV BOULDERS
30.0	38.0	MD GRAV BOULDERS FN SAND
38.0	44.0	HARD GRAY CLAY GRITTY
44.0	45.0	SS
45.0	53.0	MD GRAV MD SAND GRAY
53.0	57.0	CRS GRAV MD SAND BOULDERS
57.0	76.0	HARD GRITTY CLAY GRAY BLDS
76.0	79.0	MD GRAV MD SAND GRAY
79.0	99.0	SOFT GRITTY CLAY GRAY
99.0	103.0	CRS GRAV CRS SAND GRAY
103.0	105.0	CRS GRAV CRS SAND PCS WOOD
105.0	121.0	CRS GRAV MD SAND GRAY

Comments

CASING
EXTENDS 3.5'
ABOVE
GROUND; ADD'L
INFO STAPLED
TO LOG;

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
183295	300' S OF E GATE, 10' FROM FENCE PLANT #3.	7/11/1939

Owner-Contractor	Name	Address	Telephone
Owner	ALLISON ENGINEERING CO	Not available	Not available
Driller	LAYNE NORTHERN	MISHAWAKA IN	Not available
Operator	JAMES YOUNG	License Not available	

Construction Details	Use: Not available	Drilling Method: Not available	Pump Type: Not available
Well	Depth: 72.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: Not available	Material: Not available	Diameter: Not available
Screen	Length: Not available	Material: Not available	Diameter: Not available
	Slot Size: Not available		

Well Capacity Test	Type of Test: Pumping	Test Rate: 950.0 gpm	Bail Test Rate: Not available
	Drawdown: 32.0 ft.	Static Water Level: 10.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: 50.0 Ft E of WL: Not available Ground Elevation: 720.0 Bedrock Elevation: Not available UTM Easting: 565560.4	Township: 15N Section: NE of the NE of the NE of Section 6 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: 950.0 Depth of Bedrock: Not available Aquifer Elevation: 648.0 UTM Northing: 4403135
-----------------------	--	--

Well Log

Top	Bottom	Formation
0.0	2.0	TOPSOIL
2.0	12.0	GRAV
12.0	44.0	CLAY
44.0	72.0	GRAV

Comments

ADDT'L INFO
STAPLED TO
LOG;

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
183305	IND BOILER ROOM OF NEW FACTORY.	8/2/1939

Owner-Contractor	Name	Address	Telephone
Owner	ALLISON ENGINEERING DIV	Not available	Not available
Driller	LAYNE NORTHERN	MISHAWAKA IN	Not available
Operator	JAMES YOUNG	License Not available	

Construction Details	Use: Not available	Drilling Method: Not available	Pump Type: Not available
Well	Depth: 60.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: Not available	Material: Not available	Diameter: Not available
Screen	Length: Not available	Material: Not available	Diameter: Not available
	Slot Size: Not available		

Well Capacity Test	Type of Test: Pumping	Test Rate: 260.0 gpm	Bail Test Rate: Not available
	Drawdown: 39.0 ft.	Static Water Level: 14.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: ALLISON Ft W of EL: 700.0 Ft E of WL: Not available Ground Elevation: 722.0 Bedrock Elevation: Not available UTM Easting: 565349.9	Township: 15N Section: NW of the NE of the NE of Section 6 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: 650.0 Depth of Bedrock: Not available Aquifer Elevation: 662.0 UTM Northing: 4403224.5
-----------------------	---	--

Well Log

Top	Bottom	Formation
0.0	5.0	SOIL
5.0	20.0	GRAV
20.0	48.0	CLAY
48.0	60.0	GRAV & SAND

Comments

ADD'L INFO
STAPLED TO
LOG;

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
183310	90' E OF LYNDHURST DR ON N EAGLE CREEK BANK. 90' E & 4400' N OF SW CORNER OF SEC.	12/7/1951

Owner-Contractor	Name	Address	Telephone
Owner	ALLISON DIV GMC	Not available	Not available
Driller	LAYNE NORTHERN	MISHAWAKA IN	Not available
Operator	JOHN MILLER	License Not available	

Construction Details	Use: Not available	Drilling Method: Rotary	Pump Type: Not available
Well	Depth: 74.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: 42.0	Material: Not available	Diameter: 26.0
Screen	Length: 30.0	Material: Not available	Diameter: 12.0
	Slot Size: Not available		

Well Capacity Test	Type of Test: Pumping	Test Rate: 524.0 gpm	Bail Test Rate: Not available
	Drawdown: 28.0 ft.	Static Water Level: 14.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)
	Installation Method: Not available	Number of Bags Used: Not available

Administrative	County: MARION Range: 3E Topo Map: CLERMONT Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: 100.0 Ground Elevation: 718.0 Bedrock Elevation: Not available UTM Easting: 564250	Township: 15N Section: NW of the NW of the NW of Section 6 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: 550.0 Depth of Bedrock: Not available Aquifer Elevation: 644.0 UTM Northing: 4403225
-----------------------	--	--

Well Log

Top	Bottom	Formation
0.0	4.0	TOPSOIL
4.0	8.5	CRS GRAV
8.5	35.0	HARD GRITTY CLAY
35.0	38.0	S&G & CLAY MIXED

Comments
CASING
EXTENDS 4'
ABOVE
GROUND;
ADDT'L INFO
STAPLED TO
LOG;

38.0	47.0	HARD GRITTY CLAY & BOULDERS
47.0	68.0	MD S&G
68.0	72.0	CRS S&G
72.0	74.0	HARD GRITTY CLAY

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
183315	35' S OF S SIDE OF #7 WELL HOUSE, 35' E OF CENTER LINE OF COSSELL RD.	10/21/1968

Owner-Contractor	Name	Address	Telephone
Owner	ALLISON DIV GMC PLANT #3	Not available	Not available
Driller	LAYNE NORTHERN	MISHAWAKA IN	Not available
Operator	EWING ALLEN	License Not available	

Construction Details

Well	Use: Not available	Drilling Method: REVERSE CIRC	Pump Type: Not available
	Depth: 117.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: 117.0	Material: Not available	Diameter: 18.0
Screen	Length: 15.0	Material: Not available	Diameter: 18.0
	Slot Size: .130		

Well Capacity Test	Type of Test: Pumping	Test Rate: 361.0 gpm for 12.0 hrs.	Bail Test Rate: Not available
	Drawdown: 95.0 ft.	Static Water Level: 37.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: HCK Subdivision Name: Not available Ft W of EL: 2,650.0 Ft E of WL: Not available Ground Elevation: 724.0 Bedrock Elevation: Not available UTM Easting: 564760.4	Township: 15N Section: NW of the NW of the NE of Section 6 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: 11/1/1968 Lot Number: Not available Ft N of SL: Not available Ft S of NL: 650.0 Depth of Bedrock: Not available Aquifer Elevation: 607.0 UTM Northing: 4403218
-----------------------	---	--

Well Log

Top	Bottom	Formation
0.0	35.0	GRAV & BOULDERS
35.0	37.0	CLAY
37.0	64.0	S&G

64.0	101.0	CLAY
101.0	107.0	FN SAND
107.0	117.0	MD S&G

Comments

WELL #74;
CASING
EXTENDS 2'
ABOVE
GROUND; ADD'L
INFO STAPLED
TO LOG;

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
183320	AT TEST WELL SITE #22, CASSELL RD, PLANT #3.	10/19/1940

Owner-Contractor	Name	Address	Telephone
Owner	ALLISON ENGINEERING CO	Not available	Not available
Driller	LAYNE NORTHERN	MISHAWAKA IN	Not available
Operator	JAMES YOUNG	License Not available	

Construction Details	Use: Not available	Drilling Method: Not available	Pump Type: Not available
Well	Depth: 59.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: 21.0	Material: Not available	Diameter: 42.0
Screen	Length: 38.0	Material: Not available	Diameter: 18.0
	Slot Size: Not available		

Well Capacity Test	Type of Test: Pumping	Test Rate: 300.0 gpm	Bail Test Rate: Not available
	Drawdown: 14.0 ft.	Static Water Level: 18.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: 2,300.0 Ft E of WL: Not available Ground Elevation: 723.0 Bedrock Elevation: Not available UTM Easting: 564874.7	Township: 15N Section: NW of the NW of the NE of Section 6 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: 1,000.0 Depth of Bedrock: Not available Aquifer Elevation: 664.0 UTM Northing: 4403108
-----------------------	---	--

Well Log

Top	Bottom	Formation
0.0	4.0	SOIL & CLAY
4.0	16.0	DRY GRAV & SAND
16.0	32.0	GRAV & SAND
32.0	40.0	GRAV W/BOULDERS
40.0	42.0	GRAV & FN SAND

42.0	44.0	FN SAND
44.0	48.0	CLAY
48.0	59.0	S&G

Comments

WELL #8;
CASING IS 1'
BELOW
SURFACE;
ADD'L INFO
STAPLED TO
LOG;

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
183325	34' W OF W SIDE OF #5 WELL HOUSE, 81' S OF CENTER LINE OF 10TH ST.	10/10/1968

Owner-Contractor	Name	Address	Telephone
Owner	ALLISON DIV GMC PLANT #3.	Not available	Not available
Driller	LAYNE NORTHERN CO.	MISHAWAKA IN	Not available
Operator	EWING ALLEN	License Not available	

Construction Details

Well	Use: Not available	Drilling Method: Reverse Rotary	Pump Type: Not available
	Depth: 121.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: 106.0	Material: Not available	Diameter: 16.0
Screen	Length: 15.0	Material: Not available	Diameter: 15.0
	Slot Size: .130		

Well Capacity Test	Type of Test: Pumping	Test Rate: 316.0 gpm for 12.0 hrs.	Bail Test Rate: Not available
	Drawdown: 50.0 ft.	Static Water Level: 38.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: ALLISON Ft W of EL: 2,400.0 Ft E of WL: Not available Ground Elevation: 724.0 Bedrock Elevation: Not available UTM Easting: 564820.5	Township: 15N Section: NW of the NW of the NE of Section 6 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: 603.0 UTM Northing: 4403386
-----------------------	---	--

Well Log

Top	Bottom	Formation
0.0	14.0	TOPGRAV
14.0	35.0	CLAY
35.0	46.0	S&CLAY

46.0	62.0	S&G
62.0	80.0	CLAY & SAND
80.0	87.0	S&G
87.0	95.0	CLAY & SAND
95.0	108.0	CLAY
108.0	114.0	FN SAND
114.0	116.5	SAND & CLAY
116.5	121.0	FN GRAV

Comments

ADD'L INFO
STAPLED TO
LOG;

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
183330	SE CORNER OF PROPERTY, PLANT #3.	9/12/1939

Owner-Contractor	Name	Address	Telephone
Owner	ALLISON ENGINEERING	Not available	Not available
Driller	Not available	Not available	Not available
Operator	JAMES NESS	License Not available	

Construction Details	Use: Not available	Drilling Method: Not available	Pump Type: Not available
Well	Depth: 56.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: 39.0	Material: Not available	Diameter: 42.0
Screen	Length: Not available	Material: Not available	Diameter: 18.0
	Slot Size: Not available		

Well Capacity Test	Type of Test: Pumping	Test Rate: 280.0 gpm	Bail Test Rate: Not available
	Drawdown: 26.0 ft.	Static Water Level: 12.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: 100.0 Ft E of WL: Not available Ground Elevation: 720.0 Bedrock Elevation: Not available UTM Easting: 565547.6	Township: 15N Section: SE of the NE of the NE of Section 6 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: 1,400.0 Depth of Bedrock: Not available Aquifer Elevation: 664.0 UTM Northing: 4403009.5
-----------------------	---	--

Well Log

Top	Bottom	Formation
0.0	4.0	SOIL
4.0	12.0	DRY GRAV & BOULDERS
12.0	35.0	GRAV
35.0	43.0	CLAY
43.0	56.0	GRAV & SAND

Comments

CASING
EXTENDS
ABOVE
GROUND; WELL
#8; ADDTL INFO
STAPLED TO
LOG;

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
183335	PLANT #3-125' W OF E SHOULDER OF CASSELL RD, 100' S OF FENCE. 15' N OF TEST WELL #75H.	8/31/1975

Owner-Contractor	Name	Address	Telephone
Owner	DETROIT DIESEL ALLISON DIV	Not available	Not available
Driller	LAYNE NORTHERN	Not available	Not available
Operator	ROBERT COLLINS	License Not available	

Construction Details	Well	Use: Not available	Drilling Method: Not available	Pump Type: Not available
		Depth: 119.0	Pump Setting Depth: Not available	Water Quality: Not available
	Casing	Length: 111.0	Material: Not available	Diameter: 16.0
	Screen	Length: 8.0	Material: Not available	Diameter: 16.0
		Slot Size: #6		

Well Capacity Test	Type of Test: Pumping	Test Rate: 300.0 gpm for 8.0 hrs.	Bail Test Rate: Not available
	Drawdown: 34.0 ft.	Static Water Level: 50.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: BRUNS Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available	Township: 15N Section: NE of Section 6 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: 3/18/1976 Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available
-----------------------	--	--

Well Log

Top	Bottom	Formation
0.0	15.0	BR CLAY
15.0	33.0	FILL CEMENT TRASH
33.0	48.0	HARD GRITTY CLAY
48.0	51.0	MD TO CRS GRAV

51.0	54.0	HARD GRITTY CLAY
54.0	63.0	CRS GRAV MD SAND
63.0	98.0	HARD GRITTY CLAY
98.0	99.0	STRPS OF SOFT SAND STONE WD
99.0	101.0	BR CLAY
101.0	108.0	SOFT GRITTY CLAY GRAY
108.0	109.0	BLK SHALE
109.0	114.0	CRS GRAV MD SAND GRAY
114.0	119.0	CRS GRAV GRAY
119.0		BLK SHALE BOTTOM

Comments

WELL LOG #12;
 ADDTL INFO
 STAPLED TO
 LOG; CASING
 EXTENDS 3'
 ABOVE
 GROUND;

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
183380	95' S OF NW GATE ON 10TH ST, 50' E OF W FENCE.	5/13/1940

Owner-Contractor	Name	Address	Telephone
Owner	ALLISON ENGINEERING CO	Not available	Not available
Driller	LAYNE NORTHERN	MISHAWAKA IN	Not available
Operator	JAMES NESS	License Not available	

Construction Details	Well	Use: Not available	Drilling Method: Not available	Pump Type: Not available
		Depth: 62.5	Pump Setting Depth: Not available	Water Quality: Not available
	Casing	Length: 38.5	Material: Not available	Diameter: 42.0
	Screen	Length: Not available	Material: Not available	Diameter: 18.0
		Slot Size: #4		

Well Capacity Test	Type of Test: Pumping	Test Rate: 400.0 gpm	Bail Test Rate: Not available
	Drawdown: 25.0 ft.	Static Water Level: 20.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: 1,500.0 Ft E of WL: Not available Ground Elevation: 725.0 Bedrock Elevation: Not available UTM Easting: 565102	Township: 15N Section: NE of the NW of the NE of Section 6 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: 100.0 Depth of Bedrock: Not available Aquifer Elevation: 662.0 UTM Northing: 4403390
-----------------------	---	--

Well Log

Top	Bottom	Formation
0.0	5.0	SOIL & DIRT
5.0	15.0	GRAV
15.0	31.0	CLAY
31.0	31.5	BLANK
31.5	62.5	GRAV

Comments

CASING
EXTENDS
ABOVE
GROUND; WELL
#4; ADDTL INFO
STAPLED TO
LOG;

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed	
183390	600 FEET SOUTH OF #6 WELL - PLANT #3	9/23/1940	

Owner-Contractor	Name	Address	Telephone
Owner	ALLISON ENGINEERING COMPANY	Not available	Not available
Driller	LAYNE NORTHERN	Not available	Not available
Operator	JAMES YOUNG	License Not available	

Construction Details			
Well	Use: Not available Depth: 59.0	Drilling Method: Not available Pump Setting Depth: Not available	Pump Type: Not available Water Quality: Not available
Casing	Length: 26.0	Material: Not available	Diameter: 42.0
Screen	Length: 33.0 Slot Size: Not available	Material: Not available	Diameter: 18.0

Well Capacity Test	Type of Test: Not available Drawdown: 8.0 ft.	Test Rate: 600.0 gpm Static Water Level: 16.0 ft.	Bail Test Rate: Not available Bailer Drawdown: Not available
---------------------------	--	--	---

Grouting Information	Material: Not available Installation Method: Not available	Depth: From (not available) To (not available) Number of Bags Used: Not available
-----------------------------	---	--

Well Abandonment	Sealing Material: Not available Installation Method: Not available	Depth: From (not available) To (not available) Number of Bags Used: Not available
-------------------------	---	--

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: 2,650.0 Ft E of WL: Not available Ground Elevation: 724.0 Bedrock Elevation: Not available UTM Easting: 564756.7	Township: 15N Section: NW of the NW of the NE of Section 6 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: 600.0 Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: 4403221.5
-----------------------	---	--

Well Log Comments	
--------------------------	--

WELL #7;
CASING
EXTENDS
ABOVE
GROUND;
ADDT'L INFO
STAPLED TO
LOG;

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
265071	Not available	Not available

Owner-Contractor	Name	Address	Telephone
Owner	ALLISON DIV GMC	SPEEDWAY IN	Not available
Driller	LAYNE NORTHERN	MISHAWAKA IN	Not available
Operator	JOHN MILLER	License Not available	

Construction Details			
Well	Use: Not available	Drilling Method: Not available	Pump Type: Not available
	Depth: 72.5	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: 36.5	Material: Not available	Diameter: 42.0
Screen	Length: Not available	Material: Not available	Diameter: Not available
	Slot Size: Not available		

Well Capacity Test	Type of Test: Pumping	Test Rate: 503.0 gpm	Bail Test Rate: Not available
	Drawdown: 26.0 ft.	Static Water Level: 16.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: 722.0 Bedrock Elevation: Not available UTM Easting: Not available	Township: 15N Section: NE of the NE of the NE of Section 6 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available
-----------------------	--	--

Well Log Comments	None
--------------------------	------

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
265106	Not available	9/7/1940

Owner-Contractor	Name	Address	Telephone
Owner	ALLISON ENGINEERING COMPANY	Not available	Not available
Driller	Not available	Not available	Not available
Operator	JAMES NESS	License Not available	

Construction Details	Use: Not available	Drilling Method: Not available	Pump Type: Not available
Well	Depth: 60.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: 41.0	Material: Not available	Diameter: 38.0
Screen	Length: Not available	Material: Not available	Diameter: Not available
	Slot Size: Not available		

Well Capacity Test	Type of Test: Not available	Test Rate: 300.0 gpm	Bail Test Rate: Not available
	Drawdown: 24.0 ft.	Static Water Level: 20.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: 2,350.0 Ft E of WL: Not available Ground Elevation: 725.0 Bedrock Elevation: Not available UTM Easting: 564857.7	Township: 15N Section: NW of the NW of the NE of Section 6 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: 100.0 Depth of Bedrock: Not available Aquifer Elevation: 665.0 UTM Northing: 4403390
-----------------------	---	--

Well Log

Top	Bottom	Formation
0.0	5.0	SOIL & CLAY
5.0	12.0	GRAV DRY
12.0	28.5	HARDPAN
28.5	30.0	GRAV

30.0	37.0	HARDPAN
37.0	44.0	GRAV
44.0	48.0	HARDPAN
48.0	60.0	MD GRAV&SAND
60.0		HARDPAN

Comments
PERMANENT
WELL #5;

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
270825	3451 W 16TH	1/1/1955

Owner-Contractor	Name	Address	Telephone
Owner	B&B TAVERN	Not available	Not available
Driller	HAMILTON BROS	Not available	Not available
Operator	Not available	License Not available	

Construction Details			
Well	Use: Home	Drilling Method: Not available	Pump Type: Not available
	Depth: 85.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: Not available	Material: Not available	Diameter: 8.0
Screen	Length: 6.0	Material: Not available	Diameter: Not available
	Slot Size: #40		

Well Capacity Test	Type of Test: Not available	Test Rate: 100.0 gpm	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: Not available	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available	Township: 16N Section: 32 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available
-----------------------	--	---

Well Log

Top	Bottom	Formation
0.0	15.0	SANDY CLAY
15.0	20.0	DRY GRAVEL
20.0	77.0	SANDY CLAY
77.0	85.0	S&G

Comments
None

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed	
290028	NE 1/4 SE 1/4	6/5/1912	

Owner-Contractor	Name	Address	Telephone
Owner	PRESTOLITE CO INC	SPEEDWAY CITY	Not available
Driller	TRIPP CO	Not available	Not available
Operator	Not available	License Not available	

Construction Details			
Well	Use: Industry Depth: 432.0	Drilling Method: Not available Pump Setting Depth: Not available	Pump Type: Not available Water Quality: Not available
Casing	Length: 140.0	Material: Not available	Diameter: 10.0
Screen	Length: Not available Slot Size: Not available	Material: Not available	Diameter: Not available

Well Capacity Test	Type of Test: Pumping Drawdown: Not available	Test Rate: 175.0 gpm Static Water Level: 23.0 ft.	Bail Test Rate: Not available Bailer Drawdown: Not available
---------------------------	--	--	---

Grouting Information	Material: Not available Installation Method: Not available	Depth: From (not available) To (not available) Number of Bags Used: Not available
-----------------------------	---	--

Well Abandonment	Sealing Material: Not available Installation Method: Not available	Depth: From (not available) To (not available) Number of Bags Used: Not available
-------------------------	---	--

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available	Township: 16N Section: NE of the SE of Section 31 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available
-----------------------	--	---

Well Log Comments	ROCK
--------------------------	------

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed	
290029	NE 1/4 SE 1/4	11/20/1920	

Owner-Contractor	Name	Address	Telephone
Owner	PRESTOLITE CO	M SPEEDWAY CITY	Not available
Driller	KRAUSS	INDPLS	Not available
Operator	Not available	License Not available	

Construction Details			
Well	Use: Industry Depth: 433.0	Drilling Method: Not available Pump Setting Depth: Not available	Pump Type: Not available Water Quality: Not available
Casing	Length: 120.0	Material: Not available	Diameter: 10.0
Screen	Length: Not available Slot Size: Not available	Material: Not available	Diameter: Not available

Well Capacity Test	Type of Test: Pumping Drawdown: Not available	Test Rate: 160.0 gpm Static Water Level: 76.0 ft.	Bail Test Rate: Not available Bailer Drawdown: Not available
---------------------------	--	--	---

Grouting Information	Material: Not available Installation Method: Not available	Depth: From (not available) To (not available) Number of Bags Used: Not available
-----------------------------	---	--

Well Abandonment	Sealing Material: Not available Installation Method: Not available	Depth: From (not available) To (not available) Number of Bags Used: Not available
-------------------------	---	--

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available	Township: 16N Section: NE of the SE of Section 31 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available
-----------------------	--	---

Well Log Comments	ROCK
--------------------------	------

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed	
290030	NE 1/4 SE 1/4	9/15/1928	

Owner-Contractor	Name	Address	Telephone
Owner	PRESTOLITE CO INC	SPEEDWAY CITY	Not available
Driller	KRAUSS	INDPLS	Not available
Operator	Not available	License Not available	

Construction Details			
Well	Use: Industry	Drilling Method: Not available	Pump Type: Not available
	Depth: 464.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: 122.0	Material: Not available	Diameter: 10.8
Screen	Length: Not available	Material: Not available	Diameter: Not available
	Slot Size: Not available		

Well Capacity Test	Type of Test: Pumping	Test Rate: 165.0 gpm	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: 22.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available	Township: 16N Section: NE of the SE of Section 31 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available
-----------------------	--	---

Well Log Comments	ROCK
--------------------------	------

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
290031	NE 1/4 SE 1/4	9/1/1937

Owner-Contractor	Name	Address	Telephone
Owner	PRESTOLITE CO	SPEEDWAY CITY	Not available
Driller	LAYNE NORTHERN	INDPLS	Not available
Operator	Not available	License Not available	

Construction Details	Use: Industry	Drilling Method: Not available	Pump Type: Not available
Well	Depth: 61.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: Not available	Material: Not available	Diameter: 30.0
Screen	Length: Not available	Material: Not available	Diameter: Not available
	Slot Size: Not available		

Well Capacity Test	Type of Test: Pumping	Test Rate: 275.0 gpm	Bail Test Rate: Not available
	Drawdown: Not available	Static Water Level: 22.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available	Township: 16N Section: NE of the SE of Section 31 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available
-----------------------	--	---

Well Log

Top	Bottom	Formation
0.0	5.0	CLAY
5.0	19.0	S&G
19.0	37.0	HARDPAN
37.0	41.0	GRAV STATIC LVL
41.0	50.0	HARDPAN

Comments

GRAVEL WALL
WELL

50.0

61.0

GRAV STATIC LVL

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed
290032	SW 1/4 SE 1/4; 1045 MAIN ST SPEEDWAY IN	6/1/1946

Owner-Contractor	Name	Address	Telephone
Owner	ELECTRIC STEEL CASTINGS CO	Not available	Not available
Driller	R L CLARK	2620 COLLEGE	Not available
Operator	Not available	License Not available	

Construction Details			
Well	Use: Not available	Drilling Method: Not available	Pump Type: Not available
	Depth: 123.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: Not available	Material: Not available	Diameter: 10.0
Screen	Length: Not available	Material: Not available	Diameter: Not available
	Slot Size: Not available		

Well Capacity Test	Type of Test: Pumping	Test Rate: 225.0 gpm	Bail Test Rate: Not available
	Drawdown: 31.0 ft.	Static Water Level: Not available	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available	Township: 16N Section: SW of the SE of Section 31 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available
-----------------------	--	---

Well Log Comments	SW 22.65' BELOW TOP OF 10' COUPLING
--------------------------	---

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving Direction to Well	Date Completed	
290033	SE 1/4 PLANT 2 WELL NO 1 AT TEST	10/1/1940	

Owner-Contractor	Name	Address	Telephone
Owner	ALLISON ENGR CO	SPEEDWAY CITY	Not available
Driller	LAYNE NORTHERN CO	INDPLS	Not available
Operator	Not available	License Not available	

Construction Details			
Well	Use: Industry	Drilling Method: Not available	Pump Type: Not available
	Depth: 725.0	Pump Setting Depth: Not available	Water Quality: Not available
Casing	Length: Not available	Material: Not available	Diameter: 12.6
Screen	Length: Not available	Material: Not available	Diameter: Not available
	Slot Size: Not available		

Well Capacity Test	Type of Test: Pumping	Test Rate: 270.0 gpm	Bail Test Rate: Not available
	Drawdown: 25.0 ft.	Static Water Level: 28.0 ft.	Bailer Drawdown: Not available

Grouting Information	Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)	
	Installation Method: Not available	Number of Bags Used: Not available	

Administrative	County: MARION Range: 3E Topo Map: INDIANAPOLIS WEST Field Located By: Not available Courthouse Location By: Not available Location Accepted w/o Verification By: Not available Subdivision Name: Not available Ft W of EL: Not available Ft E of WL: Not available Ground Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available	Township: 16N Section: SE of Section 31 Grant: Not available Field Located On: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not available Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available
-----------------------	--	---

Well Log Comments	AIR LINE LENGTH 76'; GRAVEL
--------------------------	-----------------------------------